

[Main Page](#)
[Company Profile](#)
[Employment](#)
[What's New](#)
[Contact Us](#)



ALLIED MOULDED PRODUCTS
Residential Products

>> Residential Home : Paddle Fan & Fixture Support Boxes

[Fiberglassbox™ Switch and Outlet Boxes](#)

[Fiberglassbox™ Old Work Outlet Boxes](#)

[Flexbox® Switch and Outlet Boxes](#)

[Flexbox® Old Work Outlet Boxes](#)

[Paddle Fan & Fixture Support Boxes](#)

[Structured Cable/Low Voltage Products](#)

[Range/Dryer Receptacle Box](#)

[Vapor Seal Switch and Outlet Boxes](#)

[Lampholders](#)

[Speed "K" Klamps™](#)

[Request a Catalog](#)

[Technical Information](#)

[Your New Product Ideas](#)

[Residential Home Brochure](#)

Paddle Fan & Fixture Support Boxes





9373-FR
16.5 cu. in.
Fan box, 1/2" deep base,
Molded Speed Klamp™,
Rated for fan weight up to
70 lbs.
and fixture weight up to
110 lbs.

You can install every paddle fan with complete confidence when using Allied Moulded non-metallic fan and fixture boxes. Molded of fiberglass reinforced material for strength and durability, Allied Moulded fan and fixture support boxes are available with mounting means to fit a variety of applications.

- Two hour wall/ceiling fire rated
- Mounting hardware and instructions supplied

Meets NEC 2002 requirements:
Ref: 314 Outlet Boxes
410-16 Means of Support
422-18 Support of Ceiling Fans

	Cu In. Vol.	Catalog Number	Component Description	Outside Dimensions		UPC# 85339	Std. Pkg. Qty.
				D	W		
	20.5	9335-NKFR	3 1/2" dia. side nail mount fan and fixture box, Speed Klamps™	2 7/8	3 1/2	41202	50
	16.0	9336-NKFR	3 1/2" dia. side nail mount fan and fixture box, Speed Klamps™	2 5/16	3 1/2	10305	50
	22.5	9350-FRBK	4" dia. Strong "O" Bar fan and fixture box, Speed Klamps™	2 3/8	4	10464	20

									Klamps™, individual carton					
	22.5	9350-FRBKB	4" dia. Strong "O" Bar fan and fixture box, Speed Klamps™, bulk packed	2 3/8	4	10465	20							
	22.5	9350-FRBKOW	4" dia. Strong "O" Bar fan and fixture box for old work applications, Speed Klamps™	2 3/8	4	10472	20							
	22.5	9350-KFR	4" dia. bottom mount fan and fixture box, Speed Klamps™	2 3/8	4	10459	50							
	22.5	9351-NKFR	4" dia. side nail mount fan and fixture box, Speed Klamps™	2 3/8	4	65002	50							
	15.0	9364-KFR	4" dia. bottom mount fan and fixture box, Speed Klamps™	1 5/8	4	10620	50							
	15.0	9364-FRBK	4" dia. Strong "O" Bar fan and fixture box, Speed Klamps™, individual carton	1 5/8	4	10618	20							
	15.0	9364-FRBKB	4" dia. Strong "O" Bar fan and fixture box, Speed Klamps™, bulk packed	1 5/8	4	70423	20							
	15.0	9364-FRBKOW	4" dia. Strong "O" Bar fan and fixture box for old work applications, Speed Klamps™	1 5/8	4	70424	20							
	15.0	9365-NKFR	4" dia. side nail mount fan and fixture box, "HL" hanger, Speed Klamps™	1 5/8	4	75392	50							
	16.0	9369-FB	4" dia. surface mount fan and fixture box, Speed Klamps™	1 5/8	4	76500	25							

								
	16.0	9369-FBH	4" dia. side mount hanger fan and fixture box, Speed Klamps™	1 5/8	4	76501	25	
	16.5	9373-FR	4" dia. fan box, 1/2" deep base, molded-in Speed Klamps™	6	4	78254	40	
	12.0	9374-FR	4" dia. fan box, 1/2" deep base, molded-in Speed Klamps™	4 1/4	4	79264	40	

© Copyright Allied Moulded Products, Inc. 222 N. Union St., Bryan, OH 43506. Phone: 419-636-4217