DRAWING NO. SD007774

REV	DATE	DESCRIPTION	ECO	BY	C'H'K.
K	07/01/2015 00:00:00 AM	TABLE UPDATED IN SHEET #1	40702	DD	MA

CATALOG NUMBER	COPPER CONDUCTOR NAVY ③	COPPER CONDUCTOR COMMERCIAL	FIG. NO.	COLOR CODE	DIMENSIONS B MIN.	DIMENSIONS L	DIMENSIONS O.D.
YS8C	23	#8 AWG STR/SOL #8 AWG FLEX #6 AWG SOL	1	RED	.78 [20]	1.75 [44]	.27 [7]
YS6C ⑧	-----	#6 AWG STR/SOL	1	BLUE	1.09 [28]	2.38 [60]	.29 [7]
YS5C	30	#5 AWG	1	BLUE	1.09 [28]	2.55 [65]	.30 [8]
YS4C	40	#4 AWG	1	GRAY	1.09 [28]	2.55 [65]	.34 [9]
YS3C	50	#3 AWG	1	WHITE	1.22 [31]	2.80 [71]	.38 [10]
YS2C	60	#2 AWG	1	BROWN	1.22 [31]	2.82 [71]	.42 [11]
YS1C	75	#1 AWG	1	GREEN	1.34 [34]	3.07 [78]	.46 [12]
YS25	100	1/0 AWG	1	PINK	1.34 [34]	3.08 [78]	.51 [13]
YS26	125	2/0 AWG	1	BLACK	1.45 [37]	3.30 [84]	.56 [14]
YS27	150	3/0 AWG	1	ORANGE	1.45 [37]	3.30 [84]	.62 [16]
YS28	200	4/0 AWG	1	PURPLE	1.58 [40]	3.57 [91]	.69 [18]
YS29	250	250 kcmil	1	YELLOW	1.58 [40]	3.58 [91]	.75 [19]
YS30	300	300 kcmil	2	WHITE	1.95 [50]	4.34 [110]	.81 [21]
YS31	350	350 kcmil	2	RED	1.95 [50]	4.35 [110]	.88 [22]
YS32	400	400 kcmil	2	BLUE	2.08 [53]	4.62 [117]	.95 [24]
YS33	-----	450 kcmil	2	GRAY	2.08 [53]	4.63 [118]	1.01 [26]
YS34	-----	500 kcmil	2	BROWN	2.20 [56]	4.91 [125]	1.06 [27]
YS35	500	550 kcmil	2	YELLOW	2.56 [65]	5.71 [145]	1.13 [29]
⑦ YS36 YS36UNPL	-----	600 kcmil	2	GREEN	2.63 [67]	5.85 [149]	1.18 [30]
YS37	650	650 kcmil	2	ORANGE	2.75 [70]	6.10 [156]	1.23 [31]
YS38	-----	700 kcmil	2	PINK	2.75 [70]	6.24 [158]	1.25 [32]
⑦ YS39 YS39UNPL	-----	750 kcmil	2	BLACK	2.81 [71]	6.38 [162]	1.30 [33]
YS40	-----	800 kcmil	2	ORANGE	2.88 [73]	6.39 [162]	1.35 [34]
YS41	800	850 kcmil	2	GOLD	2.88 [73]	6.53 [166]	1.38 [35]
YS44	-----	1000 kcmil	2	WHITE	2.94 [75]	6.55 [167]	1.49 [38]
⑥ YS443	1000	-------	2	-----	2.94 [75]	6.96 [177]	1.55 [39]
YS45	-----	1250 kcmil	2	YELLOW	3.13 [80]	6.97 [177]	1.69 [43]
YS453	1300	1300 kcmil	2	ORANGE	3.13 [80]	6.98 [177]	1.74 [44]
YS46	-----	1500 kcmil	2	GREEN	3.13 [80]	7.01 [178]	1.84 [47]
⑥ YS466	1600	-------	2	-----	3.13 [80]	7.51 [191]	1.94 [49]
YS47	-----	1750 kcmil	2	GRAY	3.38 [86]	7.33 [186]	1.98 [50]
YS48	-----	2000 kcmil	2	BROWN	3.27 [83]	7.57 [192]	2.13 [54]
⑥ YS481	2000	-------	2	-----	3.38 [86]	8.08 [205]	2.18 [55]
⑥ YS486	-----	2500 kcmil	2	-----	3.63 [92]	8.10 [206]	2.38 [60]

REV: PF0200



FIGURE 1



FIGURE 2

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED.
3. FOR SILVER PLATED VERSION OF HYLINKS™ THE SUFFIX SHOULD FOLLOW THE CATALOG NUMBER. (EXAMPLE: 'SV' = SILVER PLATED).
4. DIMENSIONS IN BRACKETS [ ] ARE IN MILLIMETERS ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED AND ARE FOR REFERENCE ONLY.
5. UL LISTED AND CSA CERTIFIED SPLICING WIRE CONNECTORS.
6. THESE SPLICES ARE NOT UL LISTED OR CSA CERTIFIED.
7. ADD SUFFIX "UNPL" FOR UNPLATED CONNECTORS WITH NO BARREL MARKINGS.
8. DO NOT USE PAT644 OR Y644 WITH 6 AWG SOLID.

SEE PGS. 2 THRU 4 FOR TOOLING

TO ORDER BURNDY® PRODUCTS CALL

UNITED STATES
1-800-346-4175 (LONDONDERRY, NH)

CANADA:
1-800-361-6975 (QUEBEC)
1-800-387-6487 (ALL OTHER PROVINCES)

FOR PRODUCT INFO: http://www.burndy.com

HYLINK™

ITEM NO:	N/A		
CAT. NO:	YS--(TABLE)		
DRAWN BY:	CRA	10/11/76	
CHECKER:	P.LAPONIUS	08/07/97	
DSN APPVL:	K.WOO	08/08/97	
MFG APPVL:	--	--	
QA APPVL:	S.GARY	09/09/97	
MKT APPVL:	--	--	SCALE: 1:1
PROD FAM:	CM&R_Compression	DRAWING NO	REV
PROJECT #:	--	SD007774	K
DOCUMENT TYPE:	Sales	SIZE D	
REL LEVEL:	Released	SHEET 1 OF 4	

DRAWING NO. SD007774

INSTALLATION TOOLING (# CRIMPS PER END)

CATALOG NO.	COLOR CODE	DIE INFORMATION: DIE INDEX	DIE INFORMATION: TYPE	MECHANICAL RATCHET: ▷4 YIMRTC	MECHANICAL RATCHET: OUR840	MECHANICAL RATCHET: MD6 MD7	MECHANICAL RATCHET: MD6-R2 PATMD6	MECHANICAL RATCHET: MD7-34R	HYDRAULIC: ▷5 Y34A Y34B Y34BH	HYDRAULIC: ▷3 Y35, Y39 Y750, PAT750	HYDRAULIC: ▷3▷2 Y46 PAT46	HYDRAULIC: ▷3▷1 Y45	HYDRAULIC: Y48B	HYDRAULIC: Y60BHU	DIELESS (# CRIMPS)	WIRE STRIP LENGTH
YS8C	RED	49	RED DIE SET	RED (2)	X8CRT (2)	W8CVT (2) W8CRT (2)	W8CVT (2) W8CRT (2)	W8CVT (2) W8CRT (2)	----	U8CRT (2)	U8CRT (2)	U8CRT (2)	----	----	RATCHET, Y8MRB-1 (2) MECHANICAL, MY29-3 (2) MY29-11 (2)' HYDRAULIC, Y644M (1) PAT644 (1)	7/8
			NEST	----	----	----	----	----	----	----	----	----				
			INDENTOR													
YS6C ◁8 YS5C	BLUE	7 374	BLUE DIE SET	BLUE (2)	X5CRT (2)	W5CVT (2) W5CRT (2)	W5CVT (2) W5CRT (2)	W5CVT (2) W5CRT (2)	----	U5CRT (2) U8CABT (2)	U5CRT (2) U8CABT (2)	U5CRT (2) U8CABT (2)	----	----		1-3/16
			NEST	----	----	----	----	----	B6CD(1) A6CD(1)	U6CD-1 (1)	U6CD-1 (1)	U6CD-1 (1)				
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR				
YS4C	GRAY	8 346	GRAY DIE SET	GRAY (4)	X4CRT (2)	W4CVT (2) W4CRT (2)	W4CVT (2) W4CRT (2)	W4CVT (2) W4CRT (2)	----	U4CRT (2) U6CABT (2)	U4CRT (2) U6CABT (2)	U4CRT (2) U6CABT (2)	----	----		1-3/16
			NEST	----	----	----	----	----	B4CD(1) A4CD(1)	U4CD-1 (1)	U4CD-1 (1)	U4CD-1 (1)				
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR				
YS3C	WHITE	9	WHITE DIE SET	WHITE (4)	W3CRT (2)	W3CRT (2)	W3CRT (2)	W3CRT (2)	----	U3CRT (2)	U3CRT (2)	U3CRT (2)	----	----		1-5/16
			NEST	----	----	----	----	----	B3CD(1) A3CD(1)	U3CD-1 (1)	U3CD-1 (1)	U3CD-1 (1)				
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR				
YS2C	BROWN	10	BROWN DIE SET	BROWN (4)	X2CRT (2)	W2CVT (2) W2CRT (2)	W2CVT (2) W2CRT (2)	W2CVT (2) W2CRT (2)	----	U2CRT (2)	U2CRT (2)	U2CRT (2)	----	----		1-5/16
			NEST	----	----	----	----	----	B2CD(1) A2CD(1)	U2CD-1 (1)	U2CD-1 (1)	U2CD-1 (1)				
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR				
YS1C	GREEN	11 375	GREEN DIE SET	GREEN (4)	X1CRT-1 (2)	W1CVT (2) W1CRT-1 (2)	W1CVT (2) W1CRT-1 (2)	W1CVT (2) W1CRT-1 (2)	----	U1CRT-1 (2) U4CABT (2)	U1CRT-1 (2) U4CABT (2)	U1CRT-1 (2) U4CABT (2)	----	----		1-7/16
			NEST	----	----	----	----	----	B1CD(1) A1CD(1)	U1CD-1 (1)	U1CD-1 (1)	U1CD-1 (1)				
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR				
YS25	PINK	12 348	PINK DIE SET	----	X25RT (4)	W25VT (4) W25RT (4)	W25VT (4) W25RT (4)	W25VT (4) W25RT (4)	A25R (2)	U25RT (2) U2CABT (2)	U25RT (2) U2CABT (2)	U25RT (2) U2CABT (2)	----	----		1-7/16
			NEST	----	----	----	----	----	B25D(1) A25D(1)	U25D-1 (1)	U25D-1 (1)	U25D-1 (1)				
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR				
YS26	BLACK	13	BLACK DIE SET	----	X26RT (4)	W26VT (4) W26RT (4)	W26VT (4) W26RT (4)	W26VT (4) W26RT (4)	----	U26RT (2)	U26RT (2)	U26RT (2)	----	----		1-1/2
			NEST	----	----	----	----	----	B26D(1) A26D(1)	U26D-1 (1)	U26D-1 (1)	U26D-1 (1)				
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR				
YS27	ORANGE	14	ORANGE DIE SET	----	X27RT (6)	W27VT (4) W27RT (4)	W27VT (4) W27RT (4)	W27VT (4) W27RT (4)	----	U27RT (2)	U27RT (2)	U27RT (2)	----	----		1-1/2
			NEST	----	----	----	----	----	B27D(1) A27D(1)	U27D-1 (1)	U27D-1 (1)	U27D-1 (1)				
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR				
YS28	PURPLE	15	PURPLE DIE SET	----	X28RT (6)	W28VT (4) W28RT (4)	W28VT (4) W28RT (4)	W28VT (4) W28RT (4)	----	U28RT (2)	U28RT (2)	U28RT (2)	C28R (2) ◁7	L28RT (1)		1-11/16
			NEST	----	----	----	----	----	B28D(1) A28D(1)	U28D-1 (1)	U28D-1 (1)	U28D-1 (1)	C28D (1)	----		
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR	Y48PR			
YS29	YELLOW	16	YELLOW DIE SET	----	X29RT (8)	W29VT (4)	W29VT (4) W29RT (4)	W29VT (4)	A29R (2)	U29RT (2)	U29RT (2)	U29RT (2)	C29R (2)	L29RT (1)		1-11/16
			NEST	----	----	----	----	----	B29D(2) A29D(2)	U29D-1 (2)	U29D-1 (2)	U29D-1 (2)	C29D (1)	----		
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR	Y48PR			
YS30	WHITE	▷7 17 298	WHITE DIE SET	----	----	----	W30RT (4)	W30VT (4)	A28AR (2)	U30RT (4) U28ART (4)	U30RT (4) U28ART (4)	U30RT (4) U28ART (4)	C30R (2) ◁7 C28AR (1)	L30RT (2) ◁1	HYDRAULIC: Y644M (1) PAT644 (1)	2-1/16
			NEST	----	----	----	----	----	B30D(2) A30D(2)	U30D-1 (2)	U30D-1 (2)	U30D-1 (2)	C30D (2)	----		
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR	Y48PR			

NOTE:

▷1 CATALOG NO. PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.

▷2 CATALOG NO. PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.

▷3 Y35P3 INDENTOR ADAPTOR REQUIRED FOR Y34PR INDENTOR.

▷4 PERMANENT DIE IN TOOLING.

▷5 FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS™
NO NEW Y34A HYPRESS™ TOOLS ARE BEING PROCESSED.

6 "X", "W-RT", "W-VT", "U" & "L" DIE SETS ARE COLOR CODED. "A", "B" & "C" DIES ARE NOT COLOR CODED. NESTS AND INDENTOR TYPE ARE NOT COLOR CODED.

▷7 OVERLAPPING CRIMPS ARE REQUIRED ON THESE SIZES.

▷8 DO NOT USE PAT644 OR Y644 WITH 6 AWG SOLID.

REV: PE0200

REV	DATE	DESCRIPTION	ECO	BY	C'H'K.
K	07/01/2015 00:00:00 AM	TABLE UPDATED IN SHEET #1	40702	DD	MA

TO ORDER BURNDY® PRODUCTS CALL

UNITED STATES
1-800-346-4175 (LONDONDERRY, NH)

CANADA:
1-800-361-6975 (QUEBEC)
1-800-387-6487 (ALL OTHER PROVINCES)

FOR PRODUCT INFO: http://www.burndy.com

HYLINK™ TOOLING

ITEM NO:	N/A		
CAT. NO:	YS--(TABLE)		
DRAWN BY:	CR.ACANO	06/10/77	
CHECKER:	C.AN	06/10/77	
DSN APPVL:	TB	06/24/77	
MFG APPVL:	--	--	
QA APPVL:	S.GARY	09/09/97	
MKT APPVL:	G.SCHWEBLER	8/19/97	
PROD FAM:	CM&R_Compression		
PROJECT #:	--		
DOCUMENT TYPE:	Sales		
REL LEVEL:	Released		

BURNDY

SCALE: 1:1

SIZE	DRAWING NO	REV
D	SD007774	K
	SHEET 2 OF 4	

DRAWING NO. SD007774

INSTALLATION TOOLING (# CRIMPS PER END)

CATALOG NO.	COLOR CODE	DIE INFORMATION		MECHANICAL RATCHET					HYDRAULIC						DIELESS (# CRIMPS)	WIRE STRIP LENGTH
		DIE INDEX	TYPE	Y1MRTC	OUR840	MD6 MD7	MD6-R2 PATMD6	MD7-34R	[4] Y34A Y34B Y34BH	[3] Y35, Y39 Y750, PAT750	[3][2] Y46 PAT46	[3][1] Y45	Y48B	Y60BHU		
YS31	RED	[5] 18 324	RED DIE SET	----	----	----	W31VT (4) W31RT (4)	W31VT (4)	----	U31RT (4) U29ART (4)	U31RT (4) U29ART (4)	U31RT (4) U29ART (4)	C31R (2) C29AR (1) [6]	L31RT (2) L29ART (1) [6]	HYDRAULIC, Y644M (1) PAT644 (1)	2-1/16
			NEST	----	----	----	----	----	B31D(2) A31D(2)	U31D-1 (2)	U31D-1 (2)	U31D-1 (2)	C31D (2)	----		
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR	Y48PR			
YS32	BLUE	[5] 19 470	BLUE DIE SET	----	----	----	W32VT (4) W32RT (4)	W32VT (4)	----	U32RT (4) U30ART (4)	U32RT (4) U30ART (4)	U32RT (4) U30ART (4)	C32R (2) C30AR (1) [6]	L32RT (2) L30ART (1) [6]		2-1/16
			NEST	----	----	----	----	----	B32D(2) A32D(2)	U32D-1 (2)	U32D-1 (2)	U32D-1 (2)	C32D (2)	----		
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR	Y48PR			
YS33	GRAY	326 538	GRAY DIE SET	----	----	----	W33VT (4)	W33VT (4)	----	U33RT (4)	U33RT (4)	U33RT (4)	----	L33RT (1)		2-3/16
			NEST	----	----	----	----	----	B33D(2) A33D(2)	U33D-1 (2)	U33D-1 (2)	U33D-1 (2)	C33D (1)	----		
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR	Y48PR			
YS34	BROWN	20 299	BROWN DIE SET	----	----	----	W34VT (4) W34RT (4)	W34VT (4)	----	U34RT (4) U31ART (2)	U34RT (4) U31ART (2) P34RT (4)	U34RT (4) U31ART (2)	C34R (2) [6] C31AR (1)	L34RT (2) [6]		2-1/4
			NEST	----	----	----	----	----	B34D(2) A34D(2)	U34D-1 (2)	U34D-1 (2)	U34D-1 (2)	C34D (2)	----		
			INDENTOR						Y34PR	Y34PR	Y34PR	Y34PR	Y48PR			
YS35	YELLOW	21	YELLOW DIE SET	----	----	----	----	----	----	U35RT (4)	U35RT (4)	U35RT (4)	----	L35RT (2)		2-5/8
			NEST	----	----	----	----	----	----	----	P35D (2)	----	C35D (2)	----		
			INDENTOR						----		P44PR		Y48PR			
YS36 [7] YS36UNPL	GREEN	22 472	GREEN DIE SET	----	----	----	----	----	----	U36RT (4) U32ART (4)	U36RT (4) U32ART (4)	U36RT (4) U32ART (4)	C36R (2) C32AR (2)	L36RT (2) L36ART (2)		2-11/16
			NEST	----	----	----	----	----	----	----	P36D (2)	----	C36D (2)	----		
			INDENTOR						----		P44PR		Y48PR			
YS37	ORANGE	23	ORANGE DIE SET	----	----	----	----	----	----	U37RT (4)	U37RT (4)	U37RT (4)	C37R (2)	L37RT (2)		2-13/16
			NEST	----	----	----	----	----	----	----	P37D (2)	----	C37D (2)	----		
			INDENTOR						----		P44PR		Y48PR			
YS38	PINK	400	PINK DIE SET	----	----	----	----	----	----	U38RT (4)	U38RT (4)	U38RT (4)	----	L38RT (2)		2-13/16
			NEST	----	----	----	----	----	----	----	P38D (2)	----	C38D (2)	----		
			INDENTOR						----		P44PR		Y48PR			
YS39 [7] YS39UNPL	BLACK	24	BLACK DIE SET	----	----	----	----	----	----	U39RT (4)	U39RT (4) P39RT (4)	U39RT (4) S39RT (4)	C39R (2) C36AR (2)	L39RT (2) L32ART (2)		2-7/8
			NEST	----	----	----	----	----	----	----	P39D (2)	----	C39D (2)	----		
			INDENTOR						----		P44PR		Y48PR			
YS40	ORANGE	25	ORANGE DIE SET	----	----	----	----	----	----	----	P40RT (4)	S40RT (4)	C40R (2)	L40RT (2)		3
			NEST	----	----	----	----	----	----	----	P40D (2)	----	C40D (2)	----		
			INDENTOR						----		P44PR		Y48PR			
YS41	GOLD	26	GOLD DIE SET	----	----	----	----	----	----	----	----	----	----	----		3
			NEST	----	----	----	----	----	----	----	P41D (2)	----	C41D (2)	----		
			INDENTOR						----		P44PR		Y48PR			
YS44	WHITE	27	WHITE DIE SET	----	----	----	----	----	----	----	P44RT (2)	S44RT (4)	C44R (2)	L44RT (2)	HYDRAULIC: Y644M (1) PAT644 (1)	3
			NEST	----	----	----	----	----	----	----	P44D (2)	----	C44D (2)	----		
			INDENTOR						----		P44PR		Y48PR			

NOTES:

[1] CATALOG NO. PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.

[2] CATALOG NO. PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.

[3] Y35P3 INDENTOR ADAPTOR IS REQUIRED FOR Y34PR INDENTOR.

[4] FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS™.
NO NEW HYPRESS ™ TOOLS ARE BEING PROCESSED.
Y34A USES A--D NEST DIES ONLY.

5 "X", "W-VT", "U" & "L" DIE SETS ARE COLOR CODED. "A", "B" & "C" DIES ARE NOT COLOR CODED. NESTS AND INDENTOR TYPE ARE NOT COLOR CODED.

[6] OVERLAPPING CRIMPS ARE REQUIRED ON THESE SIZES.

[7] ADD SUFFIX "UNPL" FOR UNPLATED CONNECTORS WITH NO BARREL MARKINGS.

REV: PE0200

REV	DATE	DESCRIPTION	ECO	BY	C'H'K.
K	07/01/2015 00:00:00 AM	TABLE UPDATED IN SHEET #1	40702	DD	MA

TO ORDER BURNDY® PRODUCTS CALL

UNITED STATES
1-800-346-4175 (LONDONDERRY, NH)

CANADA:
1-800-361-6975 (QUEBEC)
1-800-387-6487 (ALL OTHER PROVINCES)

FOR PRODUCT INFO: http://www.burndy.com

HYLINK™ TOOLING

ITEM NO:	N/A		
CAT. NO:	YS--(TABLE)		
DRAWN BY:	C. RACANO 06/10/77		
CHECKER:	P.LAPONIUS 08/07/97		
DSN APPVL:	K.WOO 08/08/97		
MFG APPVL:	-- --		
QA APPVL:	S.GARY 09/09/97		
MKT APPVL:	G.SCHWEBLER 8/19/97	SCALE: 1:1	
PROD FAM:	CM&R_Compression	DRAWING NO	REV
PROJECT #:	-- SIZE	SD007774	K
DOCUMENT TYPE:	Sales D	SHEET 3 OF 4	
REL LEVEL:	Released		

BURNDY

DRAWING NO. SD007774

INSTALLATION TOOLING (# CRIMPS PER END)

CATALOG NO.	COLOR CODE	DIE INFORMATION		MECHANICAL RATCHET					HYDRAULIC						DIELESS (# CRIMPS)	WIRE STRIP LENGTH
		DIE INDEX	TYPE	YIMRTC	OUR840	MD6 MD7	MD6-R2 PATMD6	MD7-34R	Y34A Y34B Y34BH	Y35, Y39 Y750, PAT750	▷2◁ Y46 PAT46	▷1◁ Y45	Y48B	Y60BHU		
YS443	----	28	---- DIE SET	----	----	----	----	----	----	----	----	----	----	----	HYDRAULIC, Y644M (1) PAT644 (1)	3
			NEST	----	----	----	----	----	----	----	----	----	C443D (2)	----		
			INDENTOR										Y48PR			
YS45	YELLOW	29	YELLOW DIE SET	----	----	----	----	----	----	----	P45RT (6)	S45RT (6)	C45R (3)	L45RT (3)		3-3/16
			NEST	----	----	----	----	----	----	----	P45D (3)	----	C45D (3)	----		
			INDENTOR								P44PR		Y48PR			
YS453	ORANGE	30	ORANGE DIE SET	----	----	----	----	----	----	----	----	----	----	----		3-3/16
			NEST	----	----	----	----	----	----	----	----	----	C453D (3)	----		
			INDENTOR										Y48PR			
YS46	GREEN	31	GREEN DIE SET	----	----	----	----	----	----	----	P46RT (6)	S46RT (6)	C46R (3)	L46RT (3)		3-3/16
			NEST	----	----	----	----	----	----	----	▷4◁ P44PR (2)	----	C46D (3)	----		
			INDENTOR										Y48PR			
YS466	----	▷5◁ 727	---- DIE SET	----	----	----	----	----	----	----	----	----	----	L727 (2) ◁6▷		3-3/16
			NEST	----	----	----	----	----	----	----	----	----	C466D (2)	----		
		32	INDENTOR										Y48PR			
YS47	GRAY	33	GRAY DIE SET	----	----	----	----	----	----	----	----	----	C47R (6)	L47RT (3)		3-7/16
			NEST	----	----	----	----	----	----	----	----	----	C47D (3)	----		
			INDENTOR										Y48PR			
YS48	BROWN	34	BROWN DIE SET	----	----	----	----	----	----	----	----	----	----	L48RT (4)		3-3/8
			NEST	----	----	----	----	----	----	----	----	----	C48D (2)	----		
			INDENTOR										Y48PR			
YS481	----	35	---- DIE SET	----	----	----	----	----	----	----	----	----	----	----		3-7/16
			NEST	----	----	----	----	----	----	----	----	----	C481D (2)	----		
			INDENTOR										Y48PR			
YS486	----	----	---- DIE SET	----	----	----	----	----	----	----	----	----	----	L486RT (3)	HYDRAULIC: Y644M (1) PAT644 (1)	3-11/16
			NEST	----	----	----	----	----	----	----	----	----	----	----		
			INDENTOR													

NOTES:

▷1◁ CATALOG NO. PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.

▷2◁ CATALOG NO. PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.

3 "L" DIE SETS ARE COLOR CODED "P", "S" AND "C" DIES ARE NOT COLOR CODED. NESTS AND INDENTOR TYPE ARE NOT COLOR CODED.

▷4◁ INDENTOR ONLY- NO NEST REQUIRED.

▷5◁ HEXAGONAL CRIMP

▷6◁ OVERLAPPING CRIMPS ARE REQUIRED ON THESE SIZES.

REV	DATE	DESCRIPTION	ECO	BY	C'H'K.
K	07/01/2015 00:00:00 AM	TABLE UPDATED IN SHEET #1	40702	DD	MA

TO ORDER BURNDY® PRODUCTS CALL

UNITED STATES
1-800-346-4175 (LONDONDERRY, NH)

CANADA:
1-800-361-6975 (QUEBEC)
1-800-387-6487 (ALL OTHER PROVINCES)

FOR PRODUCT INFO: http://www.burndy.com

HYLINK™ TOOLING

ITEM NO:	N/A		
CAT. NO:	YS--(TABLE)		
DRAWN BY:	C. RACANO 06/10/77		
CHECKER:	P.LAPONIUS 08/07/97		
DSN APPVL:	K.WOO 08/08/97		
MFG APPVL:	-- --		
QA APPVL:	S.GARY 09/09/97		
MKT APPVL:	G.SCHWEBLER 8/19/97	SCALE: 1:1	
PROD FAM:	CM&R_Compression	DRAWING NO	REV
PROJECT #:	-- SIZE	SD007774	K
DOCUMENT TYPE:	Sales D	SHEET 4 OF 4	
REL LEVEL:	Released		

REV: PE0200