

For over 50 years, BWF/M. Stephens has been a leader in the die casting industry. With the full line of outdoor weatherproof products, BWF/M. Stephens is committed to offering the high quality and customer service expected from the BWF/M. Stephens name.

ONE GANG WEATHERPROOF OUTLET BOXES - DIE CAST METAL

BWF Product Benefits & Features

- Rugged, seamless, die-cast construction that prevents moisture entry
- Reinforced connector outlets provide a secure mechanical installation
- State of the art powder coat finish for maximum durability
- Closure plugs, ground screw and mounting lugs included
- Complete installation instructions included with each product

Applications

- For use in branch circuit wiring in wet, damp or dry locations
- May be used as a weatherproof junction box, or as a housing for receptacles, switches and GFCI's

One Gang Outlet Box with 3 Threaded Outlets

4 9/16" x 2 13/16" x 2", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
B-5V	18021-6	18.3"	3-1/2"	Grey	20	11.6
B-5AV	18520-4	18.3"	3-1/2"	Bronze	20	11.6
B-5WV	18720-8	18.3"	3-1/2"	White	20	11.6
B-75V	18031-5	18.3"	3-3/4"	Grey	20	11.4
B-75AV	52886-5	18.3"	3-3/4"	Bronze	20	11.4
B-75WV	52885-8	18.3"	3-3/4"	White	20	11.4
B-100V	27100-6	18.3"	3-1"	Grey	20	11.2
Blister Carded						
1503-1	01503-7	97.3"	3-1/2"	Grey	6	3.9
1503AB-1	18523-5	97.3"	3-1/2"	Bronze	6	3.9
1503W-1	50000-7	97.3"	3-1/2"	White	6	3.9
1753-1	01753-6	97.3"	3-3/4"	Grey	6	3.9
1753AB-1	18533-4	97.3"	3-3/4"	Bronze	6	3.9
1753W-1	50005-2	97.3"	3-3/4"	White	6	3.9



B-5V



DB-5V

Deep, One Gang Outlet Box with 3 Threaded Outlets

4 9/16" x 2 13/16" x 2 5/8", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
DB-5V	38006-7	23.8	3-1/2"	Grey	12	10
DB-75V	27105-1	23.8	3-3/4"	Grey	12	10
DB-100V	27108-2	23.8	3-1"	Grey	12	10

One Gang Outlet Box with 4 Threaded Outlets

4 9/16" x 2 13/16" x 2", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
B5-2V	18041-4	18.3"	4-1/2"	Grey	20	12.1
B5-2AV	27111-2	18.3"	4-1/2"	Bronze	20	12.1
B5-2WV	18044-5	18.3"	4-1/2"	White	20	12.1
B75-2V	18051-3	18.3"	4-3/4"	Grey	20	12.1
B75-2AV	27113-6	18.3"	4-3/4"	Bronze	20	12.1
B75-2WV	27114-3	18.3"	4-3/4"	White	20	12.1
Blister Carded						
1504-1	01504-4	97.3"	4-1/2"	Grey	6	4.0
1504AB-1	18543-3	97.3"	4-1/2"	Bronze	6	4.0
1504W-1	50010-6	97.3"	4-1/2"	White	6	4.0
1754-1	01754-3	97.3"	4-3/4"	Grey	6	4.0



B5-2V



One Gang Outlet Box with 5 Threaded Outlets

4 9/16" x 2 13/16" x 2", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
B5-22V	18061-2	18.3"	5-1/2"	Grey	20	12
B5-22AV	27115-0	18.3"	5-1/2"	Bronze	20	12
B5-22WV	27116-7	18.3"	5-1/2"	White	20	12
B75-22V	18071-1	18.3"	5-3/4"	Grey	20	11.4
B75-22AV	27117-4	18.3"	5-3/4"	Bronze	20	11.4
B75-22WV	27118-1	18.3"	5-3/4"	White	20	11.4
B5-22XV	18081-0	18.3"	5-1/2" X	Grey	20	12
B75-22XV	27121-1	18.3"	5-3/4" X	Grey	20	12
B100-22XV	27124-2	18.3"	5-1" X	Grey	20	12



B5-22V

Deep, One Gang Outlet Box with 5 Threaded Outlets

4 9/16" x 2 13/16" x 2 5/8", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
DB-5-22XV	27127-3	23.8	5-1/2" X	Grey	12	10
DB-75-22XV	27130-3	23.8	5-3/4" X	Grey	12	10
DB-100-22XV	27133-4	23.8	5-1" X	Grey	12	10



X-Type

TWO GANG WEATHERPROOF OUTLET BOXES – DIE CAST METAL

BWF Product Benefits & Features

- Rugged, seamless, die-cast construction that prevents moisture entry
- Reinforced connector outlets provide a secure mechanical installation
- State of the art powder coat finish for maximum durability
- Closure plugs, ground screw and mounting lugs included
- Complete installation instructions included with each product

Applications

- For use in branch circuit wiring in wet, damp or dry locations
- May be used as a weatherproof junction box, or as a housing for receptacles, switches and GFCIs



DB-5-22XV

Two Gang Outlet Box with 3 Threaded Outlets

4 9/16" x 4 5/8" x 2", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC TYPE0-87115	Unit Cubic	Description Outlets	Color	Case Qty.	Case Weight
Show Pak						
TGB-5V	19000-0	30.5"	3-1/2"	Grey	12	13
TGB-75V	19016-1	30.5"	3-3/4"	Grey	12	13
TGB-100V	27147-1	30.5"	3-1"	Grey	12	13
TGB-100AV	27148-8	30.5"	3-1"	Bronze	12	13
TGB-100WV	27149-5	30.5"	3-1"	White	12	13
Blister Carded						
2503-1	02503-6	117.3"	3-1/2"	Grey	6	8
2503AB-1	19508-1	117.3"	3-1/2"	Bronze	6	8



TGB-5V



Two GANG WEATHERPROOF OUTLET BOXES – DIE CAST METAL

Two Gang Outlet Box with 4 Threaded Outlets

4-9 / 16" x 4-5 / 8" x 2", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
TGB-54V	19026-0	30.5"	4-1/2"	Grey	12	13
TGB75-4V	27152-5	30.5"	4-3/4"	Grey	12	13
Blister Carded						
2504-1	02504-3	117.3"	4-1/2"	Grey	6	7
2504AB-1	19527-2	117.3"	4-1/2"	Bronze	6	7
2504W-1	50025-0	117.3"	4-1/2"	White	6	7

TGB-54V



Two Gang Outlet Box with 5 Threaded Outlets

4-9 / 16" x 4-5 / 8" x 2", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
TGB-55V	19047-5	30.5"	5-1/2"	Grey	12	13
TGB75-5V	19056-7	30.5"	5-3/4"	Grey	12	13
TGB-55XV	27165-5	30.5"	5-1/2" X	Grey	12	13
TGB75-5XV	27168-6	30.5"	5-3/4" X	Grey	12	13
TGB100-5XV	27171-6	30.5"	5-1" X	Grey	12	13

DTB-5V



Deep, Two Gang Outlet Box with 5 Threaded Outlets

4-9 / 16" x 4-5 / 8" x 2-5 / 8", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
DTB-5V	38028-9	40.3	5-1/2"	Grey	6	7
DTB-75V	27183-9	40.3	5-3/4"	Grey	6	7
DTB-100V	27186-0	40.3	5-1"	Grey	6	7

DTB-75V



Two Gang Outlet Box with 6 "X" Type Threaded Outlets

4-9 / 16" x 4-5 / 8" x 2", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
TGB-56XV	27174-7	30.5"	6-1/2" X	Grey	12	13
TGB75-6XV	27177-8	30.5"	6-3/4" X	Grey	12	13

Two Gang Outlet Box with 7 Threaded Outlets

4-9 / 16" x 4-5 / 8" x 2", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
TGB-57V	27159-4	30.5	7-1/2"	Grey	12	13
TGB-77V	27162-4	30.5	7-3/4"	Grey	12	13

TGB-56XV "X" TYPE



Two Gang Outlet Box with 7 "X" Type Threaded Outlets

STD: 4-9 / 16" x 4-5 / 8" x 2",

DEEP: 4-9 / 16" x 4-5 / 8" x 2-5 / 8", closure plugs, ground screw & mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
TGB-57XV	27178-5	30.5	7-1/2" X	Grey	12	13
TGB-77XV	27179-2	30.5	7-3/4" X	Grey	12	13
DTB75-7XV	27192-1	40.3	7-3/4" X, Deep	Grey	6	7
DTB100-7XV	27195-2	40.3	7-1" X, Deep	Grey	6	7

DTB-75-7XV



ROUND WEATHERPROOF OUTLET BOXES – DIE CAST METAL

BWF Product Benefits & Features

- Rugged, seamless, die-cast construction that prevents moisture entry
- Reinforced connector outlets provide a secure mechanical installation
- State of the art powder coat finish for maximum durability
- Closure plugs, ground screw and mounting lugs included
- Complete installation instructions included with each product

Applications

- For use in branch circuit wiring in wet, damp or dry locations
- May be used as a weatherproof junction box, or as a housing for receptacles, switches and GFCIs

Round Outlet Box with 5 Threaded Outlets

4-9 / 16" x 4-5 / 8" x 2", closure plugs, ground screw and mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
RB-5V	20066-2	16.5	5-1/2"	Grey	16	12
RB-5AV	20565-0	16.5	5-1/2"	Bronze	16	12
RB-5WV	20765-4	16.5	5-1/2"	White	16	12
RB-7V	27200-3 1	6.5	5-3/4"	Grey	16	12
Blister Carded						
3505-1	03505-9	117.3	5-1/2"	Grey	6	5
3505AB-1	20568-1	117.3	5-1/2"	Bronze	6	5
3505W-1	50030-4	117.3	5-1/2"	White	6	5

Round Outlet Box with 5 Threaded Outlets

4-9 / 16" x 4-5 / 8" x 2", cover, screws, closure plugs, ground screw, gasket & mounting lugs included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
RB-5CGV	27208-9	16.5	5-1/2"	Grey	16	12
RB-7CGV	27211-9	16.5	5-3/4"	Grey	16	12

EXTENSIONS & EXTENSION ADAPTERS – DIE CAST METAL

One Gang Box Extension

4-9 / 16" x 2-13 / 16" x 1", gasket & mounting screws included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
EXR-1V	35007-7	10	1"	Grey	24	7
EXR-1WV	27137-2	10	1"	White	24	7
Blister Carded						
10XR-1	01013-1	65	1"	Grey	6	2
10XRAB-1	35503-4	65	1"	Bronze	6	2
10XRW-1	50165-3	65	1"	White	6	2

One Gang Box Extension Adapter – Flanged

5-1 / 4" x 3-1 / 2" x 1-1 / 2", closure plugs, mounting screws & gasket included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
EXF5-2V	35011-4	13.3	4-1/2"	Grey	12	7
EXF5-2V	27140-2	13.3	4-3/4"	Grey	12	8
EXF5-2WV	21742-6	13.3	4-3/4"	White	12	8
Blister Carded						
10KF-1	01011-7	76	4-1/2"	Grey	6	4
10KFAB-1	35513-3	76	4-1/2"	Bronze	6	4
10KFW-1	50170-7	76	4-1/2"	White	6	4



RB-5V



RB-5CGV



EXR-1V



EXF5-2V



EXR-2V



EX5-V



PB-50

EXTENSIONS & EXTENSION ADAPTERS – DIE CAST METAL
Two Gang Outlet Box Extension

4-9 / 16" x 4-5 / 8" x 1", gasket & mounting screws included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
EXR-2V	35008-4	16.3	1"	Grey	12	4
EXR-2AV	27198-3	16.3	1"	Bronze	12	4

Round Outlet Box Extension with 4 Threaded Outlets

4-9 / 16" x 4-5 / 8" x 2", closure plugs, mounting screws & gasket included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
EX-5V	35030-5	18.3	4-1/2"	Grey	18	10
EX-7V	27205-8	18.3	4-3/4"	Grey	18	10

SWIMMING POOL JUNCTION BOXES – METAL/PLASTIC

Swimming Pool Junction Boxes with 3 Threaded Outlets

4-9/ 16" x 4-5 / 8" x 2", gasket included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Boxed						
PB-50	26005-5	22	3-1/2"	Brass	10	15
PB-75	34010-8	22	3-3/4"	Brass	10	15
PB-100	34015-3	22	2-3/4" / 1-1"	Brass	10	15

For use with installation of underwater pool lights.

For connecting to 120V or low voltage below normal water level of the pool.


Complies with the latest NEC, UL and CSA standards. Solid brass wiring platform with grounding post and 3 ground terminals - use with metallic or PVC conduit.

NOTE: To achieve watertight installation, reference is made to the 1999 National Electrical Code (NEC) Article 680-20(b)(2) which states "The end of the flexible-cord jacket and the flexible-cord conductor terminations within a fixture shall be covered with, or encapsulated in, a suitable potting compound to prevent the entry of water into the fixture through the cord or its conductors. In addition, the grounding connection within a fixture shall be similarly treated to protect such connection from the deteriorating effect of pool water in the event of water entry into the fixture." Article 680-21 Exception (a), which states "An approved potting compound is used to fill the box to prevent the entrance of moisture."

OUTSIDE DIMENSIONS




OUTSIDE DIMENSIONS




ONE GANG BOX & EXTENSION DRAWINGS

Single Gang Boxes – Standard & Deep Dimensions and Cubic Inches

BWF#	Hub Size	A	B	C	D	E	F	G	H	J	Cubic Inches
B-5V	1/2"	4-9/16"	2-13/16"	2"	5/8"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	18.3"
B-75V	3/4"	4-9/16"	2-13/16"	2"	5/8"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	18.3"
B-100V	1"	4-9/16"	2-13/16"	2"	5/8"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	18.3"
DB-5V	1/2"	4-9/16"	2-13/16"	25/8"	3/4"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	23.8"
DB-75V	3/4"	4-9/16"	2-13/16"	25/8"	3/4"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	23.8"
DB-100V	1"	4-9/16"	2-13/16"	25/8"	3/4"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	23.8"
B5-2V	1/2"	4-9/16"	2-13/16"	2"	5/8"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	1-1/2"	18.3"
B75-2V	3/4"	4-9/16"	2-13/16"	2"	5/8"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	1-1/2"	18.3"
B5-22V	1/2"	4-9/16"	2-13/16"	2"	5/8"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	1-1/2"	18.3"
B75-22V	3/4"	4-9/16"	2-13/16"	2"	5/8"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	18.3"
B75-22XV	1/2"	4-9/16"	2-13/16"	2"	5/8"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	18.3"
B75-22XV	3/4"	4-9/16"	2-13/16"	2"	5/8"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	18.3"
B100-22XV	1"	4-9/16"	2-13/16"	2"	5/8"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	18.3"
DB-5-22XV	1/2"	4-9/16"	2-13/16"	2-5/8"	3/4"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	23.8"
DB-75-22XV	3/4"	4-9/16"	2-13/16"	2-5/8"	3/4"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	23.8"
DB-100-22XV	1"	4-9/16"	2-13/16"	2-5/8"	3/4"	3-3/16"	3-1/2"	3-1/4"	1-7/8"	–	23.8"




Extensions and Extension Adapters are used to provide additional capacity needed for NEC box fill requirements. Adapters allow installer to add "take-offs" to new boxes and/or devices.




TWO GANG BOX & EXTENSION DRAWINGS

Two Gang Boxes – Standard & Deep Dimensions and Cubic Inches


BWF#	Hub Size	A	B	C	D	E	F	G	H	J	K	L	Cubic Inches
TGB-5V	1/2"	4-9/16"	4-5/8"	2"	5/8"	5"	3-7/8"	3-11/16"	3-3/4"	–	–	3-1/4"	30.5"
TGB-75V	3/4"	4-9/16"	4-5/8"	2"	5/8"	5"	3-7/8"	3-11/16"	3-3/4"	–	–	3-1/4"	30.5"
TGB-100V	1"	4-9/16"	4-5/8"	2"	5/8"	5"	3-7/8"	3-11/16"	3-3/4"	–	–	3-1/4"	30.5"
TGB-54V	1/2"	4-9/16"	4-5/8"	2"	5/8"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	30.5"
TGB75-4V	3/4"	4-9/16"	4-5/8"	2"	5/8"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	30.5"
TGB-55V	1/2"	4-9/16"	4-5/8"	2"	5/8"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	30.5"
TGB75-5V	3/4"	4-9/16"	4-5/8"	2"	5/8"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	30.5"
TGB-55XV	1/2"	4-9/16"	4-5/8"	2"	5/8"	5"	3-7/8"	3-11/16"	3-3/4"	–	–	3-1/4"	30.5"
TGB75-5XV	3/4"	4-9/16"	4-5/8"	2"	5/8"	5"	3-7/8"	3-11/16"	3-3/4"	–	–	3-1/4"	30.5"
TGB100-5XV	1"	4-9/16"	4-5/8"	2"	5/8"	5"	3-7/8"	3-11/16"	3-3/4"	–	–	3-1/4"	30.5"
DTB-5V	1/2"	4-9/16"	4-5/8"	2-5/8"	3/4"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	40.3"
DTB-75V	3/4"	4-9/16"	4-5/8"	2-5/8"	3/4"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	40.3"
DTB-100V	1"	4-9/16"	4-5/8"	2-5/8"	3/4"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	40.3"
TGB-56XV	1/2"	4-9/16"	4-5/8"	2"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	30.5"	
TGB75-6XV	3/4"	4-9/16"	4-5/8"	2"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	30.5"	
TGB-57V	1/2"	4-9/16"	4-5/8"	2"	5"	3-7/8"	3-11/16"	3-3/4"	–	1-1/2"	3-1/4"	40.3"	
TGB-77V	3/4"	4-9/16"	4-5/8"	2"	5"	3-7/8"	3-11/16"	3-3/4"	–	1-1/2"	3-1/4"	30.5"	
DTB-57XV	1/2"	4-9/16"	4-5/8"	2-5/8"	3/4"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	40.3"
DTB75-7XV	3/4"	4-9/16"	4-5/8"	2-5/8"	3/4"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	40.3"
DTB100-7XV	1"	4-9/16"	4-5/8"	2-5/8"	3/4"	5"	3-7/8"	3-11/16"	3-3/4"	1-1/2"	–	3-1/4"	40.3"





Extensions and Extension Adapters are used to provide additional capacity needed for NEC box fill requirements. Adapters allow installer to add "take-offs" to new boxes and/or devices.



ROUND BOX & EXTENSION DRAWINGS



Extensions and Extension Adapters are used to provide additional capacity needed for NEC box fill requirements. Adapters allow installer to add "take-offs" to new boxes and/or devices.



ONE GANG WEATHERPROOF BLANK COVERS – STAMPED STEEL

BWF Product Benefits & Features

- Rugged, seamless construction that prevents moisture entry
- State of the art powder coat finish for maximum durability
- Includes installation hardware, gasket and instructions

Steel One Gang Blank Cover

4 9/16" x 2 13/16", stamped steel cover, gasket & screws included



BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
BC-1V	29005-2	N/A	Blank	Grey	42	4
BC-1AV	29505-7	N/A	Blank	Bronze	42	4
BC-1WV	29705-1	N/A	Blank	White	42	4
Blister Carded						
711-1	00711-7	17.2	Blank	Grey	12	2
711AB-1	29509-5	17.2	Blank	Bronze	12	2
711W-1	50105-9	17.2	Blank	White	12	2

BC-1V



BC-1XV



Steel One Gang Blank Cover, "X" Type

4 9/16" x 2 13/16", stamped steel cover, gasket & screws included

BWF#	Unit UPC 0-87115	Unit Cubic	Outlets	Description Color	Case Qty.	Case Weight
Show Pak						
BC-1XV	27231-7	N/A	Blank X	Grey	42	5

