



MH-1000A-480-KIT

1000W METAL HALIDE

DESCRIPTION

1000W Metal Halide



LAMP TYPE: 1000W MH

INPUT VOLTAGE: Single Tap (480)

CIRCUIT TYPE: CWA (Without Ignitor)



PRODUCT FEATURES

- ANSI designation: M47 or H36
- Line voltage: 480
- Regulation: 10%
- Frequency: 60 Hz
- Recommended fuse (A): 6
- Circuit type: CWA (Without Ignitor)
- Insulation class: 180°C/356°F
- Capacitor value: 24 MF
- Capacitor voltage rating: 480 V
- Capacitor temperature rating: 90°C/194°F
- Winding materials: Cu/Al
- Lamp starter: N/A
- Agency certification: RU, cRU
- Maximum distance to lamp: 15 ft
- 2 Year Warranty

ELECTRICAL CHARACTERISTICS



Line Voltage	Power Factor	Line Current			Input Power	Open Circuit Voltage	Minimum Start Temp	UL Temp Code	Wiring Diagram
		Operating	Open Circuit	Starting					
480V	High	2.30A	1.98A	1.49A	1080W	446V	-30°C/-22°F	C	H8A





MH-1000A-480-KIT

1000W METAL HALIDE

PHYSICAL SPECIFICATIONS



WIRING SPECIFICATIONS





MH-1000A-480-KIT

1000W METAL HALIDE

ORDERING INFORMATION

ORDER CODE	PACK QTY.	EASY CODE	UPC
MH-1000A-480-KIT	1	TBD	TBD

CATALOG NUMBER BREAKDOWN

MH-1000A-480-KIT

1 2 3 4 5

- 1 Metal Halide
- 2 Input Power
- 3 CWA Circuit
- 4 480V, Single Tap
- 5 HID Replacement Kit