

Eaton PDG3XST130ACDCT

Catalog Number: PDG3XST130ACDCT

Eaton Power Defense molded case circuit breaker accessory shunt trip, Shunt trip, 110-130 V/125 Vdc, PD3 Global, Power Defense, Frame J-K, Power Defense, 110-130 Vac/125 Vdc, Screw Terminal, Screw terminal, Frame 3

Photo is representative



General specifications

Product Name	Catalog Number
Eaton Power Defense shunt trip	PDG3XST130ACDCT
Model Code	UPC
PDG3XST130ACDCT	786679611135
Product Length/Depth	Product Height
2.44 in	1.3 in
Product Width	Product Weight
1.24 in	0.15 lb
Warranty	Compliances
Eaton Selling Policy 25-000, one (1) year RoHS Compliant from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	Certifications
	IEC 60947-2
	CCC Marked
	UL 489
	CSA

Delivery program

Frame

3

General information

Circuit breaker type

PD3 Global

Frame size

Frame J-K

Series

Power Defense

Other

Shunt trip

110-130 Vac/125 Vdc, Screw Terminal

Technical data - Electrical

Voltage rating

110-130 V/125 Vdc

Technical data - Mechanical - Terminals

Terminals

Screw terminal

Resources

Brochures

[Power Defense brochure](#)

[Power Defense technical selling booklet](#)

[Power Defense molded case circuit breaker selection poster](#)

Installation instructions

[Power Defense Frame 3 Aux, Alarm, ST and UVR Animated Instructions.rh](#)

[Power Defense Frame 3 shunt trip UVR instructions - IL012140EN](#)

[Power Defense Frame 3 Shunt Trip_UVR Instructions](#)

Installation videos

[Power Defense Frame 3 Shunt Trip_UVR Animated Instructions.pdf.rh](#)

Multimedia

[Power Defense Frame 3 Aux, Alarm, Shunt Trip, and UVR How-To Video](#)

[Power Defense molded case circuit breakers](#)

[Power Defense Frame 6 Trip Unit How-To Video](#)

[Power Defense Frame 2 Variable Depth Rotary Handle Mechanism](#)

[Installation How-To Video](#)

[Power Defense Breakers](#)

[Power Defense Frame 5 Trip Unit How-To Video](#)

[Eaton Power Defense for superior arc flash safety](#)

[Power Defense Frame 3 Variable Depth Rotary Handle Mechanism](#)

[Installation How-To Video](#)

Specifications and datasheets

White papers

Safer by design: arc energy reduction techniques

Molded case and low-voltage breaker health



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia