

Eaton PDG3X3TA402

Catalog Number: PDG3X3TA402

Eaton Power Defense molded case circuit breaker accessory terminal, Terminal, 400 A, Three-pole, AWG 500-750, PD3 Global, Power Defense, Frame 3, Power Defense, Tunnel terminal, Aluminum, Frame 3

Photo is representative



General specifications

Product Name	Catalog Number
Eaton Power Defense terminal	PDG3X3TA402
UPC	Product Length/Depth
786689261696	117.475 mm
Product Height	Product Width
98.425 mm	155.575 mm
Product Weight	Compliances
476.272 g	RoHS Compliant
Certifications	
CCC Marked	
CSA	
UL 489	
IEC 60947-2	

Delivery program

Amperage Rating

400 A

Frame

3

Number of poles

Three-pole

General information

Circuit breaker type

PD3 Global

Frame size

Frame 3

Series

Power Defense

Other

Wire material

Aluminum

Technical data - Mechanical - Terminals

Terminals

Tunnel terminal

Technical information

Wire size

AWG 500-750

Resources

Catalogs

[Eaton's Volume 4—Circuit Protection](#)

Multimedia

[Power Defense Frame 2 Variable Depth Rotary Handle Mechanism Installation How-To Video](#)

[Power Defense Frame 5 Trip Unit How-To Video](#)

[Power Defense Breakers](#)

[Power Defense molded case circuit breakers](#)

[Power Defense Frame 3 Variable Depth Rotary Handle Mechanism Installation How-To Video](#)

[Eaton Power Defense for superior arc flash safety](#)

[Power Defense Frame 6 Trip Unit How-To Video](#)

Specifications and datasheets

[Eaton Specification Sheet - PDG3X3TA402](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia