




Backlit-Line: LED Panels

CCT Tunable via ENVISIONLS



Detail Specifications:

- Finish: White, Custom finishes available
- IP Rating: Damp Location (IP44)
- CCT Tunable: 30-65k
- Beam Angle: 110°
- Chip: SMD 2835, R9 >50, CRI >80
- Operating Temperature: -40° - 114° F
- Lens: PS (polystyrene) frosted, non-yellowing, & shatter resistant
- Average life (L70) of 50,000 hours

Applications:

- General Indoor Lighting
- Utility & Storage
- Garage Structures
- Office and Meeting Rooms
- Education, Healthcare, Retail, Hospitality
- Commercial and Industrial

Product Information:

- Metal housing finished with corrosion free power coat
- Even light distribution
- Lightweight for easier installation
- ENVISIONLS + Tunable Control:
 - Control through Bluetooth via EnVisionLS app
 - Group fixtures together: dimming, tunable cct, grouping & more!
 - Tunable models are not currently compatible with sensors

Driver Options:

- UNV: 120-277V 0-10V Dimmable (Dim to Off)
- Dimmable via EnvisionLS APP or S-WS-DIM-TUN-UNV-BT
- Standard EMB used:
 - 40W: 8W EMB ([LED-EMB-8W-HV-0-10V-2P](#))
 - 50W: 15W EMB ([LED-EMB-15W-HV-0-10V-2P](#))
- Higher wattage emb (up to 25W) available by request. Pricing will vary.
- THD: <15% (+/-5% tolerance), PF >0.9, 50/60Hz
- Isolated Driver
- Flicker Free

Mounting & Installations:

- Lay-in ceilings for 5/8" and 3/8" ceiling widths
- Built-in earthquake clips
- Optional 9' suspension kit available
- Optional surface mount, drywall kit available
- Use surface mount and suspension kit for an aesthetically pleasing design

Certifications:

- ETL Listed for USA and CA
- DLC Listed/ DLC Premium Listed (HL Versions)
 - View DLC ID Chart below
- NSF Rated
- Approved for CA T24
- 5 Year Limited Warranty
- FCC CFR 47, GCC Part 15, Subpart B:2017


Series	Emergency	Whip
LED-BPL-2x2-40W-TUN	(blank)	(blank)
4,400lm	No	No Whip
LED-BPL-2x2-50W-TUN-HL	Emergency EMB	-6FLX
6,250lm	Emergency Backup	6' Flex
LED-BPL-2x4-50W-TUN		
5,500lm		
LED-BPL-2x4-65W-TUN-HL		
8,125lm		
LED-BPL-1x4-40W-TUN		
4,400lm		

Optional Accessories (Order Separately)


Suspension Kits	Surface Mount Kits	Drywall Kits ¹	Color Trims	Wall Dimmer & Tuning Slider
SK-10FT-Y-LC-CB	2X2-SM-3"	LED-PNL-2X2-FLNG	BPL-2X2-TRIM-BL	S-WS-DIM-TUN
10' Suspension Kit	3" Height	LED-PNL-2X4-FLNG	2x2 Black Trim	-UNV-BT
SK-20FT-Y-LC-CB	2X4-SM-3"	LED-PNL-1X4-FLNG	BPL-2X4-TRIM-BL	Dimmer
20' Suspension Kit	3" Height		2x4 Black Trim	+ Tuning Slider
CK-6FT-V	1X4-SM-3"		BPL-1X4-TRIM-BL	
6' Chain Hanging Kit	3" Height		1x4 Black Trim	

Specs and model numbers are subject to change with or without notice. Customization of product is available.


FEATURES




DIMENSIONS



1X4



2X2



2X4


ACCESSORIES



SK-10FT-Y-LC-CB
SK-20FT-Y-LC-CB




CK-6FT-V



1x4

2x2

2x4



1x4

2x2

2x4



2x2



1x4



2x4

Model	Voltage	Watts	Lumens	Color	CRI
LED-BPL-2x2-40W-TUN	120/277V	40w	4,400	Tunable 30-65k	>80
LED-BPL-2x2-50W-TUN-HL	120/277V	50w	6,250	Tunable 30-65k	>80
LED-BPL-2x4-50W-TUN	120/277V	50w	5,500	Tunable 30-65k	>80
LED-BPL-2x4-65W-TUN-HL	120/277V	65w	8,125	Tunable 30-65k	>80
LLED-BPL-1x4-40W-TUN	120/277V	40w	4,400	Tunable 30-65k	>80

SUSPENSION KITS

Accessory	Description
SK-10FT-Y-LC-CB	10' Suspension Kit
SK-20FT-Y-LC-CB	20' Suspension Kit
CK-6FT-V	6' Chain Hanging Kit
LED-PNL-2X4-SK	3.5' Suspension Kit, works for all sizes

SURFACE MOUNT KITS

Accessory	Description
2X2-SM-3"	2X2 Surface Mount Kit 3" Height for all Panels and Troffers
2X4-SM-3"	2X4 Surface Mount Kit 3" Height for all Panels and Troffers
1x4-SM-3"	1X4 Surface Mount Kit 3" Height for all Panels and Troffers

DRYWALL KITS

Accessory	Description
LED-PNL-2X2-FLNG	Flange (Drywall) Kit for Panels for all 2X2 Fixtures
LED-PNL-2X4-FLNG	Flange (Drywall) Kit for Panels for all 2X4 Fixtures
LED-PNL-1X4-FLNG	Flange (Drywall) Kit for Panels for all 1X4 Fixtures

TRIMS

Accessory	Description
BPL-2X2-TRIM-BL	2x2 LED Panel: Backlit-Line Black Trim
BPL-1X4-TRIM-BL	1x4 LED Panel: Backlit-Line Black Trim
BPL-2X4-TRIM-BL	2x4 LED Panel: Backlit-Line Black Trim

Luminaires for Ambient Lighting of - DLC Product ID:

LED-BPL-2x2-40W-TUN	S-IMBE52 (Standard) Indoor Luminaire- Troffer
LED-BPL-2x4-50W-TUN	S-U0267J (Standard) Indoor Luminaire- Troffer
LED-BPL-2x4-50W-TUN	S-PKXDZ2 (Standard) Indoor Luminaire- Low Bay
LED-BPL-1x4-40W-TUN	S-DR8V2E (Standard) Indoor Luminaire- Troffer
LED-BPL-2x2-50W-TUN-HL	S-V26054 (Standard) Indoor Luminaire- Troffer
LED-BPL-2x2-50W-TUN-HL	S-R1FN2B (Standard) Indoor Luminaire- Low Bay
LED-BPL-2x4-65W-TUN-HL	S-WNV8KG (Premium) Indoor Luminaire- Troffer
LED-BPL-2x4-65W-TUN-HL	S-CM52LW (Premium) Indoor Luminaire- Low Bay