

XS-Line: Mini Floods

3-CCT w/ Selectable Photocell



Detail Specifications

- Finish: Bronze, White, Black
- IP Rating: Wet Location (IP65)
- Beam Angle: 120°
- CCT: 30/40/50K Selectable
- Chip: SMD 2835, R9 >50, CRI >80
- Operating Temperature: -40° - 122° F
- Lens: PC Lens: Clear acrylic
- Average life (L70) of 50,000 hours

Applications:

- Dock and Loading
- Walkways & Pathways
- Parking Lots
- Hospitality, Multi-Family
- Outdoor Corridors
- General Outdoor Lighting
- Residential, Commercial and Industrial

Product Information:

- Sturdy die-cast aluminum housing finished with corrosion free powder coat
- XS-Line: Extra Small Body Line
- Selectable Photocell included on each fixture
- 1.5' STJW 18.3 AWG cable whip included
- Select-n-Switch Technology
- Instant-On to full brightness

Driver Options:

- UNV: 120-277V or 277-480V 0-10V Dimmable
- Built in 6Kv Surge Protector
- THD: <20% (+/-5% tolerance), PF >0.9, 50/60Hz

Mounting & Installation:

- 1/2" Knuckle mount installed on each fixture
- Yoke mount included in the box
- 3P100 & 3P150 compatible with slip fitter and straight arm

Certifications:

- UL Listed for USA and CA
- DLC Listed
- ROHS Compliant
- Approved for CA T24
- 5 Year Limited Warranty
- FCC CFR 47, GCC Part 15, Subpart B:2017

Series

LED-FL-15W-TRI
15W • 1,950lm
LED-FL-30W-TRI
30W 3,900lm
LED-FL-3P60-TRI
60/50/40w • 7,800/6,500/5,200lm
LED-FL-3P100-TRI
100/80/60w • 13,500/10,800/8,100lm
LED-FL-3P150-TRI
150/120/100w • 20,250/16,200/13,500lm

Color

BZ
Bronze
(Standard)
WH
White
BL
Black

Bracket

KNYK
1/2" Knuckle
Installed.
Yoke
included.

Photocell

PC
Selectable
photocell
is included.

Optional Brackets for 3P100 & 3P150

Bronze Brackets

ARL3-SF
Slip Fitter
ARL3-SA
Straight Arm Adjustable
ARL3-SA-NA-BZ
Straight Arm Non-Adjustable
Dark Sky
ARL3-SFA
Slip Fitter/Straight Arm
Combo
ARL3-WM
Wall Mount
(Must use w/ SA arm)

Black Brackets


ARL3-SF-BL
Slip Fitter
ARL3-SA-BL
Straight Arm Adjustable
ARL3-SA-NA-BL
Straight Arm Non-Adjustable
Dark Sky
ARL3-SFA-BL
Slip Fitter/Straight Arm
Combo
ARL3-WM-BL
Wall Mount
(Must use w/ SA arm)

White Brackets


ARL3-SF-WH
Slip Fitter
ARL3-SA-WH
Straight Arm Adjustable
ARL3-SA-NA-WH
Straight Arm Non-Adjustable
Dark Sky
ARL3-SFA-WH
Slip Fitter/Straight Arm
Combo
ARL3-WM-WH
Wall Mount
(Must use w/ SA arm)

Specs and model numbers are subject to change with or without notice.

FEATURES



DIMENSIONS



XS-Line: Mini Floods

3-CCT w/ Selectable Photocell

Model	Voltage	Watts	Lumens	Color	CRI
LED-FL-15W-TRI-BZ-KNYK-PC	120-277V	15w	1950	30/40/50K	>90
LED-FL-15W-TRI-WH-KNYK-PC	120-277V	15w	1950	30/40/50K	>90
LED-FL-15W-TRI-BL-KNYK-PC	120-277V	15w	1950	30/40/50K	>90
LED-FL-30W-TRI-BZ-KNYK-PC	120-277V	30w	3900	30/40/50K	>90
LED-FL-30W-TRI-WH-KNYK-PC	120-277V	30w	3900	30/40/50K	>90
LED-FL-30W-TRI-BL-KNYK-PC	120-277V	30w	3900	30/40/50K	>90
LED-FL-3P60-TRI-BZ-KNYK-PC	120-277V	40/50/60w	5200/6500/7800	30/40/50K	>90
LED-FL-3P60-TRI-WH-KNYK-PC	120-277V	40/50/60w	5200/6500/7800	30/40/50K	>90
LED-FL-3P60-TRI-BL-KNYK-PC	120-277V	40/50/60w	5200/6500/7800	30/40/50K	>90
LED-FL-3P100-TRI-BZ-KNYK-PC	120-277V	100/80/60w	13500/10800/8100	30/40/50K	>90
LED-FL-3P100-TRI-WH-KNYK-PC	120-277V	100/80/60w	13500/10800/8100	30/40/50K	>90
LED-FL-3P100-TRI-BL-KNYK-PC	120-277V	100/80/60w	13500/10800/8100	30/40/50K	>90
LED-FL-3P150-TRI-BZ-KNYK-PC	120-277V	150/120/100w	20250/16200/13500	30/40/50K	>90
LED-FL-3P150-TRI-WH-KNYK-PC	120-277V	150/120/100w	20250/16200/13500	30/40/50K	>90
LED-FL-3P150-TRI-BL-KNYK-PC	120-277V	150/120/100w	20250/16200/13500	30/40/50K	>90



OPTIONAL BRACKETS

Accessory	Description
ARL3-SF	Slip Fitter (Bronze)
ARL3-SF-BL	Slip Fitter (Black)
ARL3-SF-WH	Slip Fitter (White)
ARL3-SA	Straight Arm Adjustable (Bronze)
ARL3-SA-BL	Straight Arm Adjustable (Black)
ARL3-SA-WH	Straight Arm Adjustable (White)
ARL3-SA-NA-BZ	Straight Arm Non-Adjustable Dark Sky
ARL3-SA-NA-BL	Straight Arm Non-Adjustable Dark Sky
ARL3-SA-NA-WH	Straight Arm Non-Adjustable Dark Sky
ARL3-SFA	Slip Fitter / Straight Arm Combo (Bronze)
ARL3-SFA-BL	Slip Fitter / Straight Arm Combo (Black)
ARL3-SFA-WH	Slip Fitter / Straight Arm Combo (White)
ARL3-WM	Wall Mount (Must Use w/ SA Arm) (Bronze)
ARL3-WM-BL	Wall Mount (Must Use w/ SA Arm) (Black)
ARL3-WM-WH	Wall Mount (Must Use w/ SA Arm) (White)