

Installation Instructions



SAFETY INSTRUCTIONS

IMPORTANT: Read all instructions before installing fixtures. Retain for future reference.

1. For your safety, this fixture must be wired in accordance to local electrical codes and ordinances.

All work should be done by a qualified electrician.

2. Make certain power is OFF from the electrical panel before starting installation or attempting any maintenance.

3. No user serviceable parts inside. To avoid electrical shock do not disassemble product.

4. Do not make or alter any open holes in an enclosure of wiring or electrical components during kit installation

5. To prevent wiring damage or abrasion, do not expose wiring to edges of sheet metal or other sharp objects.

6. Suitable for Damp locations.

INSTALLATION INSTRUCTIONS




Fig. 1




Fig. 2




Fig. 3





Fig. 4



Track Mount

Fig. 1




Fig. 2





Fig. 3



Replacement of Lens

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5








Fig. 6



3-Line Track Instructions

3-Line Track Connection

1. Both sides of the connector are grounded. Only one slot on the track (Fig. 1).
2. Cut off two sides of the connector bar to connect accessory to track. (Fig. 2).
3. Connector can now be inserted into the track. (Fig. 3)
4. Screw the connector to the track to lock for safety. (Fig 4)



Track Accessories



TS3-SM-LIVE



TS3-SM-MJ




TS3-SM-SC



TS3-SM-L



TS3-SM-T



TS3-SM-X



TS3-SM-FLX



TS3-SM-CD