

KT-BH-SF-XX

POLE-MOUNT BULLHORN TENON ADAPTORS

DESCRIPTION

Pole-Mount Bullhorn Tenon Adaptors | Bronze Finish

APPLICATION

Maximum allowable load per tenon: 110 lbs




1 YEAR
WARRANTY

SPECIFICATIONS (180°)



DUAL BULLHORN

Catalog Number	Description
KT-BH-SF-D180	Dual Bullhorn, In-line 180°, Slips over 2-3/8" Tenon





TRIPLE BULLHORN

Catalog Number	Description
KT-BH-SF-T180	Triple Bullhorn, In-line 180°, Slips over 2-3/8" Tenon



QUAD BULLHORN

Catalog Number	Description
KT-BH-SF-Q180	Quad Bullhorn, In-line 180°, Slips over 2-3/8" Tenon



(Specifications continued on next page)



KT-BH-SF-XX

POLE-MOUNT BULLHORN TENON ADAPTORS

SPECIFICATIONS (120°)

TRIPLE BULLHORN


Catalog Number	Description
KT-BH-SF-T120	Triple Bullhorn, In-line 120°, Slips over 2-3/8" Tenon



SPECIFICATIONS (90°)

QUAD BULLHORN

Catalog Number	Description
KT-BH-SF-Q120	Triple Bullhorn, In-line 120°, Slips over 2-3/8" Tenon



EPA SPECIFICATIONS

- Conditions: Horizontal winds only for calculations. Worst case total projected area used for calculations.
- All drag coefficients are set as worst case 1.2
- For details on exact EPA calculations and assumptions, please contact productsupport@keystonetech.com

Catalog Number	Description	EPA
KT-BH-SF-D180	Dual Bullhorn, In-line 180°, Slips over 2 3/8" Tenon	0.89 sq. ft.
KT-BH-SF-T180	Triple Bullhorn, In-line 180°, Slips over 2 3/8" Tenon	1.54 sq. ft.
KT-BH-SF-Q180	Quad Bullhorn, In-line 180°, Slips over 2 3/8" Tenon	1.94 sq. ft.
KT-BH-SF-T120	Triple Bullhorn, 120°, Slips over 2 3/8" Tenon	0.98 sq. ft.
KT-BH-SF-Q90	Quad Bullhorn, 90°, Slips over 2 3/8" Tenon	1.14 sq. ft.



KT-BH-SF-XX

POLE-MOUNT BULLHORN TENON ADAPTORS

ORDERING INFORMATION

Catalog Number	UPC	Easy Code
KT-BH-SF-D180	843654131955	EMY-03
KT-BH-SF-T180	843654131962	IMM-81
KT-BH-SF-Q180	843654131986	BNN-43
KT-BH-SF-T120	843654131979	RYB-72
KT-BH-SF-Q90	843654131993	HMR-53

CATALOG NUMBER BREAKDOWN

KT-BH-SF-XX

- 1
- 2
- 3
- 4
- 5

- 1 Keystone Technologies
- 2 Mounting Type
- 3 Adaptor Type
- 4 Mounting Configuration
- 5 Adaptor Position

2 Mounting Type

BH	Pole-Mount Bullhorn
----	---------------------

4 Mounting Configuration

A	Area Lights with OpticSwap
---	----------------------------

3 Adaptor Type

SF	Slipfitter
----	------------

5 Adaptor Position

90	90°
120	120°
180	180°