


Built to **CONNECT.**

Communications Products
2020 Catalog



Oldcastle Infrastructure™
A CRH COMPANY



CARSON®



A NAME YOU TRUST. DURABILITY YOU EXPECT.

Carson® high-density polyethylene (HDPE) enclosures deliver reliable, chemical and water resistant performance and install with ease. The Carson® brand offers a wide variety of sizes and is preferred and specified by industry professionals nationwide. You can depend on the trusted Carson® brand, delivering reliable hand holes, valve boxes, meter boxes and vaults for nearly 50 years.



CHRISTY®



RELIABLE AND COST-EFFECTIVE.

Christy® concrete enclosures deliver reliable, cost-effective performance. The Christy® brand offers a wide variety of sizes making it the preferred choice for many applications. You can depend on the trusted Christy® brand, delivering reliable hand holes, valve boxes, meter boxes and vaults to the utility market for over 40 years.



FIBRELYTE®



STRONG AND EASY TO HANDLE.

Fibrelyte® manufactured from an exclusive composite formulation of polyester resin, fiberglass and calcium carbonate yields lightweight, high strength enclosures. This proprietary composite material is stronger, easier to handle and much lighter than concrete, saving both time and money during installation, service work and transportation.



OLDCASTLE FRP



STRENGTH AND DURABILITY, CAREFULLY CRAFTED.

The Oldcastle FRP family of enclosures are produced in a unique hybrid process bonding strong, polymer concrete rings with high-impact resistant fiberglass sidewalls, forming a monolithic body. Paired with polymer concrete lid, select units are suitable for light or heavy incidental traffic. Specifiers can meet expected load ratings while installers can handle and modify with ease.



DURALITE™



SURPRISINGLY LIGHT. EXCEPTIONALLY STRONG.

The performance you need – the ease of installation you love. The Duralite™ family of enclosure deliver unexpected Tier 15 load rating performance in the lightweight enclosure category. Engineered to withstand heavy loads, Duralite™ intelligently blends composite materials to provide durable, accessible security to our necessary infrastructure.



OLDCASTLE POLYMER (formerly H-Series™)



DURABILITY DELIVERED THROUGH INNOVATION.

Oldcastle Polymer enclosures deliver strength and durability like traditional concrete, but at a fraction of the weight. The Oldcastle Polymer brand offers a broad range of sizes and configurations to meet your needs. These enclosures provide medium to heavy duty solutions for vaults, splice boxes and meter boxes ideal for any industry—municipal water, telecommunications, and other commercial and industrial applications.

Selecting the Right Product and Accessories

Choose your Size and Brand

A wide variety of sizes are offered in round, square, and rectangular configurations. Choose the size and brand that best fits your need.

Know Your Required Performance Level

Our bodies and lids are rated for performance. Look for the load rating that matches your project application.



Select a Lid Style and Marking

Lids are available in a variety of materials and colors. Some are available with specialty markings, marking plates, and special locking options.

Choose Accessories, Hardware, and Other Options

Hardware & other additional items can be found for our enclosures in the back of this booklet.

Product Availability

Oldcastle Infrastructure divides products into two availability groups: Quick Ship and Made to Order.

The Oldcastle Infrastructure Quick Ship Program is designed to provide customers with some of our most popular items quickly, supporting projects with tight schedules. Our Quick Ship items can be easily identified in this document by locating the items with this truck  next to them. Items that are identified as Quick Ship will be shipped from an Oldcastle facility within 3 business days.

Made to Order items are identified as all items that do not have the Quick Ship icon next to them. The lead time for these items can be obtained by reaching out to our customer service team.

Additional Information

For more detailed information on a product, see the individual specification sheet located in the Oldcastle Infrastructure Catalog Binder or online at oldcastleinfrastructure.com.

Terms and Conditions

Terms and conditions are located on our website at: oldcastleinfrastructure.com/support/terms-conditions/

Load Ratings



LOAD RATING : LIGHT DUTY - PEDESTRIAN / GREENBELT APPLICATIONS

CLASS VEHICLE	GVW (LB)	MAX WHEEL LOAD (LB)	DESIGN LOAD (LB)	TEST LOAD (LB)	SPECIFICATION	LOAD CATEGORY
Pedestrian	-	-	300 (PSF)	-	ASTM C 857	A-0.3
			-	3000	ANSI/SCTE 77	Light Duty, Pedestrian
			850	2200	Telcordia GR-902	Greenway
Passenger Vehicle	6000	2400	2000	4340	WUC, Guide 3.6	Pedestrian Greenway



LOAD RATING : MEDIUM DUTY - ANSI/SCTE TIER 5, 8 AND 15

CLASS VEHICLE	GVW (LB)	MAX WHEEL LOAD (LB)	DESIGN LOAD (LB)	TEST LOAD (LB)	SPECIFICATION	LOAD CATEGORY
Light Duty Truck up to Class 3	1400	5600	3900	1040	ANSI/SCTE 77 Telcordia GR-902	Pedestrian/Light Duty Incidental
			5000	7500		Tier 5
			8000	12000		Tier 8
Medium Duty Truck up to Class 5	19500	7800	7800	20800	Telcordia GR-902 ASTM C 857 WUC, Guide 3.6	Non-Continuous Traffic
			8000	17360		A-8
			8000	17360		Non-Continuous Traffic
Medium Duty Truck up to Class 7	33000	13200	15000	22500	ANSI/SCTE 77	Tier 15



LOAD RATING : HEAVY DUTY - ANSI/SCTE TIER 22

CLASS VEHICLE	GVW (LB)	MAX WHEEL LOAD (LB)	DESIGN LOAD (LB)	TEST LOAD (LB)	SPECIFICATION	LOAD CATEGORY
Heavy Duty Truck up to Class 8	40000	16000	16000	16000	WUC, Guide 3.6	In shoulder or parking area outside traffic lane
			16000	34720	ASTM C 857	A-16
			22500	33750	ANSI/SCTE 77	Tier 22



LOAD RATING : TRAFFIC RATED - AASHTO H20*

CLASS VEHICLE	GVW (LB)	MAX WHEEL LOAD (LB)	DESIGN LOAD (LB)	TEST LOAD (LB)	SPECIFICATION	LOAD CATEGORY
Vehicles up to Class 8	40000	16000	16000	34720	ASTM C 857	A-16

*Units must include a steel frame and steel cover.

Load ratings are determined by the lowest component rating

The Rural Utility Service (RUS) is a department of the US Department of Agriculture organized to facilitate rural developments. You will find Oldcastle Infrastructure enclosures listed by the RUS. Please reference brand specific product data sheets for additional clarifications. All Oldcastle Infrastructure enclosures conform to the RUS "Tamper Resistant" fastener design for buried pedestals found listed by code and group.

The "Test Load" term is used in ANSI/SCTE 77-2010 to designate the minimum load that an enclosure must be able to sustain to qualify for a particular performance rating. The term is synonymous with (minimum) Failure Load. It should be noted that within the ANSI/SCTE 77-2010 specification, the "Test Load" is 1.5 x the Design Load. Some specification and operating companies select a higher multiple or safety factor for proof of Design Load.

Product Matrix by Brand

		MODEL	SIZE (LXW)	SHAPE	WALL TYPE	DEPTHS	DESIGN LOAD (LB)	RATING	
CARSON®	HDPE BODY	w/ HDPE LID	708	6" Dia	Round	9"	300 (PSF)	Pedestrian/Greenbelt	
			809	7" Dia		9"			
			910	10" Dia		10" 18"			
			2200	12" Dia		15" 18" 24"			
			1015	10" x 15"		6" 12"			
			1220	12" x 20"		6" 12" 18"			
			1324	13" x 24"		12" 14" 15" 17" (24)" (30)"			
			1419	14" x 19"		6" 12" 18"			
			1520	15" x 20"		18" 24"			
			1730	17" x 30"		12" 15" 18" 24" (24)" (30)" (36)" 36"			
			2424	24" x 24"	Square	18" 24" 30" 36" 42" 48" *			
			2436	24" x 36"	Rectangle	18" 24" 30" 36" 42" 48" *			
			3636	36" x 36"	Square	18" 24" 30" 36" 42" 48" *			
			3648	36" x 48"	Rectangle	18" 24" 30" 36" 42" 48" *			
			3660	36" x 60"		18" 24" 30" 36" 42" 48" *			
		w/ POLYMER LID	1324	13" x 24"	Rectangle	12" 14" 15" 17" (24)" (30)"	8,000	Tier 8	
			1730	17" x 30"	Flared	12" 15" 18" 24" (24)"(30)" (36)" 36"			
			2424	24" x 24"		18" 24" 30" 36" 42" 48" *			
			2436	24" x 36"		18" 24" 30" 36" 42" 48" *			
			2448	24" x 48"		18" 24" 30" 36" 42" 48" *			
			2460	24" x 60"		18" 24" 30" 36" 42" 48" *			
			3636	36" x 36"		18" 24" 30" 36" 42" 48" *			
			3648	36" x 48"		18" 24" 30" 36" 42" 48" *			
		3660	36" x 60"	Rectangle	18" 24" 30" 36" 42" 48" *				
CHRISTY®	CONCRETE BODY	w/ CONCRETE LID	F08	8" Dia	Round	12"	300 (PSF)	Pedestrian/Greenbelt	
			N09	10" x 15"	Rectangle	12" 24" 36" 48" 60"			
			N16	11" x 21"		12" 24" 36" 48" 60"			
			N30	13" x 24"		12" 24" 36" 48" 60"			
			P36	17" x 30"		12" 24" 36" 48" 60"			
			N40	22" x 35"		12" 24" 36" 48" 60"			
			P44	21" x 42"		12" 24" 36" 48" 60"			
			N48P	30" x 48"		12" 24" 36" 48" 60"			
			N52P	30" x 60"		12" 24" 36" 48" 60"			
		w/ STEEL LID	G03	10" Dia	Round	12"	16,000	H20	
			G04	11" Tri		12"			
			G05	10" Dia		12" 24" 36"			
			G08	13" Dia		12" 24" 36"			
			G12	13" Dia		12"			
			B1017	10" x 17"	Rectangle	12" 24" 36"			
			B1324	13" x 24"		12" 24" 36"			
			B1730	17" x 30"		12" 24" 36"			
			B2436	24" x 36"		12" 24" 36"			
			B3048	30" x 48"		12" 24" 36"			
FIBRELYTE®	COMPOSITE BODY	w/ COMPOSITE LID	FL08	8" Dia	Round	Straight	12"	8,000	Tier 8
			FL09	10" x 15"	Rectangle	Flared	12"		
			FL12	12" x 20"		Straight	12"		
			FL30	13" x 24"		Flared	12" 18" 20" 24" 30" 36"		
			FL36	17" x 30"			12" 18" 20" 24" 30" 36"		

Product Matrix by Brand

			MODEL	SIZE (LXW)	SHAPE	WALL TYPE	DEPTHS	DESIGN LOAD (LB)	RATING
OLDCASTLE FRP	FIBERGLASS REINFORCED POLYMER BODY	with POLYMER CONCRETE RING & LID	1118	11" x 18"	Rectangle	Straight	12" 18"	15,000	Tier 15
			1324	13" x 24"			12" 18" 24"		
			1324	13" x 24"		Flared	18" 24"		
			1419	14" x 19"		Straight	12" 18" 24"		
			1730	17"x 30"			24"		
			1730	17"x 30"		Flared	18" 24" 36"		
			2424	24" x 24"	Square	Straight	18" 24" 36" 48"		
			2436	24" x 36"	30" 36"				
			2436	24" x 36"	Flared	24" 30" 36"			
			3048	30" x 48"	Straight	36" 48"			
			3048	30" x 48"		Flared	48"		
			3060	30" x 60"	Rectangle	Straight	18"		
			3636	36" x 36"			36"		
			3660	36" x 60"			36" 48"		
			4872	48" x 72"			30"		
			4896	48" x 96"			36"		
			1000	10" Dia	Round	Flared	36" 48"		
			1800	18" Dia			24" 36" 48" 72"		
			2200	22" Dia			30" 36" 48"	8,000/15,000	Tier 8 / Tier 15
			2400	24" Dia			36" 48"	15,000	Tier 15
			2700	27" Dia			36" 48"	8,000/15,000	Tier 8 / Tier 15
			3900	39" Dia			36" 48"	15,000	Tier 15
			5400	54" Dia		Straight	36" 48"		
DURALITE™	POLYOLEFIN BODY	w/ POLYOLEFIN LID	1015	10" x 15"	Rectangle	Straight	12" 18" (24)" (30)" (36)"	15,000 / 22,500	Tier 15 / Tier 22
			1118	11" x 18"			12" 18" (24)" (30)" (36)"		
			1212	12" x 12"	Square		12" 18" (24)" (30)" (36)"		
			1324	13" x 24"	Rectangle		12" 18" (24)" (30)" (36)"		
			1730	17" x 30"			12" 18" 24" (24)" (30)" (36)" (42)" (48)"		
			2436	24" x 36"			18" 24" 36" (42)" (48)" (60)" (72)"		
			3048	30" x 48"			18" 24" 36" (42)" (48)" (60)" (72)"		
			3660	36" x 60"			36" (72)"		
OLDCASTLE POLYMER	POLYMER BODY	w/ POLYMER LID	910	9" Dia	Round	Flared	10"	15,000 / 22,500	Tier 15 / Tier 22
			1118	11" x 18"	Rectangle	Straight	12" 18" (24)"		
			1212	12" x 12"	Square		12" 18" (24)" (36)"		
			1324	13" x 24"	Rectangle		12" 15" 18" (24)" (30)"		
			1730	17" x 30"			12" 18" 24" 30" (36)"		
			2424	24" x 24"			24" 36" (48)" (60)"		
			2436	24" x 36"	Rectangle		18" 24" 36" (42)"		
			3048	30" x 48"			18" 24" 36" (42)" (48)"		
			3060	30" x 60"			24" 30" 36" (48)"		
			3636	36" x 36"	Square		36" 48" (72)" (84)" (96)"		
			4848	48" x 48"	Square		36" 48" (72)" (84)" (96)"		

KEY: Extension Unit (Stacked Body Unit)

*Models can be increased by 6" to desired height.

Lid Markings and Materials



STANDARD MARKINGS

Lids are available with standard markings:

- Blank/No Mark
- Communication
- Telephone
- CATV
- Fiber Optics



MARKING PLATE

4" x 8" Plate

Standard markings include two lines of one inch text with a max of thirteen characters per line.

Custom markings are available.

Contact Customer Service for detailed information.


HDPE



CONCRETE



COMPOSITE



POLYMER



STEEL




Security, Hardware and Accessories


Enclosures come equipped with standard lid fastening hardware (varies per box type). Standard assembly is shown below.




STANDARD HEX HEAD:
3/8 - 1/2 Stainless Steel Hex Head Bolt with Washer




DROP-N-LOCK™:
Automatic locking system (available on select HDPE covers only)



STANDARD PENTA HEAD:
3/8 - 1/2 Stainless Penta Head Bolt with Washer



PADLOCK & EYE:
Eye bolt and padlock (available on steel covers only)



VANDAL PROOF:
Oldcastle Enclosures Vandal Proof bolt with specialty key.



Security Level Typical Tool

Low	Fingers, Car Key, Pen Knife
Medium	Screwdriver, Hammer, Hacksaw, Pliers
High	Power Tools, Crowbar, Wedge, Hammer
Extreme	Sledge Hammer, Disc Grinder, Bolt Cutter

- A. Rack Mount
- B. Cable Racks/ Cable Arms
- C. Unistrut
- D. Pulling Eye - 1,000 lb. and 3,000 lb
- E. Electronic Marker
- F. Ground Buss
- G. Mouseholes / Circular Holes
- H. Dividers
- I. Lifting Tool
- J. Solid Bottom (not shown)
(Oldcastle Polymer)
- K. Gaskets (not shown)
- L. Spanner Screwdriver



Accessories

RATING	PART #	DESC 1	DESC 2	FOR USE WITH	DESIGN LOAD (LB)	QUICK SHIP
Carson Accessories - Factory Installed						
-	HMS-U02	Unistrut	Factory Installed		-	
-	HMS-554	Cable Rack Arm 7.5"	Factory Installed		-	
-	HPL-M05	Plate, Electric Marker, Plastic	Factory Installed		-	
-	HPL-M10	Plate, Telephone Marker, Plastic	Factory Installed		-	
-	MN01011	Pulling Eye, 1K	Factory Installed		-	
-	MN01012	Pulling Eye, 3K	Factory Installed		-	
Carson Accessories						
-	HMS-U02	Unistrut	Item Only - Not Installed		-	
-	HMS-554	Cable Rack Arm 7.5"	Item Only - Not Installed		-	
-	HPL-M05	Plate, Electric Marker, Plastic	Item Only - Not Installed		-	
-	HPL-M10	Plate, Telephone Marker, Plastic	Item Only - Not Installed		-	
Oldcastle Polymer Accessories						
-	MN20100	Divider, UHMW, for PC1324-12 11-11/16" x 8"	PC132412 Divider UHMW	Oldcastle Polymer 1324	-	
-	MN20101	Divider Kit, UHMW, for PC1324-12 11-11/16" x 8"	PC132412 Divider UHMW		-	
-	MN20105	Divider, UHMW, for PC1324-18 11-11/16" x 14"	PC132418 Divider UHMW		-	
-	MN20106	Divider Kit, UHMW, for PC1324-18 11-11/16" x 14"	PC132418 Divider UHMW		-	
-	MN20110	Divider, UHMW, for PC1324-24 11-11/16" x 20"	PC132424 Divider UHMW		-	
-	MN20111	Divider Kit, UHMW, for PC1324-24 11-11/16" x 20"	PC132424 Divider UHMW		-	
-	MN20115	Divider, UHMW, for PC1324-36 11-11/16" x 32"	PC132436 Divider UHMW		-	
-	MN20116	Divider Kit, UHMW, for PC1324-36 11-11/16" x 32"	PC132436 Divider UHMW	Oldcastle Polymer 1730	-	
-	MN20120	Divider, UHMW, for PC1730-12 15 1/2" x 8"	PC173012 Divider UHMW		-	
-	MN20121	Divider Kit, UHMW, for PC1730-12 15 1/2" x 8"	PC173012 Divider UHMW		-	
-	MN20125	Divider, UHMW, for PC1730-18 15 1/2" x 14"	PC173018 Divider UHMW		-	
-	MN20126	Divider Kit, UHMW, for PC1730-18 15 1/2" x 14"	PC173018 Divider UHMW		-	
-	MN20130	Divider, UHMW, for PC1730-24 15 1/2" x 20"	PC173024 Divider UHMW		-	
-	MN20131	Divider Kit, UHMW, for PC1730-24 15 1/2" x 20"	PC173024 Divider UHMW		-	
-	MN20135	Divider, UHMW, for PC1730-36 15 1/2" x 32"	PC173036 Divider UHMW	Oldcastle Polymer 2436	-	
-	MN20136	Divider Kit, UHMW, for PC1730-36 15 1/2" x 32"	PC173036 Divider UHMW		-	
-	MN20140	Divider, UHMW, for PC2436-18 21 3/4" x 14"	PC243618 Divider UHMW		-	
-	MN20141	Divider Kit, UHMW, for PC2436-18 21 3/4" x 14"	PC243618 Divider UHMW		-	
-	MN20145	Divider, UHMW, for PC2436-24 21 3/4" x 20"	PC243624 Divider UHMW		-	
-	MN20146	Divider Kit, UHMW, for PC2436-24 21 3/4" x 20"	PC243624 Divider UHMW		-	
-	MN20150	Divider, UHMW, for PC2436-36 21 3/4" x 32"	PC243636 Divider UHMW		-	
-	MN20151	Divider Kit, UHMW, for PC2436-36 21 3/4" x 32"	PC243636 Divider UHMW	Oldcastle Polymer 3048	-	
-	MN20155	Divider, UHMW, for PC3048-18 27 1/4" x 14"	PC304818 Divider UHMW		-	
-	MN20156	Divider Kit, UHMW, for PC3048-18 27 1/4" x 14"	PC304818 Divider UHMW		-	
-	MN20160	Divider, UHMW, for PC3048-24 27 1/4" x 20"	PC304824 Divider UHMW		-	
-	MN20161	Divider Kit, UHMW, for PC3048-24 27 1/4" x 20"	PC304824 Divider UHMW		-	
-	MN20165	Divider, UHMW, for PC3048-36 27 1/4" x 32"	PC304836 Divider UHMW		-	
-	MN20166	Divider Kit, UHMW, for PC3048-36 27 1/4" x 32"	PC304836 Divider UHMW		-	
-	MN20190	Divider, UHMW, for PC2424-24 23 5/8" x 20"	PC242424 Divider UHMW	Oldcastle Polymer 2424	-	
-	MN20191	Divider Kit, UHMW, for PC2424-24 23 5/8" x 20"	PC242424 Divider UHMW		-	
-	MN20195	Divider, UHMW, for PC2424-36 23 5/8" x 32"	PC242436 Divider UHMW		-	
-	MN20196	Divider Kit, UHMW, for PC2424-36 23 5/8" x 32"	PC242436 Divider UHMW		-	
-	MN20170	Divider, UHMW, for PC3636-36 35 3/4" x 32"	PC363636 Divider UHMW	Oldcastle Polymer 3636	-	
-	MN20171	Divider Kit, UHMW, for PC3636-36 35 3/4" x 32"	PC363636 Divider UHMW		-	
-	MN20175	Divider, UHMW, for PC3636-48 35 3/4" x 44"	PC363648 Divider UHMW		-	
-	MN20176	Divider Kit, UHMW, for PC3636-48 35 3/4" x 44"	PC363648 Divider UHMW		-	
-	MN20180	Divider, UHMW, for PC4848-36 49 3/4" x 32"	PC484836 Divider UHMW	Oldcastle Polymer 4848	-	
-	MN20181	Divider Kit, UHMW, for PC4848-36 49 3/4" x 32"	PC484836 Divider UHMW		-	
-	MN20185	Divider, UHMW, for PC4848-48 49 3/4" x 44"	PC484848 Divider UHMW		-	
-	MN20186	Divider Kit, UHMW, for PC4848-48 49 3/4" x 44"	PC484848 Divider UHMW		-	
-	HPL-M05	Plate, Electric Marker, Plastic	3M Power			
-	HMS-357	3" Cable Saddle Rack	1 Hook			
-	HMS-358	3" Cable Saddle Rack	2 Hooks			
-	HMS-356	3" Cable Saddle Rack	3 Hooks			

Hardware and Options


RATING	PART #	DESC 1	DESC 2	COLOR	FOR USE WITH	DESIGN LOAD (LB)	QUICK SHIP
Enclosure Tools							
-	3005065	Hook, Universal Lifting, 36"	Hook	-	-	-	
-	30005075	Universal lifting Hook 18"	Galvanized	-	-	-	
-	30005148	Bit, Spanner, Drilled, Hex, #10 Screw Size 1/4" x 1"	-	-	-	-	
Carson Secondary Options							
-	-	Mouse Hole	Polymer Concrete	-	-	-	
-	-	Mouse Hole	HDPE	-	-	-	
-	-	Knockouts	-	-	-	-	
-	-	Dividers	-	-	-	-	
Carson Hardware							
-	80002006	1x HBlT+ Wsh+ Rcfnt+ Clip	3/8"x2.5SSTCapt1220/1419 XX-50	1015, 1220, 1419, 1324, 1703	-	-	
-	80002008	1x HBlT+Wsh+ Rcfnt+Spring	3/8"-16 x 2.5 Capt 0910 Only	0910	-	-	
-	80002025	2x Hexbolt + 2x Wash SST	Hex 1/2" 13 x 2-1/2"	1324, 1730	-	-	
-	80002007	1x LgPnta+ Wsh+ Rcfnt+Clip	3/8" x 2.5 SST Cap 1220/1419	1015, 1220, 1419	-	-	
Duralite Hardware							
	80002071	2x Hexbolt + 2x Washer SST + 2 Floating Sq. Nuts	Hex Auger Thread 1/2"- 6 x 2-1/2"	1015,1118,13424,1730	-	-	
	80002072	2x Pentabolt + 2x Washer SST + 2 Floating Sq. Nuts	Penta Auger Thread 1/2"- 6 x 2-1/2"	1015,1118,13424,1730	-	-	
	80002073	2x Hexbolt + 2x Washer SST + 2 Floating Sq. Nuts	Hex 1/2"-13 x 2-1/2"	1015,1118,13424,1730	-	-	
	80002074	2x Pentabolt + 2x Washer SST + 2 Floating Sq. Nuts	Penta 1/2"- 13 x 2-1/2"	1015,1118,13424,1730	-	-	
	80002075	2x Hexbolt + 2x Washer SST + 2 Floating Sq. Nuts	Hex 3/8"-16 x 2-1/2"	1015,1118,13424,1730	-	-	
	80002076	2x Pentabolt + 2x Washer SST + 2 Floating Sq. Nuts	Penta 3/8"- 16 x 2-1/2"	1015,1118,13424,1730	-	-	
	80002079	4x Hexbolt + 4x Washer SST	Hex 1/2"-13 x 3-1/2"	2436	-	-	
	HMS-710	Socket Penta, 1/2" drive	-	-	-	-	
	HMS-720	Socket 7/8" Penta, 3/4" Hex, 1/2" Drive	-	-	-	-	
Oldcastle FRP Hardware							
-	80002033	Bolt Kit, Oldcastle FRP, Hex Bolt, Washer, Nut (Set of 2)	Stainless Steel, 1/2" 13 x 2-1/2"	1118, 1324, 1419, 1730	-	-	
-	80002025	Bolt Kit, Oldcastle FRP, Hex Bolt, Washer, Nut (Set of 2)	Stainless Steel, 1/2" 13 x 2-1/2"	1118, 1324, 1419, 1730	-	-	
-	80002034	Bolt Kit, Oldcastle FRP, Penta Bolt, Washer, Nut (Set of 2)	Stainless Steel, 1/2" 13 x 2-1/2"	1118, 1324, 1419, 1730	-	-	
-	80002026	Bolt Kit, Oldcastle FRP, Penta Bolt, Washer, Nut (Set of 2)	Stainless Steel, 1/2" 13 x 2-1/2"	1118, 1324, 1419, 1730	-	-	
-	80002029	Bolt Kit, Oldcastle FRP, Hex Bolt, Washer, Nut (Set of 2)	Stainless Steel, 1/2" 13 x 3-1/2"	2424, 2436, 2448, 3048, 3060, 3636, 3660, 4848, 4860, 4872, 4896, Rounds	-	-	
-	80002030	Bolt Kit, Oldcastle FRP, Penta Bolt, Washer, Nut (Set of 2)	Stainless Steel, 1/2" 13 x 3-1/2"	2424, 2436, 2448, 3048, 3060, 3636, 3660, 4848, 4860, 4872, 4896, Rounds	-	-	
Oldcastle Polymer Hardware							
-	80002005	Hex Bolt + Washer SST	1/3 13 x 2-1/2"	910	-	-	
-	80002025	2x Hexbolt + 2x Washer SST	Hex 1/2" 13 x 2-1/2"	1324, 1730, 2424	-	-	
-	80002052	2x Hexbolt + 2x Washer SST	Hex 1/2" 13 x 1-1/4"	1118, 1212	-	-	
-	80002033	2x Hexbolt + 2x Washer SST	Hex 1/2" 13 x 2-1/2"	1118, 1324, 1730	-	-	
-	80002029	2x Hexbolt + 2x Washer SST	Hex 1/2" 13 x 3-1/2"	2436, 3048, 3060	-	-	
-	80002080	4x Hexbolt + 4x Washer SST	Hex 1/2" 13 x 3-1/2"	3060, 3636, 4848	-	-	
-	80002054	2x LgPnta + 2x Washer SST	Penta 1/2" 13 x 1-1/4"	1118, 1212	-	-	
-	80002034	2x LgPnta + 2x Washer SST	Penta 1/2" 13 x 2-1/2"	1118, 1324, 1730	-	-	
-	80002030	2x LgPnta + 2x Washer SST	Penta 1/2" 13 x 3-1/2"	2436, 3048, 3060	-	-	
-	80002081	4x Pentabolt + 4x Washer SST	Penta 1/2" 13 x 3-1/2"	3060, 3636, 4848	-	-	

Understanding Our Product Catalog

CARSON PRODUCTS: SKU FORMAT AND DESCRIPTION FORMAT



OLDCASTLE POLYMER : DESCRIPTION FORMAT



CARSON ABBREVIATIONS

ABBREVIATION	DESCRIPTION	REFERS TO:
HP	HDPE Body Polymer Ring & Cover	Product Material
HPC	Plastic Body Polymer Concrete Cover	
HLPC	Plastic Body Light Weight Polymer Concrete Cover	
PC	Polymer Concrete	
PPC	Polymer Concrete Body Polymer Concrete Cover	
PSC	Polymer Concrete Body Steel Cover	
Blk	Black	Product Color
Blk-Grn	Black Body Green Cover	
Grn	Green	
Gry	Gray	
Pur	Purple	
Tan	Tan	Marking
Blank	Blank	
Elec	Electric	
ICV	Irrigation Control Valve	
Swr	Sewer	
Wtr	Water	
Wtr Mtr	Water Meter	
RW	Reclaimed Water	
RWDND ES	Reclaimed Water Do Not Drink English & Spanish	


ABBREVIATION	DESCRIPTION	REFERS TO:
CHBlt	Captive Hex Bolt	Hardware Type
CLPnta	Captive Large Penta Bolt	
Cpnta	Captive Penta Bolt	
Dlock	Dallas Lock	
Flick	Fargo Lock	
FtnNut	Floating Nut	
HBlt	Hex Bolt	
Hnut	Hex Nut	
Bnut	Brass Nut	
LBlt	L Bolt	
Lpnta	Large Penta Bolt	
Cl T Cover	Cast Iron T Cover	Cover Type/Options
Cast Iron Rdr	Cast Iron Reader	
Flsh Cvr	Flush Cover	
Plastic Rdr	Plastic Reader	
Plt Mkr	Plate Marker	
Rnd Plt	Round Plate	
T Cov	T Cover	
EMS	E Marker	
TRH	Touch Read Hole	
MsHl	Mouse Hole	

OLDCASTLE POLYMER ABBREVIATIONS

ABBREVIATION	DESCRIPTION	REFERS TO:
D	Drop In Lid	Lids
T	Bolt Down Lid	
FW	Flared Wall Body	Bodies
SW	Straight Wall Body	

CARSON® 0708

HDPE - 6" Diameter



Snap-On



Twist-On
Accommodates
Optional Bolt Down



LIGHT DUTY
PEDESTRIAN / GREENBELT

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 0708 TrussT features removable bolt provision									
Ped	07082101	708-09 Body Black	2MsHI	Black	9"	1.0	540	300 (PSF)	
Ped	07082105	708-09 Body Green	2MsHI	Green	9"	1.0	540	300 (PSF)	
Lid - 0708 TrussT Twist-On Style (accommodates optional bolt)									
Ped	07084123	708 T Cover Green "NO MARK "	TWL 000	Black	-	0.2	600	300 (PSF)	
Ped	07084125	708 T Cover Green "NO MARK "	TWL 000	Green	-	0.2	600	300 (PSF)	
Ped	07084127	708 T Cover Green "CATV "	TWL 162	Green	-	0.2	600	300 (PSF)	
Lid - 0708 TrussT Snap-On Style									
Ped	07084143	708 T Cover Green "NO MARK "	SNP 000	Black	-	0.2	600	300 (PSF)	
Ped	07084145	708 T Cover Green "NO MARK "	SNP 000	Green	-	0.2	600	300 (PSF)	
Ped	07084147	708 T Cover Green "CATV "	SNP 162	Green	-	0.2	600	300 (PSF)	
Unit - 0708 TrussT with TWIST-ON LID (accommodates optional bolt)									
Ped	07081104	708-09 Unit Black/Green "CATV"	2MsHI TWL 162	Blk-Grn	9"	1.2	540	300 (PSF)	
Ped	07081105	708-09 Unit Black/Green "NO MARK"	2MsHI TWL 000	Blk-Grn	9"	1.2	540	300 (PSF)	
Unit - 0708 TrussT with SNAP-ON LID									
Ped	07081134	708-09 Unit Black/Green "CATV"	2MsHI SNP 162	Blk-Grn	9"	1.2	540	300 (PSF)	
Ped	07081135	708-09 Unit Black/Green "NO MARK"	2MsHI SNP 000	Blk-Grn	9"	1.2	540	300 (PSF)	

CARSON® 0809

HDPE - 7" Diameter



LIGHT DUTY
PEDESTRIAN / GREENBELT

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 0809									
Ped	08092001	809-09 Body Green 2 MsHI	-	Green	9"	2.1	288	300 (PSF)	
Ped	08092002	809-09 Body Black 2 MsHI	-	Black	9"	2.1	288	300 (PSF)	
Ped	08092005	809-09 Body Tan 2 MsHI	-	Tan	9"	2.1	288	300 (PSF)	
Lid - 0809									
Ped	08094002	809 T Cover Green CATV	-	Green	-	0.5	600	300 (PSF)	
Ped	08094003	809 T Cover Green Blank	-	Green	-	0.5	600	300 (PSF)	
Unit - 0809									
Ped	08091002	809-09 Green CATV	2 MsHI T Cover	Green	9"	2.6	288	300 (PSF)	
Ped	08091003	809-09 Green Blank	2 MsHI T Cover	Green	9"	2.6	288	300 (PSF)	

CARSON® 0910

HDPE - 10" Diameter



LIGHT DUTY
PEDESTRIAN / GREENBELT




RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 0910									
Ped	09102001	910-10 Body Green 0 MsHl	-	Green	10"	2.7	99	300 (PSF)	
Ped	09102002	910-10 Body Black 0 MsHl	-	Black	10"	2.7	99	300 (PSF)	
Ped	09102005	910-10 Body Gray 0 MsHl	-	Gray	10"	2.7	99	300 (PSF)	
Ped	09102006	910-10 Body Green 2 MsHl	-	Green	10"	2.7	99	300 (PSF)	
Ped	09102007	910-10 Body Black 2 MsHl	-	Black	10"	2.7	99	300 (PSF)	
Ped	09102010	910-10 Body Gray 2 MsHl	-	Gray	10"	2.7	99	300 (PSF)	
Ped	09102014	910-10 Body Tan 0 MsHl	-	Tan	10"	2.7	99	300 (PSF)	
Ped	09102017	910-10 Body Tan 2 MsHl	-	Tan	10"	2.7	99	300 (PSF)	
Ped	09102018	910-18 Body Black 0 MsHl	-	Black	18"	5.1	99	300 (PSF)	
Lid - 0910									
Ped	09104004	910 T Cover Green Telph	-	Green	-	1.2	250	300 (PSF)	
Ped	09104006	910 T Cover Green CATV	-	Green	-	1.2	250	300 (PSF)	
Ped	09104007	910 T Cover Green Blank	-	Green	-	1.2	250	300 (PSF)	
Ped	09104021	910 T Cover Gray Telph	-	Gray	-	1.2	250	300 (PSF)	
Ped	09104022	910 T Cover Gray CATV	-	Gray	-	1.2	250	300 (PSF)	
Ped	09104026	910 Flsh Cover Green Blank	-	Green	-	1.0	250	300 (PSF)	
Ped	09104052	910 Flsh Cover Green CATV	-	Green	-	1.0	250	300 (PSF)	
Ped	09104091	910 T Cover Green Comm	-	Green	-	1.2	250	300 (PSF)	
Ped	09104100	910 T Cover Gray FbrOp	-	Gray	-	1.2	250	300 (PSF)	
Ped	09104102	910 T Cover Green FbrOp	-	Green	-	1.2	250	300 (PSF)	
Unit - 0910									
Ped	09101005	910-10 Green Blank	0 MsHl T Cover	Green	10"	3.9	99	300 (PSF)	
Ped	09101006	910-10 Black Blank HBlt	2 MsHl Flsh Cover	Black	10"	3.9	99	300 (PSF)	
Ped	09101013	910-10 Green Telph HBlt	0 MsHl T Cover	Green	10"	3.9	99	300 (PSF)	
Ped	09101014	910-10 Green CATV HBlt	0 MsHl T Cover	Green	10"	3.9	99	300 (PSF)	
Ped	09101015	910-10 Green Blank HBlt	0 MsHl T Cover	Green	10"	3.9	99	300 (PSF)	
Ped	09101023	910-10 Gray Telph HBlt	0 MsHl T Cover	Gray	10"	3.9	99	300 (PSF)	
Ped	09101026	910-10 Green Blank	2 MsHl T Cover	Green	10"	3.9	99	300 (PSF)	
Ped	09101029	910-10 Tan Blank	2 MsHl T Cover	Tan	10"	3.9	99	300 (PSF)	
Ped	09101066	910-10 Gray CATV HBlt	0 MsHl T Cover	Gray	10"	3.9	99	300 (PSF)	
Ped	09101078	910-10 Black Blank HBlt	2 MsHl T Cover	Black	10"	3.9	99	300 (PSF)	
Ped	09101079	910-10 Black Blank	2 MsHl T Cover	Black	10"	3.9	99	300 (PSF)	
Ped	09101151	910-10 Green Comm HBlt	0 MsHl T Cover	Green	10"	3.9	99	300 (PSF)	
Ped	09101159	910-10 Gray FbrOp	2 MsHl T Cover	Gray	10"	3.9	99	300 (PSF)	
Ped	09101166	910-10 Green FbrOp LPnta	0 MsHl T Cover	Green	10"	3.9	99	300 (PSF)	

CARSON® 1220

HDPE - 12" x 20"



LIGHT DUTY
PEDESTRIAN / GREENBELT




RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1220									
Ped	12202007	1220-12 Body Black 0 MsHl	-	Black	12"	9.3	48	300 (PSF)	
Extension - 1220									
Ped	12203001	1220-6 Ext Green	-	Green	6"	6.5	32	300 (PSF)	
Ped	12203002	1220-6 Ext Black	-	Black	6"	6.5	32	300 (PSF)	
Ped	12203003	1220-6 Ext Tan	-	Tan	6"	6.5	32	300 (PSF)	
Lid - 1220									
Ped	12204003	1220 T Cover Green Blank	-	Green	-	4.7	150	300 (PSF)	
Ped	12204009	1220 Flsh Cover Black Blank	-	Black	-	4.5	150	300 (PSF)	
Ped	12204010	1220 T Cover Black Blank	-	Black	-	4.7	150	300 (PSF)	
Ped	12204016	1220 Flsh Cover Green Blank	-	Green	-	4.5	150	300 (PSF)	
Ped	12204021	1220 T Cover Green Telph	-	Green	-	4.7	150	300 (PSF)	
Unit - 1220									
Ped	12201064	1220-12 Black Blank	0 MsHl T Cover	Black	12"	15.0	48	300 (PSF)	
Ped	12201084	1220-12 Green CATV	0 MsHl T Cover	Green	12"	15.0	48	300 (PSF)	
Ped	12201092	1220-12 Green CATV HBlt	0 MsHl Flsh Cover	Green	12"	15.0	48	300 (PSF)	
Ped	12201203	1220-12 Green Blank HBlt	0 MsHl T Cover	Green	12"	15.0	48	300 (PSF)	
Ped	12201209	1220-12 Green CATV	2x DNL T Cover	Green	12"	15.0	48	300 (PSF)	

CARSON® 1324

HDPE - 13" x 24"



LIGHT DUTY
PEDESTRIAN / GREENBELT



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1324									
Ped	13242001	1324-12 Body Green 0 MsHl	-	Green	12"	14.5	16	300 (PSF)	
Ped	13242019	1324-12 Body Black 0 MsHl	-	Black	12"	14.5	16	300 (PSF)	
Ped	13242002	1324-15 Body Green 0 MsHl	-	Green	15"	16.8	16	300 (PSF)	
Ped	13242004	1324-15 Body Black 0 MsHl	-	Black	15"	16.8	16	300 (PSF)	
Lid - 1324									
Ped	13244006	1324 T Cover Green CATV	-	Green	-	6.4	100	300 (PSF)	
Ped	13244018	1324 Flsh Cover Green Blank	-	Green	-	6.0	100	300 (PSF)	
Ped	13244019	1324 T Cover Green Blank	-	Green	-	6.4	100	300 (PSF)	
Ped	13244020	1324 Flsh Cover Green CATV	-	Green	-	6.0	100	300 (PSF)	
Ped	13244021	1324 Flsh Cover Green Comm	-	Green	-	6.0	100	300 (PSF)	
Ped	13244033	1324 Flsh Cover Green Telph	-	Green	-	6.0	100	300 (PSF)	
Ped	13244040	1324 Flsh Cover Gray CATV	-	Gray	-	6.0	100	300 (PSF)	
Ped	13244044	1324 Flsh Cover Gray Telph	L Bolt Large Penta Nut	Gray	-	6.0	100	300 (PSF)	
Ped	13244062	1324 Flsh Cover Green Blank	L Bolt	Green	-	6.0	100	300 (PSF)	
Ped	13244067	1324 T Cover Green Blank	L Bolt	Green	-	6.4	100	300 (PSF)	
Ped	13244069	1324 T Cover Green CATV	L Bolt	Green	-	6.4	100	300 (PSF)	
Ped	13244077	1324 Flsh Cover Green FbrOp	L Bolt Large Penta Nut	Green	-	6.0	100	300 (PSF)	
Ped	13244078	1324 T Cover Green FbrOp	L Bolt Large Penta Nut	Green	-	6.4	100	300 (PSF)	
Ped	13244229	1324 Flsh Cover Green FbrOp	L Bolt Small Penta Nut	Green	-	6.0	100	300 (PSF)	
Ped	13244333	1324 T Cover Green Blank	2X DNL	Green	-	6.4	100	300 (PSF)	
Ped	13244334	1324 T Cover Green CATV	2X DNL	Green	-	6.4	100	300 (PSF)	
Ped	13244335	1324 T Cover Green Comm	2X DNL	Green	-	6.4	100	300 (PSF)	
Ped	13244336	1324 T Cover Green Telephone	2X DNL	Green	-	6.4	100	300 (PSF)	

CONTINUED ON NEXT PAGE

CARSON® 1324 Continued


RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Unit - 1324									
Ped	13241004	1324-12 Green Blank HBlt	0 MsHI Flsh Cover	Green	12"	20.4	16	300 (PSF)	
Ped	13241034	1324-12 Black Blank HBlt	0 MsHI T Cover	Black	12"	20.4	16	300 (PSF)	
Ped	13241048	1324-12 Green CATV HBlt	0 MsHI Flsh Cover	Green	12"	20.4	16	300 (PSF)	
Ped	13241105	1324-12 Green Comm HBlt	0 MsHI Flsh Cover	Green	12"	20.4	16	300 (PSF)	
Ped	13241128	1324-12 Green Telph HBlt	0 MsHI Flsh Cover	Green	12"	20.4	16	300 (PSF)	
Ped	13241156	1324-12 Blk-Grn CATV HBlt	0 MsHI Flsh Cover	Blk-Grn	12"	20.4	16	300 (PSF)	
Ped	13241287	1324-12 Blk-Grn_'CATV' HBlt	2x 3/8-16 T Cover_162	Blk-Grn	12"	20.4	16	300 (PSF)	
Ped	13241016	1324-15 Green CATV HBlt	0 MsHI Flsh Cover	Green	15"	23.1	16	300 (PSF)	
Ped	13241017	1324-15 Green Blank HBlt	0 MsHI Flsh Cover	Green	15"	23.1	16	300 (PSF)	
Ped	13241055	1324-15 Green FbrOp LBLPnta	0 MsHI T Cover	Green	15"	23.1	16	300 (PSF)	
Ped	13241062	1324-15 Green Telph HBlt	0 MsHI Flsh Cover	Green	15"	23.1	16	300 (PSF)	
Ped	13241077	1324-15 Gray Telph LBlt	0 MsHI Flsh Cover	Gray	15"	23.1	16	300 (PSF)	
Ped	13241110	1324-15 Green CATV LBlt	0 MsHI T Cover	Green	15"	23.1	16	300 (PSF)	
Ped	13241144	1324-15 Gray CATV HBlt	0 MsHI Flsh Cover	Gray	15"	23.1	16	300 (PSF)	
Ped	13241158	1324-15 Green Comm HBlt	0 MsHI Flsh Cover	Green	15"	23.1	16	300 (PSF)	
Ped	13241284	1324-18 Blk-Grn_'CATV' HBlt	2x 3/8-16 T Cover_162	Blk-Grn	18"	27.8	16	300 (PSF)	
Ped	13241286	1324-24 Blk-Grn_'CATV' HBlt	2x 3/8-16 T Cover_162	Blk-Grn	24"	35.4	16	300 (PSF)	

CARSON® 1419

HDPE - 14" x 19"




LIGHT DUTY
PEDESTRIAN / GREENBELT



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1419									
Ped	14192002	1419-12 Body Green 0 MsHI	-	Green	12"	7.0	78	300 (PSF)	
Ped	14192003	1419-12 Body Gray 0 MsHI	-	Gray	12"	7.0	78	300 (PSF)	
Ped	14192004	1419-12 Body Green 2 MsHI	-	Green	12"	7.0	78	300 (PSF)	
Ped	14192005	1419-12 Body Black 2 MsHI	-	Black	12"	7.0	78	300 (PSF)	
Extension - 1419									
Ped	14193001	1419-6 Ext Green	-	Green	6"	4.0	54	300 (PSF)	
Ped	14193002	1419-6 Ext Black	-	Black	6"	4.0	54	300 (PSF)	
Lid - 1419									
Ped	14194005	1419 T Cover Green Blank	-	Green	-	2.7	200	300 (PSF)	
Ped	14194017	1419 T Cover Black Blank	-	Black	-	2.7	200	300 (PSF)	
Ped	14194026	1419 T Cover Green CATV	-	Green	-	2.7	200	300 (PSF)	
Ped	14194037	1419 T Cover Green Telph	-	Green	-	2.7	200	300 (PSF)	
Ped	14194068	1419 Flsh Cover Black Telph	-	Black	-	2.7	200	300 (PSF)	
Ped	14194072	1419 T Cover Green Comm	-	Green	-	2.7	200	300 (PSF)	
Ped	14194188	1419 T Cover Green FbrOp	-	Green	-	2.7	200	300 (PSF)	
Unit - 1419									
Ped	14191071	1419-12 Green CATV HBlt	0 MsHI T Cover	Green	12"	9.7	78	300 (PSF)	
Ped	14191090	1419-12 Green Telph HBlt	0 MsHI T Cover	Green	12"	9.7	78	300 (PSF)	
Ped	14191244	1419-12 Green Comm HBlt	0 MsHI T Cover	Green	12"	9.7	78	300 (PSF)	
Ped	14191262	1419-12 Green FbrOp HBlt	0 MsHI T Cover	Green	12"	9.7	78	300 (PSF)	

CARSON® 1520

HDPE - 15" x 20"



LIGHT DUTY
PEDESTRIAN / GREENBELT

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1520									
Ped	15202002	1520-18 Body Black 2 MsHI	-	Black	18"	11.7	44	300 (PSF)	
Ped	15202003	1520-18 Body Black 0 MsHI	-	Black	18"	11.7	44	300 (PSF)	
Ped	15202005	1520-18 Body Green 2 MsHI	-	Green	18"	11.7	44	300 (PSF)	
Ped	15202038	1520-18 Body Black 0 MsHI	1x EzLck Clip	Black	18"	11.7	44	300 (PSF)	
Extension - 1520									
Ped	15203001	1520-6 Ext Black	-	Black	6"	4.0	42	300 (PSF)	
Ped	15203002	1520-6 Ext Green	-	Green	6"	4.0	42	300 (PSF)	
Lid - 1520									
Ped	15204001	1520 T Cover Green Blank	-	Green	-	3.0	200	300 (PSF)	
Ped	15204004	1520 T Cover Green_'COMMUNICATIONS'	EzLck_419	Green	-	3.0	200	300 (PSF)	
Ped	15204005	1520 T Cover Green Blank	EzLck EMS	Green	-	3.0	200	300 (PSF)	
Ped	15204007	1520 T Cover Green Comm	EzLck EMS	Green	-	3.0	200	300 (PSF)	
Ped	15204008	1520 T Cover Green Comm	-	Green	-	3.0	200	300 (PSF)	
Ped	15204011	1520 T Cover Green CATV	-	Green	-	3.0	200	300 (PSF)	
Ped	15204015	1520 T Cover Green Telph	-	Green	-	3.0	200	300 (PSF)	
Ped	15204013	1520 T Cover Green Elec	-	Green	-	3.0	200	300 (PSF)	
Unit - 1520									
Ped	15201005	1520-18 Blk-Grn Blank	0 MsHI EzLck T Cover	Blk-Grn	18"	14.8	44	300 (PSF)	
Ped	15201008	1520-18 Blk-Grn Comm	0 MsHI EzLck T Cover	Blk-Grn	18"	14.8	44	300 (PSF)	
Ped	15201023	1520-18 Blk-Grn Blank	0 MsHI EzLck TCvr EMS	Blk-Grn	18"	14.8	44	300 (PSF)	
Ped	15201029	1520-18 Blk-Grn_'COMMUNICATIONS'	0 MsHI EzLck TCvr EMS_419	Blk-Grn	18"	14.8	44	300 (PSF)	
Ped	15201041	1520-18 Blk-Grn Telph	0 MsHI EzLck T Cover	Blk-Grn	18"	14.8	44	300 (PSF)	

CARSON® 1730

HDPE - 17" x 30"



LIGHT DUTY
PEDESTRIAN / GREENBELT

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1730									
Ped	17302001	1730-12 Body Green 0 MsHI	-	Green	12"	19.0	16	300 (PSF)	
Ped	17302014	1730-12 Body Black 0 MsHI	-	Black	12"	19.0	16	300 (PSF)	
Ped	17302002	1730-15 Body Green 0 MsHI	-	Green	15"	24.0	16	300 (PSF)	
Ped	17302015	1730-15 Body Black 0 MsHI	-	Black	15"	24.0	16	300 (PSF)	
Ped	17302004	1730-18 Body Green 0 MsHI	-	Green	18"	26.9	16	300 (PSF)	
Ped	17302013	1730-18 Body Black 0 MsHI	-	Black	18"	26.9	16	300 (PSF)	
Ped	17302051	1730-24 Body Black 0 MsHI	2x Loc-Kit Clip	Black	24"	51.6	6	300 (PSF)	
Ped	17302053	1730-24 Body Black 0 MsHI	4x Loc-Kit Clip	Black	24"	51.6	6	300 (PSF)	

CONTINUED ON NEXT PAGE

CARSON® 1730 Continued


RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Lid - 1730									
Ped	17304003	1730 Flsh Cover Green CATV	-	Green	-	10.5	60	300 (PSF)	
Ped	17304007	1730 Flsh Cover Green CATV	L Bolt	Green	-	10.5	60	300 (PSF)	
Ped	17304011	1730 Flsh Cover Gray Telph	-	Gray	-	10.5	60	300 (PSF)	
Ped	17304027	1730 T Cover Green CATV	-	Green	-	11.3	60	300 (PSF)	
Ped	17304031	1730 Flsh Cover Green FbrOp	-	Green	-	10.5	60	300 (PSF)	
Ped	17304039	1730 T Cover Green Telph	-	Green	-	11.3	60	300 (PSF)	
Ped	17304040	1730 Flsh Cover Green Telph	-	Green	-	10.5	60	300 (PSF)	
Ped	17304050	1730 Flsh Cover Gray CATV	-	Gray	-	10.5	60	300 (PSF)	
Ped	17304061	1730 Flsh Cover Green Comm	-	Green	-	10.5	60	300 (PSF)	
Ped	17304088	1730 T Cover Green FbrOp	L Bolt Large Penta Nut	Green	-	11.3	60	300 (PSF)	
Ped	17304092	1730 T Cover Green CATV	L Bolt	Green	-	11.3	60	300 (PSF)	
Ped	17304202	1730 T Cover Green Telph	4x Bolt Hole	Green	-	11.3	60	300 (PSF)	
Ped	17304207	1730 T Cover Green Comm	4x EzLck	Green	-	11.3	60	300 (PSF)	
Ped	17304208	1730 T Cover Green Comm	4x EzLck EMS	Green	-	11.3	60	300 (PSF)	
Ped	17304213	1730 T Cover Green Comm	6x EzLck 2pc Plug	Green	-	11.3	60	300 (PSF)	
Ped	17304223	1730 T Cover Green Comm	4x Bolt Hole	Green	-	11.3	60	300 (PSF)	
Ped	17304267	1730 T Cover Green FbrOp	4x Bolt Hole	Green	-	11.3	60	300 (PSF)	
Ped	17304281	1730 T Cover Green Telph	4x EzLck EMS	Green	-	11.3	60	300 (PSF)	
Ped	17304289	1730 T Cover Gray Telph	L Bolt Large Penta Nut	Gray	-	11.3	60	300 (PSF)	
Ped	17304336	1730 T Cover Green Telephone	2x DNL	Green	-	11.3	60	300 (PSF)	
Ped	17304337	1730 T Cover Green Comm	2x DNL	Green	-	11.3	60	300 (PSF)	
Unit - 1730									
Ped	17301003	1730-12 Green Blank HBlt	0 MsHl Flsh Cover	Green	12"	29.4	16	300 (PSF)	
Ped	17301053	1730-12 Green CATV HBlt	0 MsHl Flsh Cover	Green	12"	29.4	16	300 (PSF)	
Ped	17301072	1730-12 Green Telph HBlt	0 MsHl Flsh Cover	Green	12"	29.4	16	300 (PSF)	
Ped	17301093	1730-12 Black Blank HBlt	0 MsHl Flsh Cover	Black	12"	29.4	16	300 (PSF)	
Ped	17301106	1730-15 Gray Telph HBlt	0 MsHl Flsh Cover	Gray	15"	34.4	16	300 (PSF)	
Ped	17301009	1730-15 Green CATV HBlt	0 MsHl Flsh Cover	Green	15"	34.4	16	300 (PSF)	
Ped	17301010	1730-15 Green Blank HBlt	0 MsHl Flsh Cover	Green	15"	34.4	16	300 (PSF)	
Ped	17301111	1730-15 Green Blank LBlt	0 MsHl T Cover	Green	15"	34.4	16	300 (PSF)	
Ped	17301021	1730-18 Green CATV HBlt	0 MsHl Flsh Cover	Green	18"	37.3	16	300 (PSF)	
Ped	17301023	1730-18 Green Blank HBlt	0 MsHl Flsh Cover	Green	18"	37.3	16	300 (PSF)	
Ped	17301041	1730-18 Black Blank HBlt	0 MsHl Flsh Cover	Black	18"	37.3	16	300 (PSF)	
Ped	17301048	1730-18 Green Blank LBlt	0 MsHl T Cover	Green	18"	37.3	16	300 (PSF)	
Ped	17301051	1730-18 Green CATV LPnta	0 MsHl Flsh Cover	Green	18"	37.3	16	300 (PSF)	
Ped	17301054	1730-18 Green Comm HBlt	0 MsHl Flsh Cover	Green	18"	37.3	16	300 (PSF)	
Ped	17301061	1730-18 Green FbrOp LBLPnta	0 MsHl T Cover	Green	18"	37.3	16	300 (PSF)	
Ped	17301068	1730-18 Green Telph HBlt	0 MsHl Flsh Cover	Green	18"	37.3	16	300 (PSF)	
Ped	17301069	1730-18 Green Telph HBlt	0 MsHl T Cover	Green	18"	37.3	16	300 (PSF)	
Ped	17301089	1730-18 Gray Telph LBlt	0 MsHl Flsh Cover	Gray	18"	37.3	16	300 (PSF)	
Ped	17301113	1730-18 Green Blank HBlt	0 MsHl T Cover	Green	18"	37.3	16	300 (PSF)	
Ped	17301189	1730-18 Gray Telph LPnta	0 MsHl Flsh Cover	Gray	18"	37.3	16	300 (PSF)	
Ped	17301361	1730-18 Green Comm LBLPnta	0 MsHl T Cover	Green	18"	37.3	16	300 (PSF)	
Ped	17301012	1730-24 Blk-Grn Blank HBlt	2x 3/8 in. T Cover	Blk-Grn	24"	64.3	6	300 (PSF)	
Ped	17301185	1730-24 Blk-Grn FbrOp	4x EzLck T Cover	Blk-Grn	24"	64.3	6	300 (PSF)	
Ped	17301235	1730-24 Blk-Grn Blank	4x EzLck T Cover	Blk-Grn	24"	64.3	6	300 (PSF)	
Ped	17301238	1730-24 Blk-Grn Comm	4x EzLck T Cover	Blk-Grn	24"	64.3	6	300 (PSF)	
Ped	17301279	1730-24 Blk-Grn Blank HBlt	4x TCvr EMS	Blk-Grn	24"	64.3	6	300 (PSF)	
Ped	17301288	1730-24 Blk-Grn Blank	4x EzLck TCvr Swng Arm	Blk-Grn	24"	64.3	6	300 (PSF)	
Ped	17301308	1730-24 Blk-Grn Comm	6x EzLck TCvr 2pc	Blk-Grn	24"	64.3	6	300 (PSF)	
Ped	17301369	1730-24 Blk-Grn Blank	6x EzLck TCvr 2pc Plug	Blk-Grn	24"	64.3	6	300 (PSF)	
Ped	17301377	1730-24 Blk-Grn Telph	6x EzLck TCvr 2pc Plug EMS	Blk-Grn	24"	64.3	6	300 (PSF)	
Ped	17301379	1730-24 Blk-Grn Comm	6x EzLck TCvr 2pc Plug	Blk-Grn	24"	64.3	6	300 (PSF)	
-	17301435	1730-24 HLPC Blk-Gry Blank HBlt	6x Prov 2 Pc Charles 10 Sq Pr"	Blk-Gry	24"	104.0	6	-	
-	17301437	1730-24 PLPC Gray Blank HBlt	6x Prov 2 Pc Charles 10 Sq Pr"	Gray	24"	108.0	6	-	
-	17301440	Unit, HLPC 1730-24 No Mark Blk/Gry HBlt	6x 3/8 Prov Ped 8" Sq Charle"	Blk-Gry	24"	10.4.4	6	-	

CARSON® 2200

HDPE - 12" Diameter



LIGHT DUTY
PEDESTRIAN / GREENBELT




RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 2200 Round									
Ped	22002002	2200-15 Body PC Ring Emerson	Molded on PC Rng Emerson Ped	Black	15"	38.6	12	300 (PSF)	
Ped	22002003	2200-15 Body PC Ring Emerson w/Plug	Molded on PC Rng Emer Ped/plug	Black	15"	52.1	12	300 (PSF)	
Ped	22002004	2200-15 Body PC Ring Charles	Molded on PC Rng Charles 10-M	Black	15"	38.6	12	300 (PSF)	
Ped	22002001	2200-18 Body Black 2 MsHl	-	Black	18"	13.0	56	300 (PSF)	
Extension - 2200 Round									
Ped	22003001	2200-6 Ext Black	-	Black	6"	5.0	180	300 (PSF)	
Lid - 2200 Round									
Ped	22004002	2200 Flsh Cover Black Blank	Dallas Lock	Black	-	3.0	180	300 (PSF)	
Ped	22004017	2200 Flsh Cover Black Fiber Optics	Solid Cast Iron	Black	-	3.0	180	300 (PSF)	
Unit - 2200 Round									
Ped	22001001	2200-18 Black Blank	2 MsHl Flsh Cover	Black	18"	17.0	56	300 (PSF)	
Ped	22001002	2200-18 Black Blank	2 MsHl FCvr Dallas Lock	Black	18"	17.0	56	300 (PSF)	

CARSON® 2436

HDPE - 24" x 36"



LIGHT DUTY
PEDESTRIAN / GREENBELT



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 2436									
Ped	24362001	2436-18 Body Gray	2x 3/8 in. Fltg Nut	Gray	18"	57.8	5	300 (PSF)	
Ped	24362002	2436-24 Body Gray	2x 3/8 in. Fltg Nut	Gray	24"	62.2	4	300 (PSF)	
Ped	24362044	2436-24 Body Black	4x EzLck Clip	Black	24"	62.4	4	300 (PSF)	
Lid - 2436									
Ped	24364028	2436 Flsh Cover Gray Comm	-	Gray	-	18.9	26	300 (PSF)	
Ped	24364068	2436 T Cover Green Comm	4x EzLck	Green	-	18.9	26	300 (PSF)	
Ped	24364071	2436 T Cover Green Comm	4x EzLck EMS	Green	-	18.9	26	300 (PSF)	
Ped	24364078	2436 T Cover Green Comm	6x EzLck 2pc Plug EMS	Green	-	18.9	26	300 (PSF)	
Ped	24364079	2436 T Cover Green Telph	4x EzLck EMS	Green	-	18.9	26	300 (PSF)	
Ped	24364082	2436 T Cover Green Blank	4x Bolt Hole	Green	-	18.9	26	300 (PSF)	
Ped	24364084	2436 T Cover Green CATV	4x Bolt Hole	Green	-	18.9	26	300 (PSF)	
Ped	24364091	2436 T Cover Green Telph	4x Bolt Hole	Green	-	18.9	26	300 (PSF)	
Ped	24364092	2436 T Cover Green Comm	4x Bolt Hole	Green	-	18.9	26	300 (PSF)	
Ped	24364101	2436 T Cover Green Comm	6x EzLck 2pc Plug	Green	-	18.9	26	300 (PSF)	
Ped	24364110	2436 T Cover Gray Comm	4x Bolt Hole	Green	-	18.9	26	300 (PSF)	
Ped	24364112	2436 T Cover Green Telph	6x EzLck 2pc Plug EMS	Green	-	18.9	26	300 (PSF)	
Ped	24364126	2436 T Cover Gray Telephone	4x Bolt Hole	Gray	-	18.9	26	300 (PSF)	
Ped	24364142	2436 T Cover Gray CATV	4x Bolt Hole	Gray	-	18.9	26	300 (PSF)	


CONTINUED ON NEXT PAGE

CARSON® 2436 Continued

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Unit - 2436									
Ped	24361284	2436-18 Gray CATV HBlt	4x 3/8 in. T Cover	Gray	18"	66.5	5	300 (PSF)	
Ped	24361285	2436-18 Gray Blank HBlt	4x 3/8 in. T Cover	Gray	18"	66.5	5	300 (PSF)	
Ped	24361036	2436-18 Gray HBlt 'COMMUNICATIONS'	2x 3/8 in. Flsh Cover_419	Gray	18"	66.5	5	300 (PSF)	
Ped	24361073	2436-24 Blk-Grn Blank	4x EzLck T Cover	Blk-Grn	24"	82.5	4	300 (PSF)	
Ped	24361076	2436-24 Blk-Grn Comm	4x EzLck T Cover	Blk-Grn	24"	82.5	4	300 (PSF)	
Ped	24361161	2436-24 Blk-Grn Telph	4x EzLck TCvr EMS	Blk-Grn	24"	82.5	4	300 (PSF)	
Ped	24361180	2436-24 Blk-Grn Blank	6x EzLck TCvr 2pc Plug	Blk-Grn	24"	82.5	4	300 (PSF)	
Ped	24361183	2436-24 Blk-Grn Comm	6x EzLck TCvr 2pc Plug	Blk-Grn	24"	82.5	4	300 (PSF)	
Ped	24361191	2436-24 Blk-Grn Telph	6x EzLck TCvr 2pc Plug EMS	Blk-Grn	24"	82.5	4	300 (PSF)	
Ped	24361192	2436-24 Gray Comm HBlt	4x 3/8 in. T Cover	Gray	24"	82.5	4	300 (PSF)	
Ped	24361204	2436-24 Blk-Grn Telph	4x EzLck T Cover	Blk-Grn	24"	82.5	4	300 (PSF)	
Ped	24361293	2436-24 Blk-Grn Comm	4x EzLck TCvr EMS	Blk-Grn	24"	82.5	4	300 (PSF)	
Ped	24361190	2436-42 Blk-Grn Comm	4x EzLck T Cover	Blk-Grn	42"	124.8	2	300 (PSF)	

CARSON® 3636

HDPE - 36" x 36"



LIGHT DUTY
PEDESTRIAN / GREENBELT

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 3636									
Ped	36362003	3636-30 Body Gray	2x 3/8 in. Fltg Nut	Gray	30"	103.0	3	300 (PSF)	
Ped	36362004	3636-36 Body Gray	2x 3/8 in. Fltg Nut	Gray	36"	113.0	3	300 (PSF)	
Lid - 3636									
Ped	36364024	3636 T Cover Gray Blank	4x Bolt Hole	Gray	-	37.0	25	300 (PSF)	
Ped	36364028	3636 T Cover Gray Telecom	4x Bolt Hole	Gray	-	37.0	25	300 (PSF)	
Ped	36364032	3636 T Cover Green Blank	4x Bolt Hole	Green	-	37.0	25	300 (PSF)	
Unit - 3636									
Ped	36361062	3636-18 Gray Blank HBlt	4x 3/8 in. T Cover	Gray	18"	97.0	4	300 (PSF)	
Ped	36361063	3636-18 Gray Telecom Lpnta	4x 3/8 in. T Cover	Gray	18"	88.0	4	300 (PSF)	
Ped	36361040	3636-36 Gray Blank HBlt	4x 3/8 in. T Cover	Gray	36"	150.0	3	300 (PSF)	

CARSON® 1520, 1730, 2424, 2436, 3048, 3648, 3660

Hybrid



LIGHT DUTY
PEDESTRIAN / GREENBELT



MEDIUM DUTY
ANSI/SCTE TIER 8

Carson® Hybrids are specially designed to interchange various lid materials with a HDPE body to maximize load ratings and at the highest value.


CARSON

Hybrid Models

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Unit - 1520									
Ped	15201033	1520-18 HLPC Blk-Gry Blank	1x HBlt Flsh Cover	Blk-Gry	18"	30.0	44	8,000	
Unit - 1730									
Ped	17301426	1730-18 HLPC Grn-Gry Blank HBlt	0 MsHl Flsh Cover	Grn-Gry	18"	84.0	8	8,000	
Ped	17301345	1730-24 HLPC Blk-Gry Blank	2x HBlt FCvr T5	Blk-Gry	24"	104.0	3	8,000	
Ped	17301378	1730-24 HLPC Blk-Gry Telcom	2x HBlt FCvr T5	Blk-Gry	24"	104.0	3	8,000	
Unit - 2424									
Ped	24241064	2424-24 HLPC Gray Blank HBlt	2x 1 1/2 in. FCvr 10K	Gray	24"	128.0	3	8,000	
Unit - 2436									
Ped	24361015	2436-18 HPC Gray Blank HBlt	2x 1 1/2 in. FCvr 20K	Gray	18"	233.0	4	8,000	
Ped	24361306	Unit, HLPC 2436-18 Gray-Gry Blank HBlt	6x 3/8-16 Charles 8 Rnd Pedes"	Gray	18"	154.0	4	8,000	
Ped	24361177	2436-24 HLPC Blk-Gry FbrOp	2x HBlt FCvr T8	Blk-Gry	24"	164.0	3	8,000	
Ped	24361181	2436-24 HLPC Blk-Gry Blank	2x HBlt FCvr T8	Blk-Gry	24"	164.0	3	8,000	
Unit - 3048									
Ped	30481030	Unit, LPC 3048-30 w/HBlt - "Communication"	4x 1 1/2 in. FCvr CO Corn Gen3	Gray	30"	528.0	1	8,000	
Unit - 3648									
Ped	36481010	3648-24 HLPC Blk-Gry Blank HBlt	4x 1/2-13 2 Pc Uni-Cvr Tier 5	Blk-Gry	24"	422.0	1	8,000	
Ped	36481011	3648-36 HLPC Blk-Gray Blank	6x1/2 2Pc Flsh Corning Gen3 Pr	Blk-Gry	36"	354.0	1	8,000	
Unit - 3660									
Ped	36601046	3660-24 HLPC Blk-Gry Blank HBlt	4x 1/2-13 2 pc Uni-Cover Tier	Blk-Gry	24"	437.0	1	8,000	
Ped	36601034	3660-36 HLPC Gray Blank HBlt	4x 1 1/2 in. LtWt FCvr	Gray	36"	496.0	1	8,000	

FIBRELYTE® FL08

Composite - 8" Diameter





MEDIUM DUTY
ANSI/SCTE TIER 8

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - FL08									
T8	02006005	Box, FL08 T	FL08TBOX	Gray	12"	6.0	64	8,000	
Lid - FL08									
T8	02001175	Lid, FL08 D - No Mark	FL08D000	Gray	-	2.0	100	8,000	
T8	02001195	Lid, FL08 D - "TV Cable"	FL08D362	Gray	-	2.0	100	8,000	
T8	02001196	Lid, FL08 D - "CATV"	FL08D_162	Gray	-	2.0	100	8,000	
T8	02001199	Lid, FL08 D_'COMM.02001199'	FL08D_467	Gray	-	2.0	100	8,000	

FIBRELYTE® FL09

Composite - 10" x 15"



MEDIUM DUTY
ANSI/SCTE TIER 8

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - FL09									
T8	02011000	Box, FL09 T	FL09TBOX	Gray	12"	17.0	48	8,000	
T8	02001015	Bottom, FL09	FL09BOT	Gray	12"	16.0	48	8,000	
Lid - FL09									
T8	02006534	Lid, FL09 T Communication	FL09 T 41	Gray	-	9.0	120	8,000	
T8	02006190	Lid, FL09 T TV Cable	FL09 T 362	Gray	-	9.0	120	8,000	



Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

FIBRELYTE® FL12

Composite - 12" x 20"



MEDIUM DUTY
ANSI/SCTE TIER 8





RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - FL12									
T8	02001032	Box, FL12 T 12" (W/Mouseholes)	FL12TBOX12 WM	Gray	12"	25.6	30	8,000	
T8	02001040	Box, FL12 T 12 0 MsHl w/ 1/2 Coil Fltg Nuts Xcel	FL12TBOX12	Gray	12"	22.0	30	8,000	
Lid - FL12									
T8	02001363	Lid, FL12 D_CNC_'NO MARK'	FL12D_CNC_000	Gray	-	10.0	80	8,000	

FIBRELYTE® FL30

Composite - 13" x 24"



MEDIUM DUTY
ANSI/SCTE TIER 8





RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - FL30									
T8	02006040	Box, FL30 T 12"	FL30TBOX12	Gray	12"	26.0	24	8,000	
T8	02006045	Box, FL30 T 18"	FL30TBOX18	Gray	18"	36.0	18	8,000	
T8	02006050	Box, FL30 T 20"	FL30TBOX20	Gray	20"	38.0	15	8,000	
T8	02006052	Box, FL30 T 24"	FL30TBOX24	Gray	24"	45.0	12	8,000	
Lid - FL30									
T8	02006324	Lid, FL30 T Communication	FL30 T 041	Gray	-	20.0	60	8,000	
T8	02006291	Lid, FL30 T Telephone	FL30 T 042	Gray	-	20.0	60	8,000	
T8	02006361	Lid, FL30 T Fiber Optic	FL30 T 206	Gray	-	20.0	60	8,000	

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

FIBRELYTE® FL36

Composite - 17" x 30"





MEDIUM DUTY
ANSI/SCTE TIER 8

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - FL36									
T8	02006095	Box, FL36 T 12"	FL36TBOX12	Gray	12"	42.0	16	8,000	
T8	02006100	Box, FL36 T 18"	FL36TBOX18	Gray	18"	52.0	12	8,000	
T8	02006105	Box, FL36 T 20"	FL36TBOX20	Gray	20"	57.0	10	8,000	
T8	02006110	Box, FL36 T 24"	FL36TBOX24	Gray	24"	63.0	8	8,000	
Lid - FL36									
T8	02001525	Lid, FL36 D - No Mark	FL36D000	Gray	-	34.0	30	8,000	
T8	02001545	Lid, FL36 D - TV Cable™	FL36D362	Gray	-	38.0	30	8,000	
T8	02001525	Lid, FL36 D - No Mark	FL36D000	Gray	-	38.0	30	8,000	
T8	02001639	Lid, FL36 D_'COMMUNICATION'	FL36D_041	Gray	-	38.0	30	8,000	

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

CHRISTY® F08

Concrete - 9" Diameter





LIGHT DUTY
PEDESTRIAN / GREENBELT

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - F08 with Plastic Cap									
Ped	1000370	Box, F08 Curb Valve	F08BOX	Gray	12"	43.0	48	300 (PSF)	
Lid - F08 with Plastic Cap									
Ped	1008980	Lid, F08 R - No Mark	F08R000	Gray	-	9.0	100	300 (PSF)	
Ped	1008950	Lid, F08 R - Communication	F08R	Gray	-	9.0	100	300 (PSF)	
Ped	1008710	Lid, F08 R - CATV	F08R162	Gray	-	9.0	100	300 (PSF)	
Adapter for F14 and F22									
Ped	3005000	ADS Adapter, Plastic 0862-AA, (F14/F22)	-	-	-	1.0	-	-	
Extensions for Adapter									
Ped	3005005	ADS Extension, Plastic, 6", (F14)	-	-	-	1.0	-	-	
Ped	3005020	ADS Extension, Plastic, 18", (F22)	-	-	-	3.0	-	-	

CHRISTY® N09

Concrete - 10" x 15"



LIGHT DUTY
PEDESTRIAN / GREENBELT



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - N09 with Plastic Cap									
Ped	1000025	Box, N09 Electrical	N09BOX	Gray	12"	96.0	28	300 (PSF)	
Extension - N09									
Ped	1000045	Extension B09 x 12"	B09x12	Gray	12"	86.0	28	300 (PSF)	
Lid - N09 with Plastic Cap									
Ped	1020010	Lid, N09 R_'COMMUNICATION'	N09R_041	Gray	-	21.0	28	300 (PSF)	
Ped	1020000	Lid N09 R No Mark	N09R000	Gray	-	20.0	28	300 (PSF)	

CHRISTY

F08 & N09

CHRISTY® N30

Concrete - 13" x 24"





LIGHT DUTY
PEDESTRIAN / GREENBELT

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - N30 with Plastic Cap									
Ped	1000115	Box, N30	N30BOX	Gray	12"	125.0	16	300 (PSF)	
Extension - N30									
Ped	1000140	Extension, N30 x 12"	N30X12	Gray	12"	130.0	16	300 (PSF)	
Lid - N30 with Plastic Cap									
Ped	1020720	Lid, N30 R - Communications	N30RComm	Gray	-	49.0	30	300 (PSF)	
Ped	1020900	Lid, N30 R - Telephone	N30R042	Gray	-	49.0	30	300 (PSF)	
Ped	1020700	Lid, N30 R - No Mark	N30R000	Gray	-	49.0	30	300 (PSF)	

CHRISTY® P36

Concrete - 17" x 30"





LIGHT DUTY
PEDESTRIAN / GREENBELT

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - P36 with Plastic Cap									
Ped	1000175	Box, P36 Telephone	P36BOX	Gray	12"	174.0	8	300 (PSF)	
Extension - N36									
Ped	1000185	Extension, N36 x 12"	N36X12	Gray	12"	216.0	8	300 (PSF)	
Lid - N36 with Plastic Cap									
Ped	1006120	Lid, N36 T_'COMMUNICATION'	N36T_041	Gray	-	95.0	10	300 (PSF)	
Ped	2003250	Cover, N36 61J_'COMMUNICATION'	N3661J_041	Gray	-	59.0	10	300 (PSF)	
Lid - B36 with Plastic Cap									
Ped	1005740	Lid, B36 D - Telephone™	B36D042	Gray	-	59.0	10	300 (PSF)	

CHRISTY® P44

Concrete - 21" x 42"





LIGHT DUTY
PEDESTRIAN / GREENBELT

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - B44 with Plastic Cap									
Ped	1000210	Box, B44 Utility	B44BOX	Gray	14"	312.0	6	300 (PSF)	
Lid - B44 with Plastic Cap									
Ped	1007290	Lid, B44 D2 1/2 - CATV™	B44D1_162	Gray	-	185.0	10	300 (PSF)	
Ped	1007300	Lid, B44 D2 1/2 - 'COMMUNICATION'	B44D1_041	Gray	-	185.0	10	300 (PSF)	
Ped	1007330	Lid, B44 D2 1/2 - Fiber Optic™	B44D1-206	Gray	-	185.0	10	300 (PSF)	
Ped	2003860	Cover, B44 62D - Telephone™	B4462D042	Gray	-	177.0	10	300 (PSF)	

CHRISTY® N48P

Concrete - 30" x 48"



LIGHT DUTY
PEDESTRIAN / GREENBELT

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - N48 with Plastic Cap									
Ped	1000240	Box, N48 P Telephone	N48PBOX	Gray	14"	408.0	3	300 (PSF)	
Lid - N48 with Plastic Cap									
Ped	2004260	Cover, N48 62J - 'COMMUNICATION'	N4862J_041	Gray	-	155.0	4	300 (PSF)	
Lid - B48 with Plastic Cap									
Ped	1007520	Lid, B48 D2 1/2 - CATV™	B48D1_162	Gray	-	339.0	10	300 (PSF)	
Ped	1007560	Lid, B48 D2 1/2 - 'COMMUNICATION'	B48D1_041	Gray	-	339.0	10	300 (PSF)	
Ped	1007590	Lid, B48 D2 1/2 - Fiber Optic™	B48D1-206	Gray	-	339.0	10	300 (PSF)	

CHRISTY



P44 & N48P

CHRISTY® N52P

Concrete - 30" x 60"



LIGHT DUTY
PEDESTRIAN / GREENBELT





RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - N52 with Plastic Cap									
Ped	1000255	Box, N52, Electrical	N52PBOX	Gray	14"	482.0	3	300 (PSF)	
Extension - N36									
Ped	1000270	Extension N52 x 10"	N52X10	Gray	10"	299.0	3	300 (PSF)	
Lid - N52 with Plastic Cap									
Ped	2004560	Cover, N52 62J_ 'COMMUNICATION'	N5262J_041	Gray	-	187.0	4	300 (PSF)	
Ped	1008311	Lid, N52 T Center Section	N52TCS	Gray	-	425.0	4	300 (PSF)	

CHRISTY® G03

Concrete - 10" Diameter



TRAFFIC RATED
AASHTO H20



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - G03									
Traffic	1000401	Box, G03T Bolt Down Traffic Valve	G03TBOX	Gray	12"	75.0	36	16,000	
Lid - G03									
Traffic	3000620	Lid, G03 C - No Mark IMPT	G03C000IMPT	Black	-	15.0	160	16,000	

CHRISTY® G05

Concrete - 10" Diameter





TRAFFIC RATED
AASHTO H20

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - G05									
Traffic	1000415	Box, G05 T Bolt Down Traffic Valve	G05TBOX	Gray	12"	66.0	36	16,000	
Extension - G05									
Traffic	1000445	Extension, G05 X 12"	G05X12	Gray	12"	38.0	36	16,000	
Lid - G05									
Traffic	3000970	Lid, G05 CT Bolt Down - Electric" IMPT"	G05CT011	Black	-	13.0	190	16,000	
Traffic	3001000	Lid, G05 CT Bolt Down - Ground" IMPT"	G05CT017	Black	-	13.0	190	16,000	
Traffic	3001100	Lid, G05 CT Bolt Down - No Mark IMPT	G05CT000	Gray	12"	13.0	190	16,000	
Grade Ring - G05									
Traffic	3001240	Grade Ring, G05T 1"	G05TGR10	Gray	1"	10.0	230	16,000	
Traffic	3001250	Grade Ring, G05T 1-1/2"	G05TGR15	Gray	1 1/2"	14.0	170	16,000	
Traffic	3001260	Grade Ring, G05T 2"	G05TGR20	Gray	2"	17.0	125	16,000	

CHRISTY® G08

Concrete - 13" Diameter



TRAFFIC RATED
AASHTO H20



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - G08									
Traffic	1000435	Box, G08 Traffic Valve	G08BOX	Gray	12"	93.0	10	16,000	
Extension - G08									
Traffic	1000445	Extension, G05 X 12"	G05X12	Gray	12"	38.0	36	16,000	
Traffic	1000455	Extension, G08 X 12"	G08X12	Gray	12"	48.0	36	16,000	
Lid - G05 (Compatible with G05 and G08)									
Traffic	3000970	Lid, G05 CT Bolt Down - Electric" IMPT"	G05CT011	Black	-	13.0	100	16,000	
Traffic	3001000	Lid, G05 CT Bolt Down - Ground" IMPT"	G05CT017	Black	-	13.0	100	16,000	
Traffic	3001100	Lid, G05 CT Bolt Down - No Mark IMPT	G05CT000	Gray	12"	13.0	100	16,000	

CHRISTY

G05 & G08

CHRISTY® G12

Concrete - 14 1/2" Diameter




TRAFFIC RATED
AASHTO H20

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - G12									
Traffic	1000450	Box, G12 Traffic Valve	G12BOX	Gray	12"	110.0	10	16,000	
Extension - G12									
Traffic	1000456	Extension, G12 X 12"	G12X12	Gray	12"	81.0	10	16,000	
Lid - G12									
Traffic	3001170	Lid, G12 C - No Mark	G12C000	Black	-	23.0	138	16,000	

CHRISTY® B1017

Concrete - 10" x 17"



TRAFFIC RATED
AASHTO H20


RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - B1017									
Traffic	1000275	Box, B1017 Utility H20 Load	B1017BOX	Gray	12"	164.0	20	16,000	
Extension - B1017									
Traffic	1000280	Extension, B1017 X 12"	B1017X12	Gray	12"	156.0	20	16,000	
Lid - B1017									
Traffic	2000700	Cover, B1017 51JH No Mark	-	-	-	45.0	40	16,000	

CHRISTY® B1324

Concrete - 13" x 24"



TRAFFIC RATED
AASHTO H20





RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - B1324									
Traffic	1000285	Box, B1324 Utility H20 Load	B1324BOX	Gray	12"	227.0	16	16,000	
Extension - B1324									
Traffic	1000290	Extension, B1324 X 12 "	B1324X12	Gray	12"	215.0	16	16,000	
Lid - B1324									
Traffic	2001130	Cover, B1324 51 JH No Mark	-	-	-	72.0	24	16,000	

CHRISTY® B1730

Concrete - 17" x 30"



TRAFFIC RATED
AASHTO H20





RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - B1730									
Traffic	1000295	Box, B1730 Utility H20 Load	B1730BOX	Gray	12"	272.0	6	16,000	
Extension - B1730									
Traffic	1000300	Extension, B1730 X 12"	B1730X12	Gray	12"	294.0	6	16,000	
Lid - B1730									
Traffic	2001890	Cover, B1730 51 JH No Mark	-	-	-	111.0	14	16,000	

CHRISTY

B1324 & B1730

CHRISTY® B2436

Concrete - 24" x 36"





TRAFFIC RATED
AASHTO H20

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - B2436									
Traffic	1000305	Box, B2436 Utility H20 Load	B2436BOX	Gray	12"	476.0	3	16,000	
Extension - B2436									
Traffic	1000310	Extension, B2436 X 12"	B2436X12	Gray	12"	451.0	3	16,000	
Lid - B2436									
Traffic	2002240	Cover, B2436 52JH - No Mark	B243652JH000	Steel	-	328.0	6	16,000	
Traffic	2002300	Cover, B2436 52JH Galv - No Mark	B243652JH000G	Steel	-	328.0	6	16,000	

CHRISTY® B3048

Concrete - 30" x 48"



TRAFFIC RATED
AASHTO H20


RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - B3048									
Traffic	1000315	Box, B3048 Utility H20 Load	B3048BOX	Gray	12"	471.0	3	16,000	
Extension - B3048									
Traffic	1000320	Extension, B3048 X 12"	B3048X12	Gray	12"	517.0	3	16,000	
Lid - B3048									
Traffic	2002890	Cover, B3048 53JH - No Mark	B304853JH000	-	-	315.0	5	16,000	

OLDCASTLE POLYMER 0910

Polymer Concrete - 9" Diameter



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 0910									
T22	09102011	Body, PC 910-10	PC091010FW	Gray	10"	23.0	36	22,500	
Lid - 0910									
T22	09104028	Lid, PC0910 - "CATV"	PC0910-T22	Gray	-	11.0	100	22,500	
T22	09104029	Lid, PC0910 - No Mark	PC0910-T22	Gray	-	11.0	100	22,500	
Unit - 0910 (Units come standard with Body-Open Bottom, Lid, and SS Hex Bolt Floating Nut Hardware)									
T22	09101049	Unit, PC910-10, FW, Blank	PC0910T-T22	Gray	10"	34.0	36	22,500	

OLDCASTLE POLYMER 1118


Polymer Concrete - 11" x 18"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1118									
T22	11182001	Body, PC1118-12,SW	PC111812SW	Gray	12"	47.0	28	22,500	
T22	11182003	Body, PC1118-18,SW	PC111818SW	Gray	18"	70.0	21	22,500	
Lid - 1118									
T15	11184604	Lid, PC1118-T, T15 -"CATV"	PC1118T-T15	Gray	-	20.0	60	15,000	
T15	11184605	Lid, PC1118-T, T15 -"Communication"	PC1118T-T15	Gray	-	20.0	60	15,000	
T15	11184607	Lid, PC1118-T, T15 -"Fiber Optics"	PC1118T-T15	Gray	-	20.0	60	15,000	
T15	11184610	Lid, PC1118-T, T15 -"Telephone"	PC1118T-T15	Gray	-	20.0	60	15,000	
T15	11184612	Lid, PC1118-T, T15, - Blank	PC1118T-T15	Gray	-	20.0	60	15,000	
T22	11184002	Lid, PC1118-T, T22 - "CATV"	PC1118T-T22	Gray	-	28.0	60	22,500	
T22	11184003	Lid, PC1118-T, T22 - Blank	PC1118T-T22	Gray	-	28.0	60	22,500	
T22	11184008	Lid, PC1118-T, T22 - "Communication"	PC1118T-T22	Gray	-	28.0	60	22,500	
T22	11184011	Lid, PC1118-T, T22 - "Telephone"	PC1118T-T22	Gray	-	28.0	60	22,500	
T22	11185002	Lid, PC1118-T, T22 - "Fiber Optics"	PC1118T-T22	Gray	-	28.0	60	22,500	
Unit - 1118 (Units come standard with Body-Open Bottom, Lid, and SS Hex Bolt Floating Nut Hardware)									
T15	11181604	Unit, PC1118-12, T15 - Blank	PC111812-T15	Gray	12"	67.0	16	15,000	
T15	11181607	Unit, PC1118-12, T15 -"Communication"	PC111812-T15	Gray	12"	67.0	16	15,000	
T15	11181609	Unit, PC1118-12, T15 -"Fiber Optics"	PC111812-T15	Gray	12"	67.0	16	15,000	
T15	11181612	Unit, PC1118-12, T15 -"Telephone"	PC111812-T15	Gray	12"	67.0	16	15,000	
T22	11181003	Unit, PC1118-12, T22 - Blank	PC111812-T22	Gray	12"	73.0	16	22,500	
T22	11181015	Unit, PC1118-12, T22 - "Communication"	PC111812-T22	Gray	12"	73.0	16	22,500	
T22	11181614	Unit, PC1118-12, T22 - "CATV"	PC111812-T22	Gray	12"	73.0	16	22,500	
T22	11181615	Unit, PC1118-12, T22 - "Fiber Optics"	PC111812-T22	Gray	12"	73.0	16	22,500	
T22	11181618	Unit, PC1118-12, T22 - "Telephone"	PC111812-T22	Gray	12"	73.0	16	22,500	
T22	11181009	Unit, PC1118-18 - Blank	PC111812-T22	Gray	18"	100.0	7	22,500	

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE POLYMER 1212



Polymer Concrete - 12" x 12"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1212									
T15	12122010	Body, PC 1212-12 T15	PC1212T-T15	Gray	12"	34.0	16	15,000	
T22	12122001	Body, PC 1212-12 T22	PC1212T-T22	Gray	12"	35.0	16	22,500	
Lid - 1212									
T15	12124406	Lid, PC1212, T15 - 'Communication' with coil	-	Gray	-	13.3	144	15,000	
T15	12124407	Lid, PC1212, T15- 'Fiber Optics' with coil	-	Gray	-	13.3	144	15,000	
T15	12124408	Lid, PC1212, T15- 'Telephone'	-	Gray	-	13.3	144	15,000	
T15	12124410	Lid, PC1212, T15 - 4x8 Marking Plate Req	-	Gray	-	13.3	144	15,000	
T15	12124411	Lid, PC1212, T15 - 4x8 Marking Plate Req, Coil Bolt	-	Gray	-	13.3	144	15,000	
T15	12124412	Lid, PC1212, T15 - 4x8 Marking Plate Req EMS hex, Coil Bolt	-	Gray	-	13.3	144	15,000	
T15	12124413	Lid, PC1212, T15 with EMS 4x8 Marking Plate Req	-	Gray	-	13.3	144	15,000	
T22	12124402	Lid, PC1212, T22- 4x8 Marking Plate Req	-	Gray	-	13.5	144	22,500	
T22	12124421	Lid, PC1212, T22 - 4x8 Marking Plate EMS	-	Gray	-	13.5	144	22,500	
T22	12124426	Lid, PC1212, T22- 'Communication' WITH COIL	-	Gray	-	13.5	144	22,500	
T22	12124427	Lid, PC1212, T22- 'Fiber Optics' WITH COIL	-	Gray	-	13.5	144	22,500	
T22	12124428	Lid, PC1212, T22- 'Telephone' WITH COIL	-	Gray	-	13.5	144	22,500	
T22	12124429	Lid, PC1212, T22 - BLANK WITH COIL	-	Gray	-	13.5	144	22,500	
T22	12124430	Lid, PC1212, T22 - 4x8 Marking Plate Req, Coil Bolt	-	Gray	-	13.5	144	22,500	
T22	12124431	Lid, PC1212, T22 - 4x8 Marking Plate Req'd, EMS, Coil	-	Gray	-	13.5	144	22,500	
Unit - 1212 (Units come standard with Body-Open Bottom and Lid)									
T15	12121001	Unit, PC1212-12, T15 2"x8" - 'Electric'	2x 1 1/2 in. FCvr 011	Gray	12"	16.0	37.1	15,000	
T15	12121005	Unit, PC1212-12, T15 2"x8" - 'Communication'	2x 1 1/2 in. FCvr 041	Gray	12"	16.0	34.8	15,000	
T15	12121402	Unit, PC 1212-12, T15, 4x8 Marking Plate Required	Bolt Down, Hex Coil Thread	Gray	12"	16.0	64.0	15,000	
T15	12121403	Unit, PC 1212-12, T15, 4x8 Marking Plate Required	Bolt Down, Hex Coil Thread w EMS	Gray	12"	16.0	64.0	15,000	
T22	12121408	Unit, PC 1212-12, T22, 4x8 Marking Plate Required	Bolt Down, Hex Coil Thread	Gray	12"	16.0	63.0	22,500	
T22	12121409	Unit, PC 1212-12, T22, 4x8 Marking Plate Required	Bolt Down, Hex Coil Thread w EMS	Gray	12"	16.0	64.0	22,500	

OLDCASTLE POLYMER 1324


Polymer Concrete - 13" x 24"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1324									
T22	13242020	Body, PC1324-12,SW	PC132412SW	Gray	12"	50.0	16	22,500	
T22	13242023	Body, PC1324-18,SW	PC132418SW	Gray	18"	52.0	12	22,500	
T22	13242038	Body, PC1324-24,SW	PC132424SW	Gray	24"	89.0	8	22,500	
Lid - 1324									
T15	13244603	Lid, PC1324-T, T15 - Blank	PC1324T-T15	Gray	-	49.0	30	15,000	
T15	13244605	Lid, PC1324-T, T15 - "CATV"	PC1324T-T15	Gray	-	49.0	30	15,000	
T15	13244606	Lid, PC1324-T, T15 - "Communication"	PC1324T-T15	Gray	-	49.0	30	15,000	
T15	13244608	Lid, PC1324-T, T15 - "Fiber Optics"	PC1324T-T15	Gray	-	49.0	30	15,000	
T15	13244611	Lid, PC1324-T, T15 - "Telephone"	PC1324T-T15	Gray	-	49.0	30	15,000	
T22	13244014	Lid, PC1324-T, T22 - Blank	PC1324T-T22	Gray	-	49.0	30	22,500	
T22	13244150	Lid, PC1324-T, T22 - "CATV"	PC1324T-T22	Gray	-	49.0	30	22,500	

CONTINUED ON NEXT PAGE

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE POLYMER 1324 Continued

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
T22	13244175	Lid, PC1324-T, T22 - "Communication"	PC1324T-T22	Gray	-	49.0	30	22,500	
T22	13244176	Lid, PC1324-T, T22 - "Fiber Optics"	PC1324T-T22	Gray	-	49.0	30	22,500	
T22	13244183	Lid, PC1324-T, T22 - "Telephone"	PC1324T-T22	Gray	-	49.0	30	22,500	
Unit - 1324 (Units come standard with Body-Open Bottom, Lid, and SS Hex Bolt Floating Nut Hardware)									
T15	13241600	Unit, PC1324-12, T15 - Blank	PC132412-T15	Gray	12"	90.0	16	15,000	
T15	13241601	Unit, PC1324-12, T15 - "CATV"	PC132412-T15	Gray	12"	90.0	16	15,000	
T15	13241602	Unit, PC1324-12, T15 - "Communication"	PC132412-T15	Gray	12"	90.0	16	15,000	
T15	13241604	Unit, PC1324-12, T15 - "Fiber Optics"	PC132412-T15	Gray	12"	90.0	16	15,000	
T15	13241610	Unit, PC1324-18, T15 - Blank	PC132418-T15	Gray	18"	109.0	10	15,000	
T15	13241612	Unit, PC1324-18, T15 - "CATV"	PC132418-T15	Gray	18"	109.0	10	15,000	
T15	13241614	Unit, PC1324-18, T15 - "Communication"	PC132418-T15	Gray	18"	109.0	10	15,000	
T15	13241618	Unit, PC1324-18, T15 - "Fiber Optics"	PC132418-T15	Gray	18"	109.0	10	15,000	
T15	13241635	Unit, PC1324-24, T15 - Blank	PC132424-T15	Gray	24"	127.0	10	15,000	
T15	13241636	Unit, PC1324-24, T15 - "CATV"	PC132424-T15	Gray	24"	127.0	10	15,000	
T15	13241639	Unit, PC1324-24, T15 - "Fiber Optics"	PC132424-T15	Gray	24"	127.0	10	15,000	
T22	13241023	Unit, PC1324-12, T22 - Blank	PC132412-T22	Gray	12"	99.0	16	22,500	
T22	13241607	Unit, PC1324-12, T22 - "CATV"	PC132412-T22	Gray	12"	99.0	16	22,500	
T22	13241608	Unit, PC1324-12, T22 - "Communication"	PC132412-T22	Gray	12"	99.0	16	22,500	
T22	13241609	Unit, PC1324-12, T22 - "Fiber Optics"	PC132412-T22	Gray	12"	99.0	16	22,500	
T22	13241171	Unit, PC1324-18, T22 - "Communication"	PC132418-T22	Gray	18"	118.0	8	22,500	
T22	13241624	Unit, PC1324-18, T22 - "CATV"	PC132418-T22	Gray	18"	118.0	8	22,500	
T22	13241628	Unit, PC1324-18, T22 - "Fiber Optics"	PC132418-T22	Gray	18"	118.0	8	22,500	
T22	13241164	Unit, PC1324-24, T22 - Blank	PC132424-T22	Gray	24"	140.0	4	22,500	
T22	13241263	Unit, PC1324-24, T22 - "Communication"	PC132424-T22	Gray	24"	140.0	4	22,500	
T22	13241642	Unit, PC1324-24, T22 - "CATV"	PC132424-T22	Gray	24"	140.0	4	22,500	
T22	13241643	Unit, PC1324-24, T22 - "Fiber Optics"	PC132424-T22	Gray	24"	140.0	4	22,500	

OLDCASTLE POLYMER 1730


Polymer Concrete - 17" x 30"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1730									
T22	17302006	Body, PC1730-12,SW	PC173012SW	Gray	12"	65.0	12	22,500	
T22	17302030	Body, PC1730-18,SW	PC173018SW	Gray	18"	96.0	9	22,500	
T22	17302031	Body, PC1730-24,SW	PC173024SW	Gray	24"	119.0	6	22,500	
T22	17302046	Body, PC1730-30,SW	PC173030SW	Gray	30"	166.0	2	22,500	
Lid - 1730									
T15	17304604	Lid, PC1730-T, T15 - Blank	PC1730T-T15	Gray	-	79.7	25	15,000	
T15	17304606	Lid, PC1730-T, T15 - "CATV"	PC1730T-T15	Gray	-	79.7	25	15,000	
T15	17304607	Lid, PC1730-T, T15 - "Communication"	PC1730T-T15	Gray	-	79.7	25	15,000	
T15	17304609	Lid, PC1730-T, T15 - "Fiber Optics"	PC1730T-T15	Gray	-	79.7	25	15,000	
T15	17304612	Lid, PC1730-T, T15 - "Telephone"	PC1730T-T15	Gray	-	79.7	25	15,000	
T22	17304017	Lid, PC1730-T, T22 - "CATV"	PC1730T-T22	Gray	-	79.7	25	22,500	
T22	17304018	Lid, PC1730-T, T22 - Blank	PC1730T-T22	Gray	-	79.7	25	22,500	
T22	17304187	Lid, PC1730-T, T22 - "Communication"	PC1730T-T22	Gray	-	79.7	25	22,500	
T22	17304188	Lid, PC1730-T, T22 - "Fiber Optics"	PC1730T-T22	Gray	-	79.7	25	22,500	
T22	17304193	Lid, PC1730-T, T22 - "Telephone"	PC1730T-T22	Gray	-	79.7	25	22,500	
Unit - 1730 (Units come standard with Body-Open Bottom, Lid, and SS Hex Bolt Floating Nut Hardware)									
T15	17301600	Unit, PC1730-12, T15 - Blank	PC173012-T15	Gray	12"	129.0	12	15,000	
T15	17301601	Unit, PC1730-12, T15 - "CATV"	PC173012-T15	Gray	12"	129.0	12	15,000	
T15	17301602	Unit, PC1730-12, T15 - "Communication"	PC173012-T15	Gray	12"	129.0	12	15,000	
T15	17301604	Unit, PC1730-12, T15 - "Fiber Optics"	PC173012-T15	Gray	12"	129.0	12	15,000	

CONTINUED ON NEXT PAGE

Products are rated by the lowest component rating.

Tier 15 cover with a tier 22 body is rated tier 15.

Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE POLYMER 1730 Continued

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
T15	17301613	Unit, PC1730-18, T15 - Blank	PC173018-T15	Gray	18"	154.0	6	15,000	
T15	17301615	Unit, PC1730-18, T15 - "CATV"	PC173018-T15	Gray	18"	154.0	6	15,000	
T15	17301617	Unit, PC1730-18, T15 - "Communication"	PC173018-T15	Gray	18"	154.0	6	15,000	
T15	17301621	Unit, PC1730-18, T15 - "Fiber Optics"	PC173018-T15	Gray	18"	154.0	6	15,000	
T15	17301633	Unit, PC1730-24, T15 - Blank	PC173024-T15	Gray	24"	181.0	6	15,000	
T15	17301634	Unit, PC1730-24, T15 - "CATV"	PC173024-T15	Gray	24"	181.0	6	15,000	
T15	17301635	Unit, PC1730-24, T15 - "Communication"	PC173024-T15	Gray	24"	181.0	6	15,000	
T15	17301637	Unit, PC1730-24, T15 - "Fiber Optics"	PC173024-T15	Gray	24"	181.0	6	15,000	
T15	17301642	Unit, PC1730-30, T15 - Blank	PC173024-T15	Gray	30"	245.0	4	15,000	
T15	17301643	Unit, PC1730-30, T15 - "CATV"	PC173024-T15	Gray	30"	245.0	4	15,000	
T15	17301644	Unit, PC1730-30, T15 - "COMMUNICATION"	PC173024-T15	Gray	30"	245.0	4	15,000	
T15	17301646	Unit, PC1730-30, T15 - "Fiber Optics"	PC173024-T15	Gray	30"	245.0	4	15,000	
T22	17301028	Unit, PC1730-12, T22 - Blank	PC173012-T22	Gray	12"	152.0	12	22,500	
T22	17301607	Unit, PC1730-12, T22 - "CATV"	PC173012-T22	Gray	12"	152.0	12	22,500	
T22	17301608	Unit, PC1730-12, T22 - "Communication"	PC173012-T22	Gray	12"	152.0	12	22,500	
T22	17301609	Unit, PC1730-12, T22 - "Fiber Optics"	PC173012-T22	Gray	12"	152.0	12	22,500	
T22	17301030	Unit, PC1730-18, T22 - "CATV"	PC173018-T22	Gray	18"	177.0	9	22,500	
T22	17301031	Unit, PC1730-18, T22 - Blank	PC173018-T22	Gray	18"	177.0	9	22,500	
T22	17301341	Unit, PC1730-18, T22 - "Communication"	PC173018-T22	Gray	18"	177.0	9	22,500	
T22	17301628	Unit, PC1730-18, T22 - "Fiber Optics"	PC173018-T22	Gray	18"	177.0	9	22,500	
T22	17301033	Unit, PC1730-24, T22 - "CATV"	PC173024-T22	Gray	24"	204.0	6	22,500	
T22	17301034	Unit, PC1730-24, T22 - Blank	PC173024-T22	Gray	24"	204.0	6	22,500	
T22	17301342	Unit, PC1730-24, T22 - "Communication"	PC173024-T22	Gray	24"	204.0	6	22,500	
T22	17301347	Unit, PC 1730-24 w/HBlT - "Telephone"	2x 3/8 in. FCvr H20	Gray	24"	204.0	6	22,500	
T22	17301640	Unit, PC1730-24, T22 - "Fiber Optics"	PC173024-T22	Gray	24"	204.0	6	22,500	
T22	17301649	Unit, PC1730-30, T22 - "CATV"	PC173030-T22	Gray	30"	259.0	4	22,500	
T22	17301650	Unit, PC1730-30, T22 - "COMMUNICATION"	PC173030-T22	Gray	30"	259.0	4	22,500	
T22	17301652	Unit, PC1730-30, T22 - "Fiber Optics"	PC173030-T22	Gray	30"	259.0	4	22,500	
T22	17301655	Unit, PC1730-30, T22 - Blank	PC173030-T22	Gray	30"	259.0	4	22,500	

OLDCASTLE POLYMER 2424

Polymer Concrete - 24" x 24"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 2424									
T22	24242600	Body, PC2424-24,SW	PC242424SW	Gray	24"	156.0	2	22,500	
T22	24242601	Body, PC2424-36,SW	PC242436SW	Gray	36"	219.0	1	22,500	
Lid - 2424									
T15	24244605	Lid, PC2424-T, T15 - Blank	PC2424T-T15	Gray	-	75.0	20	15,000	
T15	24244607	Lid, PC2424-T, T15 - "CATV"	PC2424T-T15	Gray	-	75.0	20	15,000	
T15	24244608	Lid, PC2424-T, T15 - "Communication"	PC2424T-T15	Gray	-	75.0	20	15,000	
T15	24244610	Lid, PC2424-T, T15 - "Fiber Optics"	PC2424T-T15	Gray	-	75.0	20	15,000	
T15	24244613	Lid, PC2424-T, T15 - "Telephone"	PC2424T-T15	Gray	-	75.0	20	15,000	
T22	24244616	Lid, PC2424-T, T22 - "COMMUNICATION"	PC2424T-T22	Gray	-	108.0	20	22,500	
T22	24244618	Lid, PC2424-T, T22 - Fiber Optics"	PC2424T-T22	Gray	-	108.0	20	22,500	
T22	24244621	Lid, PC2424-T, T22 - Telephone"	PC2424T-T22	Gray	-	108.0	20	22,500	
T22	24244623	Lid, PC2424-T, T22 - Blank	PC2424T-T22	Gray	-	108.0	20	22,500	
Unit - 2424 (Units come standard with Body-Open Bottom, Lid, and SS Hex Bolt Floating Nut Hardware)									
T15	24241600	Unit, PC2424-24, T15 - Blank	PC242424-T15	Gray	24"	224.0	2	15,000	
T15	24241601	Unit, PC2424-24, T15 - "CATV"	PC242424-T15	Gray	24"	224.0	2	15,000	
T15	24241602	Unit, PC2424-24, T15 - "Communication"	PC242424-T15	Gray	24"	224.0	2	15,000	
T15	24241604	Unit, PC2424-24, T15 - "Fiber Optics"	PC242424-T15	Gray	24"	224.0	2	15,000	
T15	24241614	Unit, PC2424-36, T15 - Blank	PC242436-T15	Gray	36"	282.0	1	15,000	

CONTINUED ON NEXT PAGE

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE POLYMER 2424 Continued

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
T15	24241615	Unit, PC2424-36, T15 -"CATV"	PC242436-T15	Gray	36"	282.0	1	15,000	
T15	24241616	Unit, PC2424-36, T15 -"COMMUNICATION"	PC242436-T15	Gray	36"	282.0	1	15,000	
T15	24241618	Unit, PC2424-36, T15 -"Fiber Optics"	PC242436-T15	Gray	36"	282.0	1	15,000	
T22	24241607	Unit, PC2424-24, T22 - CATV"	PC242424-T22	Gray	24"	263.0	2	22,500	
T22	24241608	Unit, PC2424-24, T22 -"COMMUNICATION"	PC242424-T22	Gray	24"	263.0	2	22,500	
T22	24241610	Unit, PC2424-24, T22 - Fiber Optics"	PC242424-T22	Gray	24"	263.0	2	22,500	
T22	24241613	Unit, PC2424-24, T22 - Blank	PC242424-T22	Gray	24"	263.0	2	22,500	
T22	24241621	Unit, PC2424-36, T22 - CATV"	PC242436-T22_162	Gray	36"	283.0	1	22,500	
T22	24241622	Unit, PC2424-36, T22 -"COMMUNICATION"	PC242436-T22_041	Gray	36"	283.0	1	22,500	
T22	24241624	Unit, PC2424-36, T22 - Fiber Optics"	PC242436-T22	Gray	36"	283.0	1	22,500	
T22	24241627	Unit, PC2424-36, T22 - Blank	PC242436-T22	Gray	36"	283.0	1	22,500	

OLDCASTLE POLYMER 2436

Polymer Concrete - 24" x 36"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 2436									
T22	24362016	Body, PC2436-18,SW	PC243618SW	Gray	18"	142.0	3	22,500	
T22	24362214	Body, PC2436-24,SW	PC243624SW	Gray	24"	180.0	2	22,500	
T22	24362212	Body, PC2436-30,SW	PC243630SW	Gray	30"	221.0	2	22,500	
T22	24362227	Body, PC2436-36,SW	PC243636SW	Gray	36"	249.0	1	22,500	
Lid - 2436									
T15	24364604	Lid, PC2436-T, T15 - Blank	PC2436T-T15	Gray	-	147.0	10	15,000	
T15	24364606	Lid, PC2436-T, T15 -"CATV"	PC2436T-T15	Gray	-	147.0	10	15,000	
T15	24364607	Lid, PC2436-T, T15 -"Communication"	PC2436T-T15	Gray	-	147.0	10	15,000	
T15	24364609	Lid, PC2436-T, T15 -"Fiber Optics"	PC2436T-T15	Gray	-	147.0	10	15,000	
T15	24364612	Lid, PC2436-T, T15 -"Telephone"	PC2436T-T15	Gray	-	147.0	10	15,000	
T15	24364613	Lid, PC2436-T, T15 -"Traffic Signal"	PC2436T-T15	Gray	-	147.0	10	15,000	
T22	24364009	Lid, PC2436-T, T22 - "CATV"	PC2436T-T22	Gray	-	147.0	10	22,500	
T22	24364010	Lid, PC2436-T, T22 - Blank	PC2436T-T22	Gray	-	147.0	10	22,500	
T22	24364013	Lid, PC2436-T, T22 - "Communication"	PC2436T-T22	Gray	-	147.0	10	22,500	
T22	24364015	Lid, PC2436-T, T22 - "Fiber Optics"	PC2436T-T22	Gray	-	147.0	10	22,500	
T22	24364018	Lid, PC2436-T, T22 - "Telephone"	PC2436T-T22	Gray	-	147.0	10	22,500	
Unit - 2436 (Units come standard with Body-Open Bottom, Lid, and SS Hex Bolt Floating Nut Hardware)									
T15	24361600	Unit, PC2436-18, T15 - Blank	PC243618-T15	Gray	18"	295.0	2	15,000	
T15	24361601	Unit, PC2436-18, T15 -"CATV"	PC243618-T15	Gray	18"	295.0	2	15,000	
T15	24361602	Unit, PC2436-18, T15 -"Communication"	PC243618-T15	Gray	18"	295.0	2	15,000	
T15	24361604	Unit, PC2436-18, T15 -"Fiber Optics"	PC243618-T15	Gray	18"	295.0	2	15,000	
T15	24361610	Unit, PC2436-24, T15 - Blank	PC243624-T15	Gray	24"	330.0	2	15,000	
T15	24361611	Unit, PC2436-24, T15 -"CATV"	PC243624-T15	Gray	24"	330.0	2	15,000	
T15	24361612	Unit, PC2436-24, T15 -"Communication"	PC243624-T15	Gray	24"	330.0	2	15,000	
T15	24361614	Unit, PC2436-24, T15 -"Fiber Optics"	PC243624-T15	Gray	24"	330.0	2	15,000	
T15	24361619	Unit, PC2436-30, T15 - Blank	PC243630-T15	Gray	30"	371.0	2	15,000	
T15	24361620	Unit, PC2436-30, T15 -"CATV"	PC243630-T15	Gray	30"	371.0	2	15,000	
T15	24361621	Unit, PC2436-30, T15 - "Communication"	PC243630-T15	Gray	30"	371.0	2	15,000	
T15	24361623	Unit, PC2436-30, T15 - "Fiber Optics"	PC243630-T15	Gray	30"	371.0	2	15,000	
T15	24361630	Unit, PC2436-36, T15 - Blank	PC243636-T15	Gray	36"	399.0	2	15,000	
T15	24361631	Unit, PC2436-36, T15 -"CATV"	PC243636-T15	Gray	36"	399.0	2	15,000	
T15	24361632	Unit, PC2436-36, T15 -"Communication"	PC243636-T15	Gray	36"	399.0	2	15,000	
T15	24361634	Unit, PC2436-36, T15 -"Fiber Optics"	PC243636-T15	Gray	36"	399.0	2	15,000	
T22	24361026	Unit, PC2436-18, T22 - "CATV"	PC243618-T22	Gray	18"	345.0	2	22,500	

CONTINUED ON NEXT PAGE

Products are rated by the lowest component rating.

Tier 15 cover with a tier 22 body is rated tier 15.

Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE POLYMER 2436 Continued

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
T22	24361027	Unit, PC2436-18, T22 - Blank	PC243618-T22	Gray	18"	345.0	2	22,500	
T22	24361158	Unit, PC2436-18, T22 - "Communication"	PC243618-T22	Gray	18"	345.0	2	22,500	
T22	24361607	Unit, PC2436-18, T22 - "Fiber Optics"	PC243618-T22	Gray	18"	345.0	2	22,500	
T22	24361029	Unit, PC2436-24, T22 - "CATV"	PC243624-T22	Gray	24"	380.0	2	22,500	
T22	24361030	Unit, PC2436-24, T22 - Blank	PC243624-T22	Gray	24"	380.0	2	22,500	
T22	24361159	Unit, PC2436-24, T22 - "Communication"	PC243624-T22	Gray	24"	380.0	2	22,500	
T22	24361206	Unit, PC2436-24, T22 - "Fiber Optics"	PC243624-T22	Gray	24"	380.0	2	22,500	
T22	24361032	Unit, PC2436-30, T22 - "CATV"	PC243630-T22	Gray	30"	425.0	2	22,500	
T22	24361033	Unit, PC2436-30, T22 - Blank	PC243630-T22	Gray	30"	425.0	2	22,500	
T22	24361160	Unit, PC2436-30, T22 - "Communications"	PC243630-T22	Gray	30"	425.0	2	22,500	
T22	24361627	Unit, PC2436-30, T22 - "Fiber Optics"	PC243630-T22	Gray	30"	425.0	2	22,500	
T22	24361637	Unit, PC2436-36, T22 - "CATV"	PC243630-T22	Gray	36"	449.0	1	22,500	
T22	24361639	Unit, PC2436-36, T22 - "Fiber Optics"	PC243630-T22	Gray	36"	449.0	1	22,500	
T22	24361642	Unit, PC2436-36, T22 - Blank	PC243630-T22	Gray	36"	449.0	1	22,500	
T22	24361642	Unit, PC2436-36, T22 - Blank	PC243630-T22	Gray	36"	449.0	1	22,500	

OLDCASTLE POLYMER 3048


Polymer Concrete - 30" x 48"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 3048									
T22	30482008	Body, PC3048-18,SW	PC304818SW	Gray	18"	188.0	3	22,500	
T22	30482021	Body, PC3048-24,SW	PC304824SW	Gray	24"	234.0	2	22,500	
T22	30482020	Body, PC3048-30,SW	PC304830SW	Gray	30"	301.0	1	22,500	
T22	30482017	Body, PC3048-36,SW	PC304836SW	Gray	36"	307.0	1	22,500	
Lid - 3048									
T15	30484602	Lid, PC3048-T, T15 - Blank,2pc	PC3048T-T15	Gray	-	220.0	5	15,000	
T15	30484605	Lid, PC3048-T, T15 - "Communication",2pc	PC3048T-T15	Gray	-	220.0	5	15,000	
T15	30484607	Lid, PC3048-T, T15 - "Fiber Optics",2pc	PC3048T-T15	Gray	-	220.0	5	15,000	
T15	30484610	Lid, PC3048-T, T15 - "Telephone",2pc	PC3048T-T15	Gray	-	220.0	5	15,000	
T22	30484010	Lid, PC3048-T, T22 - "Communication",2pc	PC3048T-T22	Gray	-	338.0	5	22,500	
T22	30484012	Lid, PC3048-T, T22 - "Fiber Optics",2pc	PC3048T-T22	Gray	-	338.0	5	22,500	
T22	30484014	Lid, PC3048-T, T22 - "Telephone",2pc	PC3048T-T22	Gray	-	338.0	5	22,500	
Unit - 3048 (Units come standard with Body-Open Bottom, Lid, and SS Hex Bolt Floating Nut Hardware)									
T15	30481600	Unit, PC3048-18, T15 - Blank	PC304818-T15	Gray	18"	408.0	2	15,000	
T15	30481601	Unit, PC3048-18, T15 - "CATV"	PC304818-T15	Gray	18"	408.0	2	15,000	
T15	30481602	Unit, PC3048-18, T15 - "Communication"	PC304818-T15	Gray	18"	408.0	2	15,000	
T15	30481604	Unit, PC3048-18, T15 - "Fiber Optics"	PC304818-T15	Gray	18"	408.0	2	15,000	
T15	30481612	Unit, PC3048-24, T15 - Blank	PC304824-T15	Gray	24"	454.0	2	15,000	
T15	30481613	Unit, PC3048-24, T15 - "CATV"	PC304824-T15	Gray	24"	454.0	2	15,000	
T15	30481614	Unit, PC3048-24, T15 - "Communication"	PC304824-T15	Gray	24"	454.0	2	15,000	
T15	30481616	Unit, PC3048-24, T15 - "Fiber Optics"	PC304824-T15	Gray	24"	454.0	2	15,000	
T15	30481622	Unit, PC3048-30, T15 - Blank	PC304830-T15	Gray	30"	521.0	1	15,000	
T15	30481623	Unit, PC3048-30, T15 - "CATV"	PC304830-T15	Gray	30"	521.0	1	15,000	
T15	30481624	Unit, PC3048-30, T15 - "Communication"	PC304830-T15	Gray	30"	521.0	1	15,000	
T15	30481626	Unit, PC3048-30, T15 - "Fiber Optics"	PC304830-T15	Gray	30"	521.0	1	15,000	
T15	30481634	Unit, PC3048-36, T15 - Blank	PC304836-T15	Gray	36"	543.0	1	15,000	
T15	30481635	Unit, PC3048-36, T15 - "CATV"	PC304836-T15	Gray	36"	543.0	1	15,000	
T15	30481636	Unit, PC3048-36, T15 - "Communication"	PC304836-T15	Gray	36"	543.0	1	15,000	
T15	30481638	Unit, PC3048-36, T15 - "Fiber Optics"	PC304836-T15	Gray	36"	543.0	1	15,000	
T22	30481003	Unit, PC3048-18, T22 - Blank	PC304818-T22	Gray	18"	526.0	2	22,500	
T22	30481607	Unit, PC3048-18, T22 - "CATV"	PC304818-T22	Gray	18"	526.0	2	22,500	

CONTINUED ON NEXT PAGE

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE POLYMER 3048 Continued


RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
T22	30481608	Unit, PC3048-18, T22 - "Communication"	PC304818-T22	Gray	18"	526.0	2	22,500	
T22	30481006	Unit, PC3048-24, T22 - Blank	PC304824-T22	Gray	24"	572.0	2	22,500	
T22	30481027	Unit, PC3048-24, T22 - "Communication"	PC304824-T22	Gray	24"	572.0	2	22,500	
T22	30481619	Unit, PC3048-24, T22 - "CATV"	PC304824-T22	Gray	24"	572.0	2	22,500	
T22	30481620	Unit, PC3048-24, T22 - "Fiber Optics"	PC304824-T22	Gray	24"	572.0	2	22,500	
T22	30481009	Unit, PC3048-30, T22 - Blank	PC304830-T22	Gray	30"	639.0	1	22,500	
T22	30481629	Unit, PC3048-30, T22 - "CATV"	PC304830-T22	Gray	30"	639.0	1	22,500	
T22	30481630	Unit, PC3048-30, T22 - "Communication"	PC304830-T22	Gray	30"	639.0	1	22,500	
T22	30481631	Unit, PC3048-30, T22 - "Fiber Optics"	PC304830-T22	Gray	30"	639.0	1	22,500	
T22	30481012	Unit, PC3048-36, T22 - Blank	PC304836-T22	Gray	36"	661.0	1	22,500	
T22	30481029	Unit, PC3048-36, T22 - "Communication"	PC304836-T22	Gray	36"	661.0	1	22,500	
T22	30481641	Unit, PC3048-36, T22 - "CATV"	PC304836-T22	Gray	36"	661.0	1	22,500	
T22	30481642	Unit, PC3048-36, T22 - "Fiber Optics"	PC304836-T22	Gray	36"	661.0	1	22,500	

OLDCASTLE POLYMER 3060

Polymer Concrete - 30" x 60"



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 3060									
T22	30602001	Body, PC 3060-24	4x 1 1/2 in. Fltg Nut	Gray	24"	325.0	2	22,500	
T22	30602002	Body, PC 3060-30	4x 1 1/2 in. Fltg Nut	Gray	30"	367.0	1	22,500	
T22	30602006	Body, PC 3060-36	4x 1 1/2 in. Fltg Nut	Gray	36"	409.0	1	22,500	
Lid - 3060									
T22	30604002	Lid, PC 3060 2pc Kit - No Mark	2pc Assembly	Gray	-	480.0	4	22,500	
T22	30604003	Lid, PC 3060 2pc Kit - "Communication"	2pc Assembly	Gray	-	480.0	4	22,500	
Unit - 3060 (Units come standard with Body-Open Bottom, Lid, and SS Hex Bolt Floating Nut Hardware)									
T22	30601002	Unit, PC 3060-24 w/HBlt - No Mark	4x 1 1/2 in. 2pc FCvr H20	Gray	24"	805.0	1	22,500	
T22	30601018	Unit, PC 3060-24 w/Lpnta - "Communication"	4x 1 1/2 in. 2pc FCvr H20	Gray	24"	805.0	1	22,500	
T22	30601004	Unit, PC 3060-30 w/HBlt - No Mark	4x 1 1/2 in. 2pc FCvr H20	Gray	30"	847.0	1	22,500	
T22	30601011	Unit, PC 3060-30 w/HBlt - "Communication"	4x 1 1/2 in. 2pc FCvr H20	Gray	30"	847.0	1	22,500	
T22	30601006	Unit, PC 3060-36 w/HBlt - No Mark	4x 1 1/2 in. 2pc FCvr H20	Gray	36"	889.0	1	22,500	

OLDCASTLE POLYMER 3636


Polymer Concrete - 36" x 36"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 3636									
T22	36362600	Body, PC3636-36,SW	PC363636SW	Gray	36"	291.0	1	22,500	
T22	36362601	Body, PC3636-48,SW	PC363648SW	Gray	48"	370.0	1	22,500	
Lid - 3636									
T15	36364604	Lid, PC3636-T, T15 - Blank	PC3636T-T15	Gray	-	235.0	5	15,000	
T22	36364622	Lid, PC3636-T, T22 - Blank	PC3636T-T22	Gray	-	335.0	5	22,500	

CONTINUED ON NEXT PAGE

Products are rated by the lowest component rating.

Tier 15 cover with a tier 22 body is rated tier 15.

Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE POLYMER 3636 Continued

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Unit - 3636 (Units come standard with Body-Open Bottom, Lid, and SS Hex Bolt Floating Nut Hardware)									
T15	36361600	Unit, PC3636-36, T15 - Blank	PC363636-T15	Gray	36"	572.0	1	15,000	
T15	36361601	Unit, PC3636-36, T15 -CATV""	PC363636-T15	Gray	36"	572.0	1	15,000	
T15	36361602	Unit, PC3636-36, T15 -'COMMUNICATION'	PC363636-T15	Gray	36"	572.0	1	15,000	
T15	36361604	Unit, PC3636-36, T15 -Fiber Optics""	PC363636-T15	Gray	36"	572.0	1	15,000	
T15	36361614	Unit, PC3636-48, T15 - Blank	PC363648-T15	Gray	48"	605.0	1	15,000	
T15	36361615	Unit, PC3636-48, T15 -"CATV"	PC363648-T15	Gray	48"	605.0	1	15,000	
T15	36361616	Unit, PC3636-48, T15 -"Communication"	PC363648-T15	Gray	48"	605.0	1	15,000	
T15	36361618	Unit, PC3636-48, T15 -"Fiber Optics"	PC363648-T15	Gray	48"	605.0	1	15,000	
T22	36361613	Unit, PC3636-36, T22 - Blank	PC363636-T22	Gray	36"	626.0	1	22,500	
T22	36361607	Unit, PC3636-36, T22 - CATV""	PC363636-T22	Gray	36"	626.0	1	22,500	
T22	36361608	Unit, PC3636-36, T22 -'COMMUNICATION'	PC363636-T22	Gray	36"	626.0	1	22,500	
T22	36361610	Unit, PC3636-36, T22 - Fiber Optics""	PC363636-T22	Gray	36"	626.0	1	22,500	
T22	36361621	Unit, PC3636-48, T22 - CATV""	PC363648-T22	Gray	48"	705.0	1	22,500	
T22	36361622	Unit, PC3636-48, T22 -'COMMUNICATION'	PC363648-T22	Gray	48"	705.0	1	22,500	
T22	36361624	Unit, PC3636-48, T22 - Fiber Optics""	PC363648-T22	Gray	48"	705.0	1	22,500	
T22	36361627	Unit, PC3636-48, T22 - Blank	PC363648-T22	Gray	48"	705.0	1	22,500	

OLDCASTLE POLYMER 4848


Polymer Concrete - 48" x 48"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 4848									
T22	48482600	Body, PC4848-36,SW	PC484836SW	Gray	36"	585.0	1	22,500	
T22	48482601	Body, PC4848-48,SW	PC484848SW	Gray	48"	754.0	1	22,500	
Lid - 4848									
T15	48484602	Lid, PC4848-T, T15 - "Blank",2PC	PC4848D-T15	Gray	-	410.0	4	15,000	
T15	48484604	Lid, PC4848-T, T15 -"CATV",2pc	PC4848T-T15	Gray	-	410.0	4	15,000	
T15	48484605	Lid, PC4848-T, T15 -"Communication",2pc	PC4848T-T15	Gray	-	410.0	4	15,000	
T15	48484607	Lid, PC4848-T, T15 -"Fiber Optics",2pc	PC4848T-T15	Gray	-	410.0	4	15,000	
T22	48484612	Lid, PC4848-T, T22 - "CATV",2pc	PC4848T-T22	Gray	-	640.0	4	22,500	
T22	48484613	Lid, PC4848-T, T22 - "Communication",2pc	PC4848T-T22	Gray	-	640.0	4	22,500	
T22	48484615	Lid, PC4848-T, T22 - "Fiber Optics",2pc	PC4848T-T22	Gray	-	640.0	4	22,500	
T22	48484618	Lid, PC4848-T, T22 - "Telephone",2pc	PC4848T-T22	Gray	-	640.0	4	22,500	
T22	48484620	Lid, PC4848-T, T22 - Blank,2pc	PC4848T-T22	Gray	-	640.0	4	22,500	
Unit - 4848 (Units come standard with Body-Open Bottom, Lid, and SS Hex Bolt Floating Nut Hardware)									
T15	48481600	Unit, PC4848-36, T15 - Blank	PC484836-T15	Gray	36"	995.0	1	15,000	
T15	48481601	Unit, PC4848-36, T15 -"CATV"	PC484836-T15	Gray	36"	995.0	1	15,000	
T15	48481604	Unit, PC4848-36, T15 -"Fiber Optics"	PC484836-T15	Gray	36"	995.0	1	15,000	
T15	48481615	Unit, PC4848-48, T15 -"CATV"	PC484848-T15	Gray	48"	1225.0	1	15,000	
T15	48481616	Unit, PC4848-48, T15 -"Communication"	PC484848-T15	Gray	48"	1225.0	1	15,000	
T15	48481618	Unit, PC4848-48, T15 -"Fiber Optics"	PC484848-T15	Gray	48"	1225.0	1	15,000	
T22	48481607	Unit, PC4848-36, T22 - "CATV"	PC484836-T22	Gray	36"	1164.0	1	22,500	
T22	48481608	Unit, PC4848-36, T22 - "Communication"	PC484836-T22	Gray	36"	1164.0	1	22,500	
T22	48481610	Unit, PC4848-36, T22 - "Fiber Optics"	PC484836-T22	Gray	36"	1164.0	1	22,500	
T22	48481613	Unit, PC4848-36, T22 - Blank	PC484836-T22	Gray	36"	1164.0	1	22,500	
T22	48481621	Unit, PC4848-48, T22 - "CATV"	PC484848-T22	Gray	48"	1394.0	1	22,500	
T22	48481622	Unit, PC4848-48, T22 - "Communication"	PC484848-T22	Gray	48"	1394.0	1	22,500	
T22	48481624	Unit, PC4848-48, T22 - "Fiber Optics"	PC484848-T22	Gray	48"	1394.0	1	22,500	
T22	48481627	Unit, PC4848-48, T22 - Blank	PC484848-T22	Gray	48"	1394.0	1	22,500	

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

DURALITE™ 1015


Polyolefin Blend - 10" x 15"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1015									
T15	10152585	Body, Duralite, Composite - 1015-18	-	Gray	18"	15.2	12	15,000	
T22	10152560	Body, Duralite, Composite - 1015-12	-	Gray	12"	12.5	24	22,500	
Lid - 1015 Polymer Concrete									
T15	10154061	Lid, PC1015/BC, T15 - BLANK	-	Gray	-	20.0	30	15,000	
T15	10154066	Lid, PC1015/BC, T15 - 'Communication'	-	Gray	-	20.0	30	15,000	
T15	10154067	Lid, PC1015/BC, T15 - 'Fiber Optics'	-	Gray	-	20.0	30	15,000	
T15	10154087	Lid, PC1015/BC, T15 - 'Telephone'	-	Gray	-	20.0	30	15,000	
T22	10154093	Lid, PC1015/BC, T22 - MARKING PLATE REQUIRED	-	Gray	-	20.0	30	22,500	
T22	10154097	Lid, PC1015/BC, T22 - 'Communication'	-	Gray	-	20.0	30	22,500	
T22	10154098	Lid, PC1015/BC, T22 - 'Fiber Optics'	-	Gray	-	20.0	30	22,500	
T22	10154099	Lid, PC1015/BC, T22 - 'Telephone'	-	Gray	-	20.0	30	22,500	
Unit - 1015									
T15	10151200	1015-12 DL/PC T15 'BLANK' 1/2-6 HBlt	101512 DL/PC 1015 T15	Gray	12"	34.5	24	15,000	
T15	10151201	1015-12 DL/PC T15 MARKING PLATE REQUIRED 1/2-6 HBlt	101512 DL/PC 1015 T15	Gray	12"	34.5	24	15,000	
T15	10151205	1015-12 DL/PC T15 'COMMUNICATION' 1/2-6 HBlt	101512 DL/PC 1015 T15	Gray	12"	34.5	24	15,000	
T15	10151206	1015-12 DL/PC T15 'FIBER OPTICS' 1/2-6 HBlt	101512 DL/PC 1015 T15	Gray	12"	34.5	24	15,000	
T15	10151207	1015-12 DL/PC T15 'TELEPHONE' 1/2-6 HBlt	101512 DL/PC 1015 T15	Gray	12"	34.5	24	15,000	
T15	10151400	1015-18 DL/PC T15 'BLANK' 1/2-6 HBlt	101518 DL/PC 1015 T15	Gray	18"	37.2	18	15,000	
T15	10151401	1015-18 DL/PC T15 MARKING PLATE REQUIRED 1/2-6 HBlt	101518 DL/PC 1015 T15	Gray	18"	37.2	18	15,000	
T15	10151405	1015-18 DL/PC T15 'COMMUNICATION' 1/2-6 HBlt	101518 DL/PC 1015 T15	Gray	18"	37.2	18	15,000	
T15	10151406	1015-18 DL/PC T15 'FIBER OPTICS' 1/2-6 HBlt	101518 DL/PC 1015 T15	Gray	18"	37.2	18	15,000	
T15	10151407	1015-18 DL/PC T15 'TELEPHONE' 1/2-6 HBlt	101518 DL/PC 1015 T15	Gray	18"	37.2	18	15,000	
T22	10151300	1015-12 DL/PC T22 'BLANK' 1/2-6 HBlt	101512 DL/PC 1015 T22	Gray	12"	32.3	24	22,500	
T22	10151301	1015-12 DL/PC T22 MARKING PLATE REQUIRED 1/2-6 HBlt	101512 DL/PC 1015 T22	Gray	12"	32.3	24	22,500	
T22	10151305	1015-12 DL/PC T22 'COMMUNICATION' 1/2-6 HBlt	101512 DL/PC 1015 T22	Gray	12"	32.3	24	22,500	
T22	10151306	1015-12 DL/PC T22 'FIBER OPTICS' 1/2-6 HBlt	101512 DL/PC 1015 T22	Gray	12"	32.3	24	22,500	
T22	10151307	1015-12 DL/PC T22 'TELEPHONE' 1/2-6 HBlt	101512 DL/PC 1015 T22	Gray	12"	32.3	24	22,500	
T22	10151500	1015-18 DL/PC T22 'BLANK' 1/2-6 HBlt	101518 DL/PC 1015 T15	Gray	18"	35.1	18	22,500	
T22	10151501	1015-18 DL/PC T22 MARKING PLATE REQUIRED 1/2-6 HBlt	101518 DL/PC 1015 T15	Gray	18"	35.1	18	22,500	
T22	10151505	1015-18 DL/PC T22 'COMMUNICATION' 1/2-6 HBlt	101518 DL/PC 1015 T15	Gray	18"	35.1	18	22,500	
T22	10151506	1015-18 DL/PC T22 'FIBER OPTICS' 1/2-6 HBlt	101518 DL/PC 1015 T15	Gray	18"	35.1	18	22,500	
T22	10151507	1015-18 DL/PC T22 'TELEPHONE' 1/2-6 HBlt	101518 DL/PC 1015 T15	Gray	18"	35.1	18	22,500	

DURALITE™ 1118


Polyolefin Blend - 11" x 18"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1118									
T22	11182575	Body, Duralite, Composite - 1118-12	-	Gray	12"	12.6	24	22,500	
T22	11182590	Body, Duralite, Composite - 1118-18	-	Gray	18"	16.3	12	22,500	

CONTINUED ON NEXT PAGE

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

DURALITE™ 1118 Continued

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Lid - 1118 Polymer Concrete									
T15	11184612	Lid, Polymer Conc, T15, Blank	-	Gray	-	25.1	60	15,000	
T15	11184600	Lid, Polymer Conc, T15, Mark Plate Req.	-	Gray	-	25.1	60	15,000	
T15	11184606	Lid, Polymer Conc, T15, Electric	-	Gray	-	25.1	60	15,000	
T15	11184609	Lid, Polymer Conc, T15, Street Lighting	-	Gray	-	25.1	60	15,000	
T15	11184611	Lid, Polymer Conc, Traffic Signal	-	Gray	-	25.1	60	15,000	
T15	11184605	Lid, Polymer Conc, T15, Communication	-	Gray	-	25.1	60	15,000	
T15	11184607	Lid, Polymer Conc, T15, Fiber Optics	-	Gray	-	25.1	60	15,000	
T15	11184610	Lid, Polymer Conc, T15, Telephone	-	Gray	-	25.1	60	15,000	
T22	11184003	Lid, Polymer Conc, T22, Blank	-	Gray	-	25.1	60	22,500	
T22	11184614	Lid, Polymer Conc, T22, Mark Plate Req.	-	Gray	-	25.1	60	22,500	
T22	11184001	Lid, Polymer Conc, T22, Electric	-	Gray	-	25.1	60	22,500	
T22	11184007	Lid, Polymer Conc, T22, Street Lighting	-	Gray	-	25.1	60	22,500	
T22	11184009	Lid, Polymer Conc, T22, Traffic Signal	-	Gray	-	25.1	60	22,500	
T22	11184008	Lid, Polymer Conc, T22, Communication	-	Gray	-	25.1	60	22,500	
T22	11185002	Lid, Polymer Conc, T22, Fiber Optics	-	Gray	-	25.1	60	22,500	
T22	11184011	Lid, Polymer Conc, T22, Telephone	-	Gray	-	25.1	60	22,500	
Unit - 1118									
T15	11181200	1118-12 DL/PC T15 'BLANK' 1/2-6 HBlit	1118-12 DL/PC 1118T15	Gray	12"	37.9	24	15,000	
T15	11181201	1118-12 DL/PC T15 MARKING PLATE REQUIRED 1/2-6 HBlit	1118-12 DL/PC 1118T15	Gray	12"	37.9	24	15,000	
T15	11181205	1118-12 DL/PC T15 'COMMUNICATION' 1/2-6 HBlit	1118-12 DL/PC 1118T15	Gray	12"	37.9	24	15,000	
T15	11181206	1118-12 DL/PC T15 'FIBER OPTICS' 1/2-6 HBlit	1118-12 DL/PC 1118T15	Gray	12"	37.9	24	15,000	
T15	11181207	1118-12 DL/PC T15 'TELEPHONE' 1/2-6 HBlit	1118-12 DL/PC 1118T15	Gray	12"	37.9	24	15,000	
T15	11181621	1118-12 DL/PC1118 T15 'ELECTRIC' 3/8-16 HBlit	111812DL/PC1118 T15 011	Gray	12"	37.9	24	15,000	
T15	11181406	1118-18 DL/PC T15 'BLANK' 1/2-6 HBlit	1118-18 DL/PC 1118T15	Gray	18"	41.6	12	15,000	
T15	11181407	1118-18 DL/PC T15 MARKING PLATE REQUIRED 1/2-6 HBlit	1118-18 DL/PC 1118T15	Gray	18"	41.6	12	15,000	
T15	11181411	1118-18 DL/PC T15 'COMMUNICATION' 1/2-6 HBlit	1118-18 DL/PC 1118T15	Gray	18"	41.6	12	15,000	
T15	11181412	1118-18 DL/PC T15 'FIBER OPTICS' 1/2-6 HBlit	1118-18 DL/PC 1118T15	Gray	18"	41.6	12	15,000	
T15	11181413	1118-18 DL/PC T15 'TELEPHONE' 1/2-6 HBlit	1118-18 DL/PC 1118T15	Gray	18"	41.6	12	15,000	
T22	11181300	1118-12 DL/PC T22 'BLANK' 1/2-6 HBlit	1118-12 DL/PC 1118T22	Gray	12"	37.9	24	22,500	
T22	11181301	1118-12 DL/PC T22 MARKING PLATE REQUIRED 1/2-6 HBlit	1118-12 DL/PC 1118T22	Gray	12"	37.9	24	22,500	
T22	11181305	1118-12 DL/PC T22 'COMMUNICATION' 1/2-6 HBlit	1118-12 DL/PC 1118T22	Gray	12"	37.9	24	22,500	
T22	11181306	1118-12 DL/PC T22 'FIBER OPTICS' 1/2-6 HBlit	1118-12 DL/PC 1118T22	Gray	12"	37.9	24	22,500	
T22	11181307	1118-12 DL/PC T22 'TELEPHONE' 1/2-6 HBlit	1118-12 DL/PC 1118T22	Gray	12"	37.9	24	22,500	
T22	11181500	1118-18 DL/PC T22 'BLANK' 1/2-6 HBlit	1118-18 DL/PC 1118T22	Gray	18"	41.6	12	22,500	
T22	11181501	1118-18 DL/PC T22 MARKING PLATE REQUIRED 1/2-6 HBlit	1118-18 DL/PC 1118T22	Gray	18"	41.6	12	22,500	
T22	11181505	1118-18 DL/PC T22 'COMMUNICATION' 1/2-6 HBlit	1118-18 DL/PC 1118T22	Gray	18"	41.6	12	22,500	
T22	11181506	1118-18 DL/PC T22 'FIBER OPTICS' 1/2-6 HBlit	1118-18 DL/PC 1118T22	Gray	18"	41.6	12	22,500	
T22	11181507	1118-18 DL/PC T22 'TELEPHONE' 1/2-6 HBlit	1118-18 DL/PC 1118T22	Gray	18"	41.6	12	22,500	

DURALITE™ 1212


Polyolefin Blend - 12" x 12"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1212									
T22	12122500	1212-12 DL Body T15/T22 0 MsHl Gray	2x 1/2-6 Nut	Gray	12"	12.4	16	22,500	
T22	12122600	1212-18 DL Body T15/T22 0 MsHl Gray	2x 1/2-6 Nut	Gray	18"	17.5	12	22,500	
Lid - 1212 Polymer Concrete									
T15	12124406	Lid, PC1212, T15 - 'Communication' with coil	-	Gray	-	13.3	144	15,000	
T15	12124407	Lid, PC1212, T15- 'Fiber Optics' with coil	-	Gray	-	13.3	144	15,000	

CONTINUED ON NEXT PAGE

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

DURALITE™ 1212 Continued

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
T15	12124408	Lid, PC1212, T15- 'Telephone'	-	Gray	-	13.3	144	15,000	
T15	12124410	Lid, PC1212, T15 - 4x8 Marking Plate Req	-	Gray	-	13.3	144	15,000	
T15	12124411	Lid, PC1212, T15 - 4x8 Marking Plate Req, Coil Bolt	-	Gray	-	13.3	144	15,000	
T15	12124412	Lid, PC1212, T15 - 4x8 Marking Plate Req EMS hex, Coil Bolt	-	Gray	-	13.3	144	15,000	
T15	12124413	Lid, PC1212, T15 with EMS 4x8 Marking Plate Req	-	Gray	-	13.3	144	15,000	
T22	12124402	Lid, PC1212, T22- 4x8 Marking Plate Req	-	Gray	-	13.5	144	22,500	
T22	12124421	Lid, PC1212, T22 - 4x8 Marking Plate EMS	-	Gray	-	13.5	144	22,500	
T22	12124426	Lid, PC1212, T22- 'Communication' WITH COIL	-	Gray	-	13.5	144	22,500	
T22	12124427	Lid, PC1212, T22- 'Fiber Optics' WITH COIL	-	Gray	-	13.5	144	22,500	
T22	12124428	Lid, PC1212, T22- 'Telephone' WITH COIL	-	Gray	-	13.5	144	22,500	
T22	12124429	Lid, PC1212, T22 - BLANK WITH COIL	-	Gray	-	13.5	144	22,500	
T22	12124430	Lid, PC1212, T22 - 4x8 Marking Plate Req, Coil Bolt	-	Gray	-	13.5	144	22,500	
T22	12124431	Lid, PC1212, T22 - 4x8 Marking Plate Req'd, EMS, Coil	-	Gray	-	13.5	144	22,500	
Unit - 1212									
T15	12121250	1212-12 DL/PC T15 'BLANK' 1/2-6 HBlit	1212-12 DL/PC 1212T15	Gray	12"	25.7	16	15,000	
T15	12121251	1212-12 DL/PC T15 MARKING PLATE REQUIRED 1/2-6 HBlit	1212-12 DL/PC 1212T15	Gray	12"	25.7	16	15,000	
T15	12121255	1212-12 DL/PC T15 'COMMUNICATION' 1/2-6 HBlit	1212-12 DL/PC 1212T15	Gray	12"	25.7	16	15,000	
T15	12121256	1212-12 DL/PC T15 'FIBER OPTICS' 1/2-6 HBlit	1212-12 DL/PC 1212T15	Gray	12"	25.7	16	15,000	
T15	12121257	1212-12 DL/PC T15 'TELEPHONE' 1/2-6 HBlit *DNU NEEDS LID*	1212-12 DL/PC 1212T15	Gray	12"	25.7	16	15,000	
T15	12121800	1212-18 DL/PC T15 'BLANK' 1/2-6 HBlit	1212-18 DL/PC 1212T15	Gray	18"	31.0	12	15,000	
T15	12121801	1212-18 DL/PC T15 MARKING PLATE REQUIRED 1/2-6 HBlit	1212-18 DL/PC 1212T15	Gray	18"	31.0	12	15,000	
T22	12121200	1212-12 DL/PC T22 'BLANK' 1/2-6 HBlit	1212-12 DL/PC 1212T22	Gray	12"	26.4	16	22,500	
T22	12121201	1212-12 DL/PC T22 MARKING PLATE REQUIRED 1/2-6 HBlit	1212-12 DL/PC 1212T22	Gray	12"	26.4	16	22,500	
T22	12121205	1212-12 DL/PC T22 'COMMUNICATION' 1/2-6 HBlit	1212-12 DL/PC 1212T22	Gray	12"	26.4	16	22,500	
T22	12121206	1212-12 DL/PC T22 'FIBER OPTICS' 1/2-6 HBlit	1212-12 DL/PC 1212T22	Gray	12"	26.4	16	22,500	
T22	12121207	1212-12 DL/PC T22 'TELEPHONE' 1/2-6 HBlit	1212-12 DL/PC 1212T22	Gray	12"	26.4	16	22,500	
T22	12121850	1212-18 DL/PC T22 'BLANK' 1/2-6 HBlit	1212-18 DL/PC 1212T22	Gray	18"	31.0	12	22,500	
T22	12121851	1212-18 DL/PC T22 MARKING PLATE REQUIRED 1/2-6 HBlit	1212-18 DL/PC 1212T22	Gray	18"	31.0	12	22,500	

DURALITE™ 1324


Polyolefin Blend - 13" x 24"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1324									
T15	13242560	Body, Duralite, Composite - 1324-12	-	Gray	12"	19.2	16	15,000	
T15	13242565	Body, Duralite, Composite - 1324-18	-	Gray	18"	25.9	12	15,000	
T22	13242590	Body, Duralite, Composite- 1324-12	-	Gray	12"	22	16	22,500	
T22	13242595	Body, Duralite, Composite- 1324-18	-	Gray	18"	30	12	22,500	
Lid - 1324 Polymer Concrete									
T15	13244603	Lid, Polymer Conc, T15, Blank	-	Gray	-	49.0	30	15,000	
T15	13244600	Lid, Polymer Conc, T15, Mark Plate Req	-	Gray	-	49.0	30	15,000	
T15	13244607	Lid, Polymer Conc, T15, Electric	-	Gray	-	49.0	30	15,000	
T15	13244610	Lid, Polymer Conc, T15, Street Lighting	-	Gray	-	49.0	30	15,000	
T15	13244606	Lid, Polymer Conc, T15, Communication	-	Gray	-	49.0	30	15,000	
T15	13244608	Lid, Polymer Conc, T15, Fiber Optics	-	Gray	-	49.0	30	15,000	
T15	13244183	Lid, Polymer Conc, T15, Telephone	-	Gray	-	49.0	30	15,000	
Unit - 1324									
T15	13241203	1324-12 DL/PC T15 MARKING PLATE REQUIRED 1/2-6 HBlit	1324-12 DL/PC 1324T15	Gray	12"	71.2	16	15,000	
T15	13241207	1324-12 DL/PC T15 'COMMUNICATION' 1/2-6 HBlit	1324-12 DL/PC 1324T15	Gray	12"	71.2	16	15,000	
T15	13241208	1324-12 DL/PC T15 'FIBER OPTICS' 1/2-6 HBlit	1324-12 DL/PC 1324T15	Gray	12"	71.2	16	15,000	
T15	13241209	1324-12 DL/PC T15 'TELEPHONE' 1/2-6 HBlit	1324-12 DL/PC 1324T15	Gray	12"	71.2	16	15,000	
T15	13241400	1324-18 DL/PC T15 'BLANK' 1/2-6 HBlit	1324-18 DL/PC 1324T15	Gray	18"	77.9	12	15,000	

CONTINUED ON NEXT PAGE

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

DURALITE™ 1324 Continued

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
T15	13241401	1324-18 DL/PC T15 MARKING PLATE REQUIRED 1/2-6 HBlit	1324-18 DL/PC 1324T15	Gray	18"	77.9	12	15,000	
T15	13241405	1324-18 DL/PC T15 'COMMUNICATION' 1/2-6 HBlit	1324-18 DL/PC 1324T15	Gray	18"	77.9	12	15,000	
T15	13241406	1324-18 DL/PC T15 'FIBER OPTICS' 1/2-6 HBlit	1324-18 DL/PC 1324T15	Gray	18"	77.9	12	15,000	
T15	13241407	1324-18 DL/PC T15 'TELEPHONE' 1/2-6 HBlit	1324-18 DL/PC 1324T15	Gray	18"	77.9	12	15,000	
T22	13241300	1324-12 DL/PC T22 'BLANK' 1/2-6 HBlit	1324-12 DL/PC 1324T22	Gray	12"	72.3	16	22,500	
T22	13241301	1324-12 DL/PC T22 MARKING PLATE REQUIRED 1/2-6 HBlit	1324-12 DL/PC 1324T22	Gray	12"	72.3	16	22,500	
T22	13241305	1324-12 DL/PC T22 'COMMUNICATION' 1/2-6 HBlit	1324-12 DL/PC 1324T22	Gray	12"	72.3	16	22,500	
T22	13241306	1324-12 DL/PC T22 'FIBER OPTICS' 1/2-6 HBlit	1324-12 DL/PC 1324T22	Gray	12"	72.3	16	22,500	
T22	13241307	1324-12 DL/PC T22 'TELEPHONE' 1/2-6 HBlit	1324-12 DL/PC 1324T22	Gray	12"	72.3	16	22,500	
T22	13241500	1324-18 DL/PC T22 'BLANK' 1/2-6 HBlit	1324-18 DL/PC 1324T22	Gray	18"	80.3	12	22,500	
T22	13241501	1324-18 DL/PC T22 MARKING PLATE REQUIRED 1/2-6 HBlit	1324-18 DL/PC 1324T22	Gray	18"	80.3	12	22,500	
T22	13241505	1324-18 DL/PC T22 'COMMUNICATION' 1/2-6 HBlit	1324-18 DL/PC 1324T22	Gray	18"	80.3	12	22,500	
T22	13241506	1324-18 DL/PC T22 'FIBER OPTICS' 1/2-6 HBlit	1324-18 DL/PC 1324T22	Gray	18"	80.3	12	22,500	
T22	13241507	1324-18 DL/PC T22 'TELEPHONE' 1/2-6 HBlit	1324-18 DL/PC 1324T22	Gray	18"	80.3	12	22,500	

DURALITE™ 1730


Polyolefin Blend - 17" x 30"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22



RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 1730									
T15	17302585	Body, Duralite, Composite - 1730-12	-	Gray	12"	28.5	8	15,000	
T15	17302590	Body, Duralite, Composite - 1730-18	-	Gray	18"	36.2	6	15,000	
T22	17302587	Body, Duralite, Composite- 1730-12	-	Gray	12"	31.3	8	22,500	
T22	17302595	Body, Duralite, Composite- 1730-18	-	Gray	18"	41.3	6	22,500	
Lid - 1730 Polymer Concrete									
T15	17304604	Lid, Polymer Conc, T15, Blank	-	Gray	-	79.7	25	15,000	
T15	17304600	Lid, Polymer Conc, T15, Mark Plate Req	-	Gray	-	79.7	25	15,000	
T15	17304608	Lid, Polymer Conc, T15, Electric	-	Gray	-	79.7	25	15,000	
T15	17304611	Lid, Polymer Conc, T15, Street Lighting	-	Gray	-	79.7	25	15,000	
T15	17304147	Lid, Polymer Conc, Traffic Signal	-	Gray	-	79.7	25	15,000	
T15	17304607	Lid, Polymer Conc, T15, Communication	-	Gray	-	79.7	25	15,000	
T15	17304609	Lid, Polymer Conc, T15, Fiber Optics	-	Gray	-	79.7	25	15,000	
T15	17304612	Lid, Polymer Conc, T15, Telephone	-	Gray	-	79.7	25	15,000	
Unit - 1730									
T15	17301261	1730-12 DL/PC T15 'BLANK' 1/2-6 HBlit	1730-12 DL/PC 1730T15	Gray	12"	108.4	8	15,000	
T15	17301262	1730-12 DL/PC T15 MARKING PLATE REQUIRED 1/2-6 HBlit	1730-12 DL/PC 1730T15	Gray	12"	108.4	8	15,000	
T15	17301266	1730-12 DL/PC T15 'COMMUNICATION' 1/2-6 HBlit	1730-12 DL/PC 1730T15	Gray	12"	108.4	8	15,000	
T15	17301267	1730-12 DL/PC T15 'FIBER OPTICS' 1/2-6 HBlit	1730-12 DL/PC 1730T15	Gray	12"	108.4	8	15,000	
T15	17301268	1730-12 DL/PC T15 'TELEPHONE' 1/2-6 HBlit	1730-12 DL/PC 1730T15	Gray	12"	108.4	8	15,000	
T15	17301400	1730-18 DL/PC T15 'BLANK' 1/2-6 HBlit	1730-18 DL/PC 1730T15	Gray	18"	116.1	6	15,000	
T15	17301401	1730-18 DL/PC T15 MARKING PLATE REQUIRED 1/2-6 HBlit	1730-18 DL/PC 1730T15	Gray	18"	116.1	6	15,000	
T15	17301405	1730-18 DL/PC T15 'COMMUNICATION' 1/2-6 HBlit	1730-18 DL/PC 1730T15	Gray	18"	116.1	6	15,000	
T15	17301406	1730-18 DL/PC T15 'FIBER OPTICS' 1/2-6 HBlit	1730-18 DL/PC 1730T15; AUGER BOLT	Gray	18"	116.1	6	15,000	
T15	17301407	1730-18 DL/PC T15 'TELEPHONE' 1/2-6 HBlit	1730-18 DL/PC 1730T15	Gray	18"	116.1	6	15,000	
T22	17301300	1730-12 DL/PC T22 'BLANK' 1/2-6 HBlit	1730-12 DL/PC 1730T22	Gray	12"	109.3	8	22,500	
T22	17301301	1730-12 DL/PC T22 MARKING PLATE REQUIRED 1/2-6 HBlit	1730-12 DL/PC 1730T22	Gray	12"	109.3	8	22,500	
T22	17301305	1730-12 DL/PC T22 'COMMUNICATION' 1/2-6 HBlit	1730-12 DL/PC 1730T22	Gray	12"	109.3	8	22,500	
T22	17301306	1730-12 DL/PC T22 'FIBER OPTICS' 1/2-6 HBlit	1730-12 DL/PC 1730T22	Gray	12"	109.3	8	22,500	
T22	17301307	1730-12 DL/PC T22 'TELEPHONE' 1/2-6 HBlit	1730-12 DL/PC 1730T22	Gray	12"	109.3	8	22,500	

CONTINUED ON NEXT PAGE

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

DURALITE™ 1730 Continued

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
T22	17301500	1730-18 DL/PC T22 'BLANK' 1/2-6 HBlT	1730-18 DL/PC 1730T22	Gray	18"	119.3	6	22,500	
T22	17301501	1730-18 DL/PC T22 MARKING PLATE REQUIRED 1/2-6 HBlT	1730-18 DL/PC 1730T22	Gray	18"	119.3	6	22,500	
T22	17301505	1730-18 DL/PC T22 'COMMUNICATION' 1/2-6 HBlT	1730-18 DL/PC 1730T22	Gray	18"	119.3	6	22,500	
T22	17301506	1730-18 DL/PC T22 'FIBER OPTICS' 1/2-6 HBlT	1730-18 DL/PC 1730T22	Gray	18"	119.3	6	22,500	
T22	17301507	1730-18 DL/PC T22 'TELEPHONE' 1/2-6 HBlT	1730-18 DL/PC 1730T22	Gray	18"	119.3	6	22,500	

DURALITE™ 2436


Polyolefin Blend - 24" x 36"



MEDIUM DUTY
ANSI/SCTE TIER 15



HEAVY DUTY
ANSI/SCTE TIER 22




RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Body - 2436									
T22	24362076	2436-24 DL/HSW Body T15/T22 0 MsHI Gray	4x 1/2-6 Nut S162422	Gray	24"	79.2	2	22,500	
Lid - 2436 Polymer Concrete									
T22	24364010	Lid, Polymer Conc, T22, Blank	-	Gray	-	147.0	10	22,500	
T22	24364603	Lid, Polymer Conc, T22 Mark Plate Req	-	Gray	-	147.0	10	22,500	
T22	24364008	Lid, Polymer Conc, T22, Electric	-	Gray	-	147.0	10	22,500	
T22	24364017	Lid, Polymer Conc, T22, Street Lighting	-	Gray	-	147.0	10	22,500	
T22	24364016	Lid, Polymer Conc, T22, Traffic Signal	-	Gray	-	147.0	10	22,500	
T22	24364013	Lid, Polymer Conc, T22, Communication	-	Gray	-	147.0	10	22,500	
T22	24364015	Lid, Polymer Conc, T22, Fiber Optics	-	Gray	-	147.0	10	22,500	
T22	24364018	Lid, Polymer Conc, T22, Telephone	-	Gray	-	147.0	10	22,500	
Lid - 2436									
T15	24364500	2436 DL / LW Flsh Cover Gray, T15, Marking Plate Required	2x 1/2-6 Hex Auger CpBlT	Gray	-	40.1	10	15,000	
T15	24364625	2436 DL / LW T Cover Gray, T15, Marking Plate Required	2x 1/2-6 Hex Auger CpBlT	Gray	-	40.1	10	15,000	
T22	24364550	2436 DL/LW Flsh Cover Gray, T22, Marking Plate Required	2x 1/2-6 Hex Auger CpBlT	Gray	-	40.1	10	22,500	
T22	24364560	2436 DL / LW Flsh Cover Gray, T22, 'Blank'	2x 1/2-6 Hex Auger CpBlT, Marking Plate Lid, Orange EMS	Gray	-	40.1	10	22,500	
T22	24364561	2436 DL / LW Flsh Cover Gray, T22, Marking Plate Required	2x 1/2-6 Hex Auger CpBlT, Orange EMS	Gray	-	40.1	10	22,500	
T22	24364650	2436 DL / LW T Cover Gray, T22, Marking Plate Required	2x 1/2-6 Hex Auger CpBlT	Gray	-	40.1	10	22,500	
T22	24364660	2436 DL / LW T Cover Gray, T22, 'Blank'	2x 1/2-6 Hex Auger CpBlT, Marking Plate Lid, Orange EMS	Gray	-	40.1	10	22,500	
T22	24364661	2436 DL / LW T Cover Gray, T22, Marking Plate Required	2x 1/2-6 Hex Auger CpBlT, Orange EMS	Gray	-	40.1	10	22,500	
Unit - 2436									
T15	24361210	2436-24 GRAY DL / LW Flsh, T15 MARKING PLATE REQUIRED	1/2-6 HBlT Hex Auger	Gray	24"	119.4	4	15,000	
T15	24361260	2436-24 GRAY DL / LW T Cover, T15 MARKING PLATE REQUIRED	1/2-6 HBlT Hex Auger	Gray	24"	125.4	4	15,000	
T15	24361300	2436-24 DL/PC T15 'BLANK' 1/2-6 HBlT	"2x 1/2-6 Hex Auger Bolts	Gray	24"	247.8	2	15,000	
T22	24361200	2436-24 DL/PC T22 'BLANK' 1/2-6 HBlT	2436-24 DL/PC 2436T22	Gray	24"	247.8	2	22,500	
T22	24361201	2436-24 DL/PC T22 MARKING PLATE REQUIRED 1/2-6 HBlT	2436-24 DL/PC 2436T22	Gray	24"	247.8	2	22,500	
T22	24361205	2436-24 DL/PC T22 'COMMUNICATION' 1/2-6 HBlT	2436-24 DL/PC 2436T22	Gray	24"	247.8	2	22,500	
T22	24361207	2436-24 DL/PC T22 'TELEPHONE' 1/2-6 HBlT	2436-24 DL/PC 2436T22	Gray	24"	247.8	2	22,500	
T22	24361209	2436-24 DL/PC T22 'FIBER OPTICS' 1/2-6 HBlT	2436-24 DL/PC 2436T22	Gray	24"	247.8	2	22,500	
T22	24361230	2436-24 GRAY DL / LW T Cover, T22 MARKING PLATE REQUIRED	1/2-6 HBlT Hex Auger	Gray	24"	125.4	4	22,500	
T22	24361231	2436-24 GRAY DL / LW T Cover, T22 'BLANK'	1/2-6 HBlT Hex Auger, Orange EMS	Gray	24"	125.4	4	22,500	
T22	24361232	2436-24 GRAY DL / LW T Cover, T22, Marking Plate Required	1/2-6 HBlT Hex Auger, Orange EMS	Gray	24"	125.4	4	22,500	
T22	24361240	2436-24 GRAY DL / LW Flsh Cover, T22 MARKING PLATE REQUIRED	1/2-6 HBlT Hex Auger	Gray	24"	119.4	4	22,500	
T22	24361241	2436-24 GRAY DL / LW Flsh Cover, T22 'BLANK'	1/2-6 HBlT Hex Auger, Orange EMS	Gray	24"	119.4	4	22,500	
T22	24361242	2436-24 GRAY DL / LW Flsh Cover, T22, Marking Plate Required	1/2-6 HBlT Hex Auger, Orange EMS	Gray	24"	119.4	4	22,500	
T22	24361245	2436-24 GRAY DL / LW Flsh Cover, T22 MARKING PLATE REQUIRED	1/2-6 PblT Penta Auger	Gray	24"	119.4	4	22,500	

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE FRP 1118

Fiberglass Reinforced Polymer - 11" x 18"




MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 1118 Straight Wall									
T15	11181810	Unit, Oldcastle FRP, 1118-12 SW EMS Blank		Gray	12"			15,000	
T15	11181820	Unit, Oldcastle FRP, 1118-18 SW Blank		Gray	18"			15,000	

OLDCASTLE FRP 1324

Fiberglass Reinforced Polymer - 13" x 24"




MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 1324 Flared Wall									
T15	13241700	Unit, Oldcastle FRP, Fiberglass 1324-12 FW Blank		Gray	12"			15,000	
T15	13241710	Unit, Oldcastle FRP, Fiberglass 1324-18 FW Blank		Gray	18"			15,000	
T15	13241730	Unit, Oldcastle FRP, 1324-18 FW Blank Penta Bolt		Gray	18"			15,000	
T15	13241720	Unit, Oldcastle FRP, 1324-24 FW EMS Blank		Gray	24"			15,000	
T15	13241750	Unit, Oldcastle FRP, Fiberglass 1324-24 FW Blank		Gray	24"			15,000	
Units Oldcastle FRP - 1324 Straight Wall									
T15	13241800	Unit, Oldcastle FRP, Fiberglass 1324-18 SW Blank		Gray	18"			15,000	
T15	13241810	Unit, Oldcastle FRP, Fiberglass 1324-24 SW Blank		Gray	24"			15,000	

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE FRP 1419

Fiberglass Reinforced Polymer - 14" x 19"





MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 1419 Flared Wall									
T15	14191710	Unit, Oldcastle FRP, 1419-18 FW Blank		Gray	18"			15,000	
T15	14191720	Unit, Oldcastle FRP, 1419-24 FW Blank		Gray	24"			15,000	

OLDCASTLE FRP 1730

Fiberglass Reinforced Polymer - 17" x 30"



MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 1730 Flared Wall									
T15	17301700	Unit, Oldcastle FRP, Fiberglass 1730-12 FW Blank		Gray	12"			15,000	
T15	17301710	Unit, Oldcastle FRP, 1730-12 FW Blank Penta Bolt		Gray	12"			15,000	
T15	17301720	Unit, Oldcastle FRP, Fiberglass 1730-18 FW Blank		Gray	18"			15,000	
T15	17301730	Unit, Oldcastle FRP, 1730-18 FW Blank Penta Bolt		Gray	18"			15,000	
T15	17301737	Unit, Oldcastle FRP, Fiberglass 1730-24 FW Blank		Gray	24"			15,000	
T15	17301735	Unit, Oldcastle FRP, 1730-24 FW Communication		Gray	24"			15,000	
T15	17301750	Unit, Oldcastle FRP, 1730-24 FW Blank Penta Bolt		Gray	24"			15,000	
T15	17301740	Unit, Oldcastle FRP, Fiberglass 1730-30 FW Blank		Gray	30"			15,000	
Units Oldcastle FRP - 1730 Straight Wall									
T15	17301800	Unit, Oldcastle FRP, Fiberglass 1730-12 SW Blank		Gray	12"			15,000	
T15	17301810	Unit, Oldcastle FRP, Fiberglass 1730-18 SW Blank		Gray	18"			15,000	
T15	17301820	Unit, Oldcastle FRP, Fiberglass 1730-24 SW Blank		Gray	24"			15,000	
T15	17301825	Unit, Oldcastle FRP, 1730-24 SW Blank EMS		Gray	24"			15,000	
T15	17301830	Unit, Oldcastle FRP, Fiberglass 1730-30 SW Blank		Gray	30"			15,000	


OLDCASTLE FRP

1419 & 1730

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE FRP 2424

Fiberglass Reinforced Polymer - 24" x 24"





MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 2424 Straight Wall									
T15	24241810	Unit, Oldcastle FRP, 2424-24 SW Blank		Gray	24"			15,000	
T15	24241820	Unit, Oldcastle FRP, 2424-24 SW EMS Blank		Gray	24"			15,000	

OLDCASTLE FRP 2436

Fiberglass Reinforced Polymer - 24" x 36"




MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 2436 Flared Wall									
T15	24361700	Unit, Oldcastle FRP, Fiberglass 2436-18 FW Blank		Gray	18"			15,000	
T15	24361710	Unit, Oldcastle FRP, 2436-18 FW EMS Blank		Gray	18"			15,000	
T15	24361726	Unit, Oldcastle FRP, Fiberglass 2436-24 FW Blank		Gray	24"			15,000	
T15	24361722	Unit, Oldcastle FRP, 2436-24 FW Blank Penta Bolt		Gray	24"			15,000	
T15	24361724	Unit, Oldcastle FRP, 2436-24 FW EMS Blank Penta		Gray	24"			15,000	
T15	24361750	Unit, Oldcastle FRP, Fiberglass 2436-30 FW Blank		Gray	30"			15,000	
T15	24361730	Unit, Oldcastle FRP, 2436-30 FW EMS Blank		Gray	30"			15,000	
T15	24361735	Unit, Oldcastle FRP, 2436-30 FW Blank		Gray	30"			15,000	
T15	24361740	Unit, Oldcastle FRP, 2436-36 FW EMS Blank		Gray	36"			15,000	
T15	24361745	Unit, Oldcastle FRP, 2436-36 FW EMS Blank Penta		Gray	36"			15,000	
T15	24361770	Unit, Oldcastle FRP, Fiberglass 2436-36 FW Blank		Gray	36"			15,000	
Units Oldcastle FRP - 2436 Straight Wall									
T15	24361800	Unit, Oldcastle FRP, Fiberglass 2436-18 SW Blank		Gray	18"			15,000	
T15	24361810	Unit, Oldcastle FRP, Fiberglass 2436-24 SW Blank		Gray	24"			15,000	
T15	24361815	Unit, Oldcastle FRP, 2436-24 SW EMS Blank		Gray	24"			15,000	
T15	24361825	Unit, Oldcastle FRP, Fiberglass 2436-30 SW Blank		Gray	30"			15,000	
T15	24361850	Unit, Oldcastle FRP, 2436-36 SW Blank MH		Gray	36"			15,000	
T15	24361860	Unit, Oldcastle FRP, 2436-36 SW EMS Blank		Gray	36"			15,000	
T15	24361845	Unit, Oldcastle FRP, Fiberglass 2436-36 SW Blank		Gray	36"			15,000	
T15	24361830	Unit, Oldcastle FRP, Fiberglass 2436-48 SW Blank		Gray	48"			15,000	

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE FRP 3048

Fiberglass Reinforced Polymer - 30" x 48"




MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 3048 Flared Wall									
T15	30481700	Unit, Oldcastle FRP, Fiberglass 3048-18 FW Blank		Gray	18"			15,000	
T15	30481730	Unit, Oldcastle FRP, Fiberglass 3048-24 FW Blank		Gray	24"			15,000	
T15	30481710	Unit, Oldcastle FRP, 3048-24 FW EMS Blank Penta		Gray	24"			15,000	
T15	30481726	Unit, Oldcastle FRP, 3048-30 FW EMS Blank		Gray	30"			15,000	
T15	30481720	Unit, Oldcastle FRP, Fiberglass 3048-30 FW Blank		Gray	30"			15,000	
T15	30481732	Unit, Oldcastle FRP, 3048-36 FW Blank Penta Bolt		Gray	36"			15,000	
T15	30481735	Unit, Oldcastle FRP, 3048-36 FW EMS Blank		Gray	36"			15,000	
T15	30481750	Unit, Oldcastle FRP, Fiberglass 3048-36 FW Blank		Gray	36"			15,000	
Units Oldcastle FRP - 3048 Straight Wall									
T15	30481800	Unit, Oldcastle FRP, Fiberglass 3048-18 SW Blank		Gray	18"			15,000	
T15	30481810	Unit, Oldcastle FRP, Fiberglass 3048-24 SW Blank		Gray	24"			15,000	
T15	30481815	Unit, Oldcastle FRP, 3048-24 SW Blank Penta Bolt		Gray	24"			15,000	
T15	30481820	Unit, Oldcastle FRP, Fiberglass 3048-30 SW Blank		Gray	30"			15,000	
T15	30481835	Unit, Oldcastle FRP, 3048-36 SW EMS Blank		Gray	36"			15,000	
T15	30481840	Unit, Oldcastle FRP, 3048-36 SW Blank K/O		Gray	36"			15,000	
T15	30481842	Unit, Oldcastle FRP, 3048-36 SW EMS Blank Penta		Gray	36"			15,000	
T15	30481830	Unit, Oldcastle FRP, Fiberglass 3048-36 SW Blank		Gray	36"			15,000	
T15	30481850	Unit, Oldcastle FRP, Fiberglass 3048-48 SW Blank		Gray	48"			15,000	

OLDCASTLE FRP 3060

Fiberglass Reinforced Polymer - 30" x 60"



MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 3060 Straight Wall									
T15	30601800	Unit, Oldcastle FRP, Fiberglass 3060-30 SW Blank		Gray	30"			15,000	
T15	30601815	Unit, Oldcastle FRP, 3060-30 SW EMS Blank		Gray	30"			15,000	
T15	30601825	Unit, Oldcastle FRP, 3060-30 SW EMS Blank Penta		Gray	30"			15,000	
T15	30601810	Unit, Oldcastle FRP, Fiberglass 3060-36 SW Blank		Gray	36"			15,000	
T15	30601820	Unit, Oldcastle FRP, 3060-36 SW EMS Blank		Gray	36"			15,000	
T15		Unit, Oldcastle FRP, Fiberglass 3060-60 SW Blank		Gray	60"			15,000	


OLDCASTLE FRP

3048 & 3060

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE FRP 3636

Fiberglass Reinforced Polymer - 36" x 36"




MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 3636 Straight Wall									
T15	36361810	Unit, Oldcastle FRP, 3636-36 SW Blank		Gray	36"			15,000	

OLDCASTLE FRP 3660

Fiberglass Reinforced Polymer - 36" x 60"



MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 3660 Straight Wall									
T15	36601717	Unit, Oldcastle FRP, Fiberglass 3660-24 SW Blank		Gray	24"			15,000	
T15	36601810	Unit, Oldcastle FRP, Fiberglass 3660-30 SW Blank		Gray	30"			15,000	
T15	36601710	Unit, Oldcastle FRP, Fiberglass 3660-36 SW Blank		Gray	36"			15,000	
T15	36601830	Unit, Oldcastle FRP, Fiberglass 3660-60 SW Blank		Gray	60"			15,000	


Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE FRP 4848

Fiberglass Reinforced Polymer - 48" x 48"



MEDIUM DUTY
ANSI/SCTE TIER 15




RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 4848 Straight Wall									
T15	48481810	Unit, Oldcastle FRP, 4848-24 SW EMS Blank		Gray	24"			15,000	
T15	48481820	Unit, Oldcastle FRP, 4848-24 SW Blank		Gray	24"			15,000	
T15	48481800	Unit, Oldcastle FRP, 4848-48 SW Blank		Gray	48"			15,000	
T15	48481805	Unit, Oldcastle FRP, 4848-48 SW CI Cover Blank		Gray	48"			15,000	
T15	48481815	Unit, Oldcastle FRP, 4848-48 SW CI Cover Blank		Gray	48"			15,000	
T15	48481825	Unit, Oldcastle FRP, 4848-48 SW Blank		Gray	48"			15,000	
T15	48481835	Unit, Oldcastle FRP, 4848-60 SW Blank		Gray	60"			15,000	

OLDCASTLE FRP 4872

Fiberglass Reinforced Polymer - 48" x 72"



MEDIUM DUTY
ANSI/SCTE TIER 15




RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 4872 Straight Wall									
T15	48721810	Unit, Oldcastle FRP, 4872-36 SW Blank		Gray	36"			15,000	
T15	48721800	Unit, Oldcastle FRP, 4872-48 SW Blank		Gray	48"			15,000	
T15	48721820	Unit, Oldcastle FRP, 4872-60 SW Blank		Gray	60"			15,000	

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

OLDCASTLE FRP 4896

Fiberglass Reinforced Polymer - 48" x 96"




MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Units Oldcastle FRP - 4896 Straight Wall									
T15	48961800	Unit, Oldcastle FRP, 4896-48 SW Blank		Gray	48"			15,000	

OLDCASTLE FRP Rounds

Fiberglass Reinforced Polymer



1000

1800

2200

2400

2700

3900

5400



MEDIUM DUTY
ANSI/SCTE TIER 15

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Round Oldcastle FRP Unit - 1000									
T15	10001820	Unit, Round, Oldcastle FRP, 1000-18 Blank		Gray	18"			15,000	
Round Oldcastle FRP Unit - 1800									
T15	18001710	Unit, Round, Oldcastle FRP, 1800-36, Blank		Gray	36"	179 .0		15,000	
T15	18001720	Unit, Round, Oldcastle FRP, 1800-48 Blank		Gray	48"	189 .0		15,000	
Round Oldcastle FRP Unit - 2200									
T15	22001710	Unit, Round, Oldcastle FRP, 2200-30 Blank		Gray	30"	86 .0		15,000	
T15	22001810	Unit, Round, Oldcastle FRP, 2200-30 Blank		Gray	30"			15,000	
Round Oldcastle FRP Unit - 2400									
T15	24001820	Unit, Round, Oldcastle FRP, 2400-36 Blank		Gray	36"	230 .0		15,000	
Round Oldcastle FRP Unit - 2700									
T15	27001710	Unit, Round, Oldcastle FRP, 2700-36 Blank		Gray	36"	169 .0		15,000	
T15	27001720	Unit, Round, Oldcastle FRP, 2700-48 Blank		Gray	48"	184 .0		15,000	
Round Oldcastle FRP Unit - 3900									
T15	39001710	Unit, Round, Oldcastle FRP, 3900-36 Blank		Gray	36"	460 .0		15,000	
T15	39001720	Unit, Round, Oldcastle FRP, 3900-48 Blank		Gray	48"	503 .0		15,000	
T15	39001730	Unit, Round, Oldcastle FRP, 3900-60 Blank		Gray	60"			15,000	
Round Oldcastle FRP Unit - 5400									
T15	54001710	Unit, Round, Oldcastle FRP, 5400-36 Blank		Gray	36"			15,000	
T15	54001720	Unit, Round, Oldcastle FRP, 5400-46 Blank		Gray	46"			15,000	
T15	54001730	Unit, Round, Oldcastle FRP, 5400-48 Blank		Gray	48"			15,000	

Products are rated by the lowest component rating.
Tier 15 cover with a tier 22 body is rated tier 15.
Tier 22 cover with a tier 22 body is rated tier 22.

Marking Plate Lids, Marking Plates and Steel Lids

Marking Plate Lids Oldcastle Polymer

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
1118 - Marking Plate Lid									
T15	11184694	Lid, PC1118-T, T15 -SPECIAL w/MARKING PLATE	PC1118T-T15	Gray	-	20.0	56	15,000	
T22	11184695	Lid, PC1118-T, T22 - SPECIAL w/MARKING PLATE	PC1118T-T22	Gray	-	28.0	56	22,500	
1324 - Marking Plate Lid									
T15	13244694	Lid, PC1324-T, T15 -SPECIAL w/MARKING PLATE	PC1324T-T15	Gray	-	38.0	30	15,000	
T22	13244695	Lid, PC1324-T, T22 - SPECIAL w/MARKING PLATE	PC1324T-T22	Gray	-	51.0	30	22,500	
1730 - Marking Plate Lid									
T15	17304694	Lid, PC1730-T, T15 -SPECIAL w/MARKING PLATE	PC1730T-T15	Gray	-	62.0	25	15,000	
T22	17304695	Lid, PC1730-T, T22 - SPECIAL w/MARKING PLATE	PC1730T-T22	Gray	-	85.0	25	22,500	
2424 - Marking Plate Lid									
T15	24244694	Lid, PC2424-T, T15 -SPECIAL w/MARKING PLATE	PC2424T-T15	Gray	-	75.0	20	15,000	
T22	24244695	Lid, PC2424-T, T22 - SPECIAL w/MARKING PLATE	PC2424T-T22	Gray	-	112.0	20	22,500	
2436 - Marking Plate Lid									
T15	24364694	Lid, PC2436-T, T15 -SPECIAL w/MARKING PLATE	PC2436T-T15	Gray	-	150.0	10	15,000	
T22	24364695	Lid, PC2436-T, T22 - SPECIAL w/MARKING PLATE	PC2436T-T22	Gray	-	204.0	10	22,500	
3636 - Marking Plate Lid									
T15	36364694	Lid, PC3636-T, T15 -SPECIAL w/MARKING PLATE	PC3636T-T15	Gray	-	235.0	5	15,000	
T22	36364695	Lid, PC3636-T, T22 - SPECIAL w/MARKING PLATE	PC3636T-T22	Gray	-	265.0	5	22,500	

Marking Plates

RATING	PART #	DESC 1	DESC 2	COLOR	DEPTH	ITEM WEIGHT	PALLET QTY	DESIGN LOAD (LB)	QUICK SHIP
Marking Plate Kit - ABS Marking Plate with (2) Stainless Steel Spanner Bolts									
-	31901000	Marking Plate-Blank	4"x8"	-	-	-	-	-	
-	31901020	Marking Plate-Communication	4"x8"	-	-	-	-	-	
-	31901021	Marking Plate-Telephone	4"x8"	-	-	-	-	-	
-	31901060	Marking Plate-CATV	4"x8"	-	-	-	-	-	
-	31901061	Marking Plate-Fiber Optics	4"x8"	-	-	-	-	-	
Marking Plate Adhesive									
-	31900100	Sealant, Surebond SB-12 10.2oz Cartridge	10 Lid Coverage	-	-	-	-	-	

Standard Marking Plate: 4" x 8", 2 rows of lettering, max 13 characters each row. Options Available. Call Customer Service for Custom and Specialty Marking Orders.

Steel Lids Oldcastle Polymer

RATING	PART #	DESC 1	DESC 2	DEPTH	ITEM WEIGHT	PALLET QTY	QUICK SHIP
-	11184054	1118 Steel T Cover Gal Blank	PC BOX	1118	41	20	
-	13244180	1324 Steel T Cover Gal Blank	PC Box	1324	49	20	
-	17304186	1730 Steel T Cover Gal Blank	2x Prov	1730	65	14	
-	24364011	2436 Steel T Cover, Galv., Blank	Galvanized	2436	124	6	
-	30484019	3048 Steel T Cover Gal Blank	2 Piece Over Under	3048	196	6	
-	30604013	3060 Steel T Cover Blank	2 Piece Over Under	3060	246	10	

For solid bottom, dividers, and other Oldcastle Polymer Concrete (H-series) options contact customer service.

Products are rated by the lowest component rating.
 Tier 15 cover with a tier 22 body is rated tier 15.
 Tier 22 cover with a tier 22 body is rated tier 22.

UNDERGROUND ENCLOSURES

Installation Guide

WARNING: All installations must be performed by qualified personnel with proper safety equipment. When installing any surface-level underground enclosures installers must follow all national and local electrical, safety and building codes.

PEDESTRIAN / GREENBELT Installations and Applications

Typical installations are pedestrian and greenbelt spaces and other non-deliberate traffic locations.



LOAD RATING:

- LIGHT DUTY | Pedestrian | Design Load: 300 PSF
- MEDIUM DUTY | ANSI/SCTE Tier 8 | Design Load: 8,000 lb

ENCLOSURE BRANDS:

- Carson®
- Christy®
- Fibrelyte®

GREENBELT, SIDEWALK & RIGHT OF WAY Installations and Applications

Typical installations are greenbelt spaces, sidewalks and right of ways and other incidental non-deliberate traffic locations.



LOAD RATING:

- MEDIUM DUTY | ANSI/SCTE Tier 15 | Design Load: 15,000 lb
- HEAVY DUTY | ANSI/SCTE Tier 22 | Design Load: 22,500 lb

ENCLOSURE BRANDS:

- Duralite™
- Oldcastle FRP
- Oldcastle Polymer

ROADWAYS AND DELIBERATE TRAFFIC AREAS Installations and Applications

Typical installations are roadways and deliberate traffic areas. Traffic rated products require a steel frame and cover with a concrete collar.



LOAD RATING:

- TRAFFIC RATED | AASHTO H20 | Design Load: 16,000 lb

ENCLOSURE BRANDS:

- Christy®

Always ensure the product load rating matches the anticipated load rating of the application.

Page 1

UNDERGROUND ENCLOSURES

Installation Guide

INSTALLATION NOTES

■ LIGHT DUTY ■ MEDIUM DUTY ■ HEAVY DUTY ■ TRAFFIC RATED

INSTALLATIONS ON A SLOPE OR HILLSIDE:

Enclosures installed on a slope or hillside should be installed level and have a retaining wall built to hold the soil to prevent erosion above the enclosure.

SIDEWALKS:


If the installation is to be within a sidewalk, it is generally more practical to use a masonry saw and remove the entire sidewalk width to facilitate proper soil removal.

BASE (CRUSHED STONE):

A base of 6" - 8" is recommended in high water table areas. A deeper layer of crushed stone may reduce the chances of settling over time. 2" to 4" of stone may be used in areas with high soil stability.


LIFTING:

Enclosures can be safely handled by hand by the proper number of trained workers or with proper lifting equipment. Always follow guidelines for safe lifting.



BRACING:

Install bracing within the enclosure to protect the sides from bowing during backfilling. Suitable bracing could be one or multiple wooden 2x4's cut to length and installed snug against the inside walls of the enclosure.



BACKFILL:

Be sure to remove any stones 3" or larger from the backfill material. An alternate 'dry lean mix' may be prepared for backfill using Portland cement and crushed rock in a ratio of 1:10. This higher strength alternative is useful where known traffic is anticipated within the vicinity of the enclosure that could cause vehicular surcharge loading.

TAMPING:

It is recommended not to use mechanical tamping tools such as a tamping ram or plate compactor when tamping the backfill material around the enclosure to prevent bowing to sides of the enclosure. Mechanical compactors can increase the soil density by as much as 200%. DO NOT use heavy equipment, like backhoes, for tamping as damage will occur.

Always ensure the product load rating matches the anticipated load rating of the application.

Page 2


UNDERGROUND ENCLOSURES

Installation Guide

PEDESTRIAN RATED / GREENBELT APPLICATIONS

■ LIGHT DUTY | Pedestrian | Design Load: 300 PSF

■ MEDIUM DUTY | ANSI/SCTE Tier 8 | Design Load: 8,000 lb



I. EXCAVATION

Excavate an area approximately 12" to 16" longer and wider and 6" to 8" deeper than the actual dimensions of the enclosure to be installed. The excavation floor should be flat and level.

II. INSTALLATION

1. Add a 6" to 8" deep base of $\frac{3}{4}$ " and smaller, crushed stone to the excavated hole. The base material shall be crushed, angular stone, not 'river rock or round stone,' and should be free of soil and organic material (see page 2, "Base"). Use a mechanical or hand tamper to tamp down the crushed stone to be flat and level.
2. Set the enclosure box into the excavated hole. Adjust the height to grade. Be sure the enclosure is level, centered in the hole, and is parallel with the sidewalk or curb if applicable.
3. Install bracing (see page 2, "Bracing"), then install the cover and bolts to prevent debris from entering the enclosure and help maintain box rigidity during the backfilling procedure.
4. Utilize the excavated material to backfill along the open, outer sides of the excavated hole (see page 2, "Backfill").
5. Tamp the soil around the enclosure with hand tamping tools*. Soil in the immediate vicinity should be tamped and sloped away from the enclosure. Be sure not to slope the grade towards the enclosure as debris could make the cover difficult to remove.
6. Remove the internal bracing and replace the cover and bolts to complete the installation.

* DO NOT use heavy equipment, like backhoes, for tamping as damage will occur (see page 2, "Tamping").

Always ensure the product load rating matches the anticipated load rating of the application.


Page 3

UNDERGROUND ENCLOSURES

Installation Guide

TIER 15 & TIER 22 RATED / GREENBELT, SIDEWALK & RIGHT OF WAY APPLICATIONS

● MEDIUM DUTY | ANSI/SCTE Tier 15 | Design Load: 15,000 lb ● HEAVY DUTY | ANSI/SCTE Tier 22 | Design Load: 22,500 lb



I. EXCAVATION

Excavate an area approximately 12" to 16" longer and wider and 6" to 8" deeper than the actual dimensions of the enclosure to be installed (see page 2, "Sidewalk"). The excavation floor should be flat and level.

II. INSTALLATION

1. Add a 6" to 8" deep base of $\frac{3}{4}$ " and smaller, crushed stone to the excavated hole. The base material shall be crushed, angular stone, not 'river rock or round stone,' and should be free of soil and organic material (see page 2, "Base"). Use a mechanical or hand tamper to tamp down the crushed stone to be flat and level.
2. Set the enclosure box into the excavated hole (see page 2, "Lifting"). Adjust the height to grade. Be sure the enclosure is level, centered in the hole, and is parallel with the sidewalk or curb if applicable.
3. Install bracing (see page 2, "Bracing"), then install the cover and bolts to prevent debris from entering the enclosure and help maintain box rigidity during the backfilling procedure.
4. Backfill along the open, outer sides of the excavated hole (see page 2, "Backfill").
5. Tamp the soil around the enclosure with hand tamping tools*. Soil in the immediate vicinity should be tamped and sloped away from the enclosure. Be sure not to slope the grade towards the enclosure as debris could make the cover difficult to remove.
6. Remove the internal bracing and replace the cover and bolts to complete the installation.

* DO NOT use heavy equipment, like backhoes, for tamping as damage will occur (see page 2, "Tamping").

Always ensure the product load rating matches the anticipated load rating of the application.


Page 4

UNDERGROUND ENCLOSURES

Installation Guide

H2O RATED / TRAFFIC APPLICATIONS

■ TRAFFIC RATED | AASHTO H20 | Design Load: 16,000 lb



I. EXCAVATION

Excavate an area approximately 12" to 16" longer and wider and 6" to 8" deeper than the actual dimensions of the enclosure to be installed (see page 2, "Sidewalk"). The excavation floor should be flat and level.

II. INSTALLATION

1. Add a 6" to 8" deep base of $\frac{3}{4}$ " and smaller, crushed stone to the excavated hole. The base material shall be crushed, angular stone, not 'river rock or round stone,' and should be free of soil and organic material (see page 2, "Base"). Use a mechanical or hand tamper to tamp down the crushed stone to be flat and level.
2. Set the enclosure box into the excavated hole (see page 2, "Lifting"). Adjust the height to grade. Be sure the enclosure is level, centered in the hole, and is parallel with the sidewalk or curb if applicable. Install the cover and bolts to prevent debris from entering the enclosure during the backfilling procedure.
3. Backfill along the open, outer sides of the excavated hole (see page 2, "Backfill").
4. The final 6" to 8" of the excavation should be finished with a concrete collar. This is accomplished by providing a form around the enclosure that would produce a six-inch minimum wide collar. The concrete collar mix used in the installation shall exceed a minimum of 3,000 PSI compressive strength.
5. Secure the cover and bolts to complete the installation.

Always ensure the product load rating matches the anticipated load rating of the application.

Page 5

UNDERGROUND ENCLOSURES


Installation Guide

■ LIGHT DUTY

■ MEDIUM DUTY


■ HEAVY DUTY

■ TRAFFIC RATED




PEDESTRIAN/GREENBELT

■ Carson® ■ Christy® ■ Fibrelyte®



Grass/Turf




Crushed Rock



Excavated Earth




Undisturbed Earth




SIDEWALK/CONCRETE

■ Duralite™ ■ Oldcastle FRP ■ Oldcastle Polymer



Sidewalk/Concrete




Crushed Rock



Excavated Earth



Undisturbed Earth



TRAFFIC


■ Christy®



Asphalt/Pavement



Concrete Collar



Crushed Rock



Excavated Earth



Undisturbed Earth

Always ensure the product load rating matches the anticipated load rating of the application.

Page 6

MARKING PLATE

Installation Guide

Installation Methods

2x8

- Adhesive



4x8

- Adhesive
- Bolt Down
- Adhesive + Bolt Down



Required Items

- Cover
- Marking Plate
- Equipment and Materials for Your Install Method
- Compressed Air for Debris Removal

Equipment and Materials

Adhesive Installation

- Latex/Silicone Gloves
- Caulk Gun
- Adhesive: Seamer Mate or Geocel 2320 ONLY
- 3-5 lb weight
- Safety Glasses
- Clean rags
- Cleaner: Xylene/Acetone/Mineral Spirits

Bolt Down Installation

- Spanner Bit Head Screwdriver
- (2) 10-24 X 1/2 Flat Head Spanner Bolts

PREPARATION AND INSTALLATION

For optimal results, cover and marking plate should be clean and dry. If possible, allow the parts to come to the same temperature. Room temperature is preferred but not absolutely necessary. Remove any large foreign debris from the cover (i.e., dust, water, ice, mud) and allow it to dry before installation. Use clean rags to wipe the recessed area with cleaner and use compressed air to remove any small remaining debris.

Adhesive Installation

1. Apply a moderate amount of adhesive to the back of the marking plate in a 1/8" bead so that it runs the full length of the plate at an equal distance from the edge and between each bead (2"x8") or in a wave-like pattern with a border (4"x8"). Using excessive adhesive will slow curing process. (Figure 1)
2. Set the marking plate in the recessed area evenly, and apply pressure to the top of the plate with your hand to ensure that it is set firmly into the recessed area. Ensure it is below or flush with the cover surface before adhesive sets. (Figure 2)
3. Wipe any excess adhesive off using a rag and cleaner. Apply a 3-5 lb. weight and let it sit for 30 minutes to ensure that the adhesive sets to form a permanent bond.

MARKING PLATE

Installation Guide

Figure 1





Figure 2



Bolt Down Installation

1. Using the spanner bit, hand-tighten the two spanner bolts into the pre-drilled holes of the marking plate (Figure 3) securing it to the cover.
2. If adhesive is used, apply continual pressure to the top of the marking plate for 10 seconds. Tack-free time is 10-20 minutes and full cure is approximately 24 hours.

Figure 3





(888) 965-3227
oldcastleinfrastructure.com