
techoLED®
BROOKLYN • NY

TRANSPARENT PANEL

Rev. Date: 09/11/2026

Project:	Type:
	Comments:



Highlights


Indoor architectural pendant LED fixture

LED: Samsung LED chips, 2700-5000K, 80CRI (90 optional)

Construction: Transparent diffuser, Direct/Indirect Illumination, High grade aluminum extrusion, 4’ and 8’ sections, PC diffuser, integral driver. Power coat finish. Continuous linear runs available

5-year limited warranty

Installation



Pendant
(P)

techoLED®
BROOKLYN • NY

TRANSPARENT PANEL

Rev. Date: 09/11/2026

Project:	Type:
	Comments:

Configuration Example

Model #	Distribution	Length	Wattage	Color Temp.	Voltage	Finish
TECHOLED-TP-DI-4-40-27-U-S	Direct/Indirect	4'	40W/4'	2700K	110-277V	Silver

Ordering Guide:

Select one option from each group below. For a custom preference please contact sales@techoled.com

1-FIXTURE ID		2-DISTRIBUTION		3-LENGTH		4-WATTAGE	
TP	Transparent Panel	DI	Direct/Indirect	4	4´	40	40W/4´
				8	8´	80	80W/8´

5-COLOR TEMP.		5-VOLTAGE		7-FINISH		8-MOUNTING	
27	2700K	U	110-277V	S	Silver	PA	Pendant (Aircraft Cable)
30	3000K	HV	347V	W	White		
35	3500K			B	Black		
40	4000K			C	Custom (RAL#)		
50	5000K						

9-DRIVER OPTIONS		10-OPTIONS		11-OPTIONS (CONT.)	
DM	0-10V Dimming	M	Motion Sensor (remote)	EM	EM Battery (remote)
DM1%	1% Dimming	X	None	X	None
LT1	LDE1 Lutron 1%				
LT2	DFC Lutron Vive RF				
LT3	FCJ Lutron ECO				
LT4	FCJ Lutron PowPak				
LT5	DFC Lutron Vive				
BM	BubblyNet BT Mesh				
DA	Dali				
X	None				

techoLED®
BROOKLYN • NY

TRANSPARENT PANEL

Rev. Date: 09/11/2026

Project:	Type:
	Comments:

Lumen Output Details

Model #	Length	Wattage	Distribution	Lumen Output
TECHOLED-TP-DI-4-40	4'	40W	Direct/Indirect	4200Lm
TECHOLED-TP-DI-8-80	8'	80W	Direct/Indirect	8400Lm

Driver Option Details

Code	Description
LT1	**LDE1** -Lutron Hi-lume 1% EcoSystem, Soft-on, Fade-to Black Dimming
LT2	**RFJ/FCJS-010** - Lutron RF PowPak (0-10V)
LT3	**DFCSJ-OEM-RF** - Lutron Vive In-Fixture Control (RF only)
LT4	**DFCSJ-OEM-OCC** - Lutron Vive In-Fixture Control (with daylights & occ/vac sensors)
LT5	**FCJ/FCJS-ECO** - Lutron Wireless PowPak (EcoSystem)
BM	Bluetooth Mesh Smart Wireless Control by BubblyNet

Color Temperature Details

Code	Description
DT	LDTTW - Lutron Digital T-Series Tunable White


techoLED®
BROOKLYN • NY

TRANSPARENT PANEL

Rev. Date: 09/11/2026

Project:	Type:
	Comments:

Dimensions and Mounting



FIXTURE ID	A	B	C
TECHOLED-TP-DI-4-40	optional	7.87”	47.24”
TECHOLED-TP-DI-8-80	optional	7.87”	94.48”


techoLED®
BROOKLYN • NY

TRANSPARENT PANEL

Rev. Date: 09/11/2026

Project:	Type:
	Comments:

Distribution



techoLED®
BROOKLYN • NY

TRANSPARENT PANEL

Rev. Date: 09/11/2026

Project:	Type:
	Comments:

Finish Details (powder coat finish)

Standard Colors

W – White


S – Silver


B – Black

Custom Colors


RAL 1003


RAL 2004


RAL 3000


RAL 4001


RAL 5002


RAL 6000


RAL 6038


RAL 7001


RAL 1036


RAL 8029

Any RAL color available, please refer to ralcolorchart.com


Custom Wooden Colors


American Walnut


Cherry


Maple


Light Oak


Palisander Santos